

Linda Daume

**Therapie des dentalen Traumas im bleibenden Gebiss**

- [1] Bastone EB, Freer TJ, McNamara JR: Epidemiology of dental trauma: A review of the literature. *Aust Dent J* 45, 2–9 (2000).
- [2] Glendor U: Epidemiology of traumatic dental injuries – a 12 year review of the literature. *Dent Traumatol* 24, 603–611 (2008).
- [3] Eilert-Petersson E, Andreasson L, Sørensen S: Traumatic oral vs. non-oral injuries. An epidemiological study during one year in a Swedish county. *Swed Dent J* 21, 55–68 (1997).
- [4] Diangelis AJ, Andreasen JO, Ebeleseder KA, Kenny DJ, Trope M, Sigurdsson A et al.: International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 1. Fractures and luxations of permanent teeth. *Dent Traumatol* 28 (1), 2–12 (2012).
- [5] Andersson L, Andreasen JO, Day P, Heithersay G, Trope M, Diangelis AJ, Kenny DJ, Sigurdsson A, Bourguignon C, Flores MT, Hicks ML, Lenzi AR, Malmgren B, Moule AJ, Tsukiboshi M: International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 2. Avulsion of permanent teeth. *Dent Traumatol* 28 (3), 174–182 (2012).
- [6] Malmgren B, Andreasen JO, Flores MT, Robertson A, Diangelis AJ, Andersson L, Cavalleri G, Cohenca N, Day P, Hicks ML, Malmgren O, Moule AJ, Onetto J, Tsukiboshi M: International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 3. Injuries in the primary dentition. *Dent Traumatol* 28 (3), 174–182 (2012).
- [7] Day PF, Gregg TA: Treatment of avulsed permanent teeth in children. BSPD avulsion guidelines. (Epub-Link:  
<http://www.bspd.co.uk/LinkClick.aspx?fileticket=PYXAON6L7sc%3D&tabid=62>) (2012).
- [8] Angermair J, Auras S, Beck J, Berger C, Bücher K, Deppe H, Ebeleseder K, Esch J, Gernhardt G, Gomez-Roman G, Jakobs W, Jost-Brinkmann P-G, Kopp I, Neff A, Pistner H, Pohl Y, Proff P, Schulze D, Terheyden H, Ullner M, Viergutz G, Weiger R, Weng D, Wenz H-J: Therapie des dentalen Traumas bleibender Zähne, S2k-Leitlinie. AWMF (2015).
- [9] World Health Organization: Application of the International Classification of Diseases to Dentistry and Stomatology (ICD-DA). Geneva: WHO, 88–89 (1978) – aktuelle Version 2007.
- [10] Filippi A, Krastl G: Traumatologie im Milch- und Wechselgebiss. *Quintessenz* 58 (7), 739–752 (2007).
- [11] Filippi A: Zahntrauma. Klassifikation, Terminologie, Risikofaktoren und Verhalten am Unfallort. *MKG-Chirurg* 4, 79–85 (2011).
- [12] Weiger R, Krastl G: Das dentale Trauma. In: Baumann M, Beer R (Hrsg). *Farbatlanten der Zahnmedizin: Endodontologie*. Stuttgart, Thieme, 325–336 (2007).
- [13] Krastl G, Filippi A, Weiger R: Therapie von Zahnunfällen beim Kind und Jugendlichen: eine Übersicht. Springer Medizin Verlag und Freier Verband Deutscher Zahnärzte e. V. 2, 31–43 (2008).
- [14] Ludwigs J, Böttcher D, Dammaschke T, Ütrecht T: Unfallbedingte Avulsion – Diagnostik, Therapie, Komplikationen – Teil 1. *ZMK* 29 (5), 270–279 (2013).
- [15] Berthold C: Schienentherapie nach dentoalveolären Traumata (Stellungnahme der DGZMK). *Dtsch Zahnärztl Z* 60 (7), 358 (2005).
- [16] Andreasen JO: Classification, Epidemiology and Etiology; In: *Traumatic Injuries of the Teeth*. 1st ed. Munksgaard, Copenhagen, Denmark, Blackwell, 15–39 (1972).
- [17] Miyashin M, Kato J, Takagi Y: Tissue reactions after experimental luxation injuries in immature rat teeth. *Endod Dent Traumatol* 7, 26–35 (1991).

- [18] Andreasen FM, Pedersen BV: Prognosis of luxated permanent teeth – the development of pulp necrosis. *Endod Dent Traumatol* 1 (6), 207–220 (1985).
- [19] Robertson A: A retrospective evaluation of patients with uncomplicated crown fractures and luxation injuries. *Endod Dent Traumatol* 14 (6), 245–256 (1998).
- [20] Ferrazzini Pozzi EC, von Arx T: Pulp and periodontal healing of laterally luxated permanent teeth: results after 4 years. *Dent Traumatol* 24, 658–662 (2008).
- [21] Andreasen FM: Pulpal healing after tooth luxation and root fractures in the permanent dentition. Copenhagen, Weiss Bogtrykkeri, 26–31 (1995).
- [22] Humphrey JM, Kenny DJ, Barrett EJ: Clinical outcomes for permanent incisor luxations in a pediatric population. I. Intrusions. *Dent Traumatol* 19 (5), 266–273 (2003).
- [23] Wigen TI, Agnalt R, Jacobsen I: Intrusive luxation of permanent incisors in Norwegians aged 6–17 years: a retrospective study of treatment and outcome. *Dent Traumatol* 24, 612–618 (2008).
- [24] Jackowski J, Peters H, Hözle F: *Praxisleitfaden Zahnärztliche Chirurgie*. München, Elsevier, Verlag Urban & Fischer, 1–469 (2007).
- [25] Tsilingaridis G, Malmgren B, Andreasen JO, Malmgren O: Intrusive luxation of 60 permanent incisors: a retrospective study of treatment and outcome. *Dent Traumatol* 28 (6), 416–422 (2012).
- [26] Turley PK, Joiner MW, Hellstrom S: The effect of orthodontic extrusion on traumatically intruded teeth. *Am J Orthod* 85 (1), 47–56 (1984).
- [27] Medeiros RB, Mucha JN: Immediate vs. late orthodontic extrusion of traumatically intruded teeth. *Dent Traumatol* 25 (4), 380–385 (2009).
- [28] Bauss O, Schäfer W, Sadat-Khonsari R, Knösel M: Influence of orthodontic extrusion on pulpal vitality of traumatized maxillary incisors. *J Endod* 36, 203–207 (2010).
- [29] Cunha RF, Pavarini A, Percinoto C, Lima JE: Influence of surgical repositioning of mature permanent dog teeth following experimental intrusion: a histologic assessment. *Dent Traumatol* 18 (6), 304–308 (2002).
- [30] Lekic P, Kenny D, Moe HK, Barretti E, McCulloch CA: Relationship of clonogenic capacity to plating efficiency and vital dye staining of human periodontal ligament cells: implications for tooth replantation. *J Periodontal Res* 31 (4), 294–300 (1996).
- [31] Blomlöf L: Milk and saliva as possible storage media for traumatically exarticulated teeth prior to replantation. *Swed Dent J Suppl* 8, 1–26 (1981).
- [32] Göhring KS, Lehnert B, Zehnder M: Indications for use of MTA, a review. Part 1: Chemical, physical and biological properties of MTA. *Schweiz Monatsschr Zahnmed* 114 (2), 143–153 (2004).
- [33] Evans D: Prescribing systemic antibiotics when replanting avulsed teeth. *Evid Based Dent* 10 (4), 103 (2009).
- [34] Hinckfuss SE, Messer LB: An evidence-based assessment of the clinical guidelines for replanted avulsed teeth. Part II: prescription of systemic antibiotics. *Dent Traumatol* 25, 158–164 (2009).
- [35] Costa CA, Giro EM, do Nascimento AB, Teixeira HM, Hebling J: Short-term evaluation of the pulpo-dentin complex response to a resin modified glass-ionomer cement and a bonding agent applied in deep cavities. *Dent Mater* 19, 739–746 (2003).
- [36] Nugala B, Santosh Kumar BB, Sahitya S, Mohana Krishna P: Biologic width and its importance in periodontal and restorative dentistry. *J Conserv Dent* 15, 12–17 (2012).
- [37] Olsburgh S, Jacoby T, Krejc I: Crown fractures in the permanent dentition: pulpal and restorative considerations. *Dent Traumatol* 18, 103–115 (2002).
- [38] Krastl G, Filippi A, Weiger R: Frontzahntrauma: Zahnhartsubstanzverletzungen. *Zahnmedizin up2date* 2 (06), 519–537 (2008).
- [39] Andreasen JO, Andreasen FM, Mejare I, Cvek M: Healing of 400 intra-alveolar root fractures. 1. Effect of pre-injury and injury factors such as sex, age, stage of root development, fracture type, location of fracture and severity of dislocation. *Dent Traumatol* 20 (4), 192–202 (2004).

- [40] Andreasen JO, Andreasen FM, Mejare I, Cvek M: Healing of 400 intra-alveolar root fractures. 2. Effect of treatment factors such as treatment delay, repositioning, splinting type and period and antibiotics. *Dent Traumatol* 20 (4), 203–211 (2004).