

Kieferorthopädische Implantologie – wie kleine Schräubchen die moderne Kieferorthopädie verändern

1. Rozencweig G, Rozencweig S. Use of implants and ankylosed teeth in orthodontics. Review of the literature. J Parodontol. 1989 May;8(2):179-84.
2. Gainsforth BL, Higley LB. A study of orthodontic anchorage possibilities in basal bone. Am J Orthod Oral Surg. 1945; 31:406-417.
3. Linkow LI. The endosseous blade implant and its use in orthodontics. Int J Orthod. 1969 Dec;7(4):149-54.
4. Linkow LI. Implanto-orthodontics. J Clin Orthod. 1970; 4:685-705.
5. Creekmore TD, Eklund MK. Possibility of skeletal anchorage. J Clin Orthod. 1983 Apr;17(4):266-9.
6. Roberts WE, Smith RK, Zilberman Y, Mozsary PG, Smith RS. Osseous adaptation to continuous loading of rigid endosseous implants. Am J Orthod Dentofacial Orthop. 1984; 86:95-111.
7. Kanomi R. Mini-implant for orthodontic anchorage. J Clin Orthod. 1997 Nov;31(11):763-7.
8. Bulard RA, Vance JB. Multi-clinic evaluation using mini-dental implants for long-term denture stabilization: a preliminary biometric evaluation. Compend Contin Educ Dent. 2005 Dec;26(12):892-7.
9. Kwok AW, Finkelstein JA, Woodside T, Hearn TC, Hu RW. Insertional torque and pull-out strengths of conical and cylindrical pedicle screws in cadaveric bone. Spine 1996;21(11):2429-2434.
10. Wilmes B, Rademacher C, Olthoff G, Drescher D. Parameters affecting primary stability of orthodontic mini-implants. J Orofac Orthop. 2006 May;67(3):162-74.
11. Hobkirk J, Watson RM, Searson L: Introducing Dental Implants. Edinburgh: Churchill Livingstone, 2003.
12. Schou S, Holmstrup P, Reibel J, Juhl M, Hjorting-Hansen E, Kornman KS. Ligature-induced marginal inflammation around osseointegrated implants and ankylosed teeth: stereologic and histologic observations in cynomolgus monkeys (*Macaca fascicularis*). J Periodontol 1993;64(6):529-537.
13. Schou S, Holmstrup P, Stoltze K, Hjorting-Hansen E, Kornman KS. Ligature-induced marginal inflammation around osseointegrated implants and ankylosed teeth. Clin Oral Implants Res 1993;4(1):12-22.
14. Melsen B, Costa A. Immediate loading of implants used for orthodontic anchorage. Clin Orthod Res 2000;3(1):23-28.
15. Miyawaki S, Koyama I, Inoue M, Mishima K, Sugahara T, Takano-Yamamoto T. Factors associated with the stability of titanium screws placed in the posterior region for orthodontic anchorage. Am J Orthod Dentofacial Orthop 2003;124(4):373-378.
16. Baumgaertel S, Razavi MR, Hans MG. Mini-implant anchorage for the orthodontic practitioner. Am J Orthod Dentofacial Orthop; 2008;133(4):621-7.