ZMK (28)11 2012, S. 728–736

Prof. Dr. Benjamín Briseño Marroquín, Univ.-Prof. Dr. Brita Willershausen-Zönnchen, Raúl Luis García Aranda

Bedeutung der Spülung in der Endodontie

[1] Ahmad M, Pitt Ford TJ, Crum LA: Ultrasonic debridement of root canals: acoustic streaming and its possible role. J Endod 13, 490–499 (1987).
[2] Ahmad M, Pitt Ford TR, Crum LA: Ultrasonic debridement of root canals: an insight into the mechanisms involved. J Endod 13, 93–101 (1987).
[3] Baumgartner JC, Ibay AC: The chemical reactions of irrigants used for root canal debridement. J Endod 13, 47–51 (1987).
[4] Baumgartner JC, Johal S, Marshall JG: Comparison of the antimicrobial efficacy of 1,3 % NaOCl/BioPure MTAD to 5,25 % NaOCl/15 % EDTA for root canal irrigation. J Endod 33, 48–51 (2007).
[5] Bystrom A, Sundqvist G: Bacteriologic evaluation of the effect of 0.5 percent sodium hypochlorite in endodontic therapy. Oral Surg Oral Med Oral Pathol 55, 307–312 (1983).
[6] Bystrom A, Sundqvist G: The antibacterial action of sodium hypochlorite and EDTA in 60 cases of endodontic therapy. Int Endod 18, 35–40 (1985).
[7] Clarkson RM, Moule AJ, Podlich H, Kellaway R, Macfarlane R, Lewis D, Rowell J: Dissolution of porcine incisor pulps in sodium hypochlorite solutions of varying compositions and concentrations. Aust Dent J 51, 245–251 (2006).
[8] Clegg MS, Vertucci FJ, Walker C, Belanger M, Britto LR: The effect of exposure to irrigant solutions on apical dentin biofilms in vitro. J Endod 32, 434–437 (2006).
[9] Cunningham WT, Balekjian AY: Effect of temperature on collagen-dissolving ability of sodium hypochlorite endodontic irrigant. Oral Surg Oral Med Oral Pathol 49, 175–177 (1980).
[10] Cunningham WT, Joseph SW: Effect of temperature on the bactericidal action of sodium hypochlorite endodontic irrigant. Oral Surg Oral Med Oral Pathol 50, 569–571 (1980).
[11] Cunningham WT, Martin H, Forrest WR: Evaluation of root canal débridement by the endosonic ultrasonic synergistic system. Oral Surg Oral Med Oral Pathol 53, 401–404 (1982).
[12] Cunningham WT, Martin H, Pelleu GB, Stoops DE: A comparison of antimicrobial effectiveness of endosonic and hand root canal therapy. Oral Surg Oral Med Oral Pathol 54, 238–241 (1982).
[13] Desai P, Himel V: Comparative safety of various intracanal irrigation systems. J Endod 35, 545–549 (2009).
[14] Dunavant TR, Regan JD, Glickman GN, Solomon ES, Honeyman AL: Comparative evaluation of endodontic irrigants against Enterococcus faecalis biofilms. J Endod 32, 527–531 (2006).
[15] Giardino L, Ambu E, Becce C, Rimondini L, Morra M: Surface tension comparison of four common root canal irrigants and two new irrigants containing antibiotic. J Endod 32, 1091–1093 (2006).
[16] Goldberg F, Spielberg C: The effect of EDTAC and the variation of its working time analyzed with scanning electron microscopy. Oral Surg Oral Med Oral Pathol 53, 74–77 (1982).
[17] Gomes BP, Ferraz CC, Vianna ME, Berber VB, Teixeira FB, Souza-Filho FJ: In vitro antimicrobial activity of several concentrations of sodium hypochlorite and chlorhexidine gluconate in the elimination of Enterococcus faecalis. Int Endod J 34, 424–428 (2001).
[18] Grawehr M, Sener B, Waltimo T, Zehnder M: Interactions of ethylenediamine tetraacetic acid with sodium hypochlorite in aqueous solutions. Int Endod J 36, 411–417 (2003).
[19] Haapasalo HK, Sirén EK, Waltimo TM, Ørstavik D, Haapasalo MP: Inactivation of local root canal medicaments by dentine: an in vitro study. Int Endod J 33, 126–131 (2000).
[20] Heling I, Chandler NP: Antimicrobial effect of irrigant combinations within dentinal tubules. Int Endod J 31, 8–14 (1998).

[21] Hockett JL, Dommisch JK, Johnson JD, Cohenca N: Antimicrobial efficacy of two irrigation techniques in tapered and nontapered canal preparations: an in vitro study. J Endod 34, 1374–1377 (2008).
[22] Hülsmann M, Hahn W: Complications during root canal irrigation – literature review and case reports. Int Endod J 33, 186–193 (2000).
[23] Jeansonne MJ, White RR: A comparison of 2,0 % chlorhexidine gluconate and 5,25 % sodium hypochlorite as antimicrobial endodontic irrigants. J Endod 20, 276–278 (1994).
[24] Kho P, Baumgartner JC: A comparison of the antimicrobial efficacy of NaOCl/Biopure MTAD versus NaOCl/EDTA against Enterococcus faecalis. J Endod 32, 652–655 (2006).
[25] Lee S-J, Wu MK, Wesselink PR: The effectiveness of syringe irrigation and ultrasonics to remove debris from simulated irregularities within prepared root canal walls. Int Endod J 37, 672–678 (2004).
[26] Marending M, Luder HU, Brunner TJ, Knecht S, Stark WJ, Zehnder M: Effect of sodium hypochlorite on human root dentine – mechanical, chemical and structural evaluation. Int Endod J 40, 786–793 (2007).
[27] Martin H, Cunningham W: Endosonics – the ultrasonic synergistic system of endodontics. Endod Dent Traumatol 1, 201–206 (1985).
[28] Martin H, Cunningham WT, Norris JP, Cotton WR: Ultrasonic versus hand filing of dentin: a quantitative study. Oral Surg Oral Med Oral Pathol 49, 79–81 (1980).
[29] McDonnell G, Russell AD: Antiseptics and disinfectants: activity, action, and resistance. Clin Microbiol Rev 12, 147–179 (1999).
[30] Nielsen BA, Craig BJ: Comparison of the EndoVac system to needle irrigation of root canals. J Endod 33, 611–615 (2007).
[31] Nikiforuk G, Sreebny L: Demineralization of hard tissues by organic chelating agents at neutral pH. J Dent Res 32, 859–867 (1953).
[32] Niu W, Yoshioka T, Kobayashi C, Suda H: A scanning electron microscopic study of dentinal erosion by final irrigation with EDTA and NaOCl solutions. Int Endod J 35, 934–939 (2002).
[33] Ostby NB: Seis años de experiencia clínica y experimental con el ácido etilen-diamino tetraacético (EDTA) como coadyuvante en la terapia de los conductos radiculares. Rev Asoc Odontol Argent 50, 75–81 (1962).
[34] Paqué F, Laib A, Gautschi H, Zehnder M: Hard-tissue debris accumulation analysis by high-resolution computed tomography scans. J Endod 35, 1044–1047 (2009).
[35] Peters OA: Current challenges and concepts in the preparation of root canal systems: a review. J Endod 30, 559–567 (2004).
[36] Portenier I, Waltimo T, Ørstavik D, Haapasalo M: The susceptibility of starved, stationary phase, and growing cells of Enterococcus faecalis to endodontic medicaments. J Endod 31, 380–386 (2005).
[37] Radcliffe CE, Potouridou L, Qureshi R, Habahbeh N, Qualtrough A, Worthington H, Drucker DB: Antimicrobial activity of varying concentrations of sodium hypochlorite on the endodontic microorganisms Actinomyces israelii, A. naeslundii, Candida albicans and Enterococcus faecalis. Int Endod J 37, 438–446 (2004).
[38] Roy RA, Ahmad M, Crum LA: Physical mechanisms governing the hydrodynamic response of an oscillating ultrasonic file. Int Endod J 27, 197–207 (1994).
[39] Rödig T, Bozkurt M, Konietschke F, Hülsmann M: Comparison of the Vibringe system with syringe and passive ultrasonic irrigation in removing debris from simulated root canal irregularities. J Endod 36, 1410–1413 (2010).
[40] Russell AD, Day MJ: Antibacterial activity of chlorhexidine. J Hosp Infect 25, 229–238 (1993).
[41] Russell AD: Activity of biocides against mycobacteria. Soc Appl Bacteriol Symp Ser 25, 87S–101S (1996).
[42] Saarinen-Savolainen P, Järvinen T, Araki-Sasaki K, Watanabe H, Urtti A: Evaluation of cytotoxicity of various ophthalmic drugs, eye drop excipients and cyclodextrins in an immortalized human corneal epithelial cell line. Pharm Res 15, 1275–1280 (1998).

[43] Sabins RA, Johnson JD, Hellstein JW: A comparison of the cleaning efficacy of short-term sonic and ultrasonic passive irrigation after hand instrumentation in molar root canals. J Endod 29, 674–678 (2003).
[44] Saquy PC, Maia Campos G, Sousa Neto MD, Guimarães LF, Pécora JD: Evaluation of chelating action of EDTA in association with Dakin's solution. Braz Dent J 5, 65–70 (1994).
[45] Sarbinoff JA, O'Leary TJ, Miller CH: The comparative effectiveness of various agents in detoxifying diseased root surfaces. J Periodontol 54, 77–80 (1983).
[46] Sen BH, Wesselink PR, Turkun M: The smear layer: a phenomenon in root canal therapy. Int Endod J 28, 141–148 (1995).
[47] Shabahang S, Pouresmail M, Torabinejad M: In vitro antimicrobial efficacy of MTAD and sodium hypochlorite. J Endod 29, 450–452 (2003).
[48] Shabahang S, Torabinejad M: Effect of MTAD on Enterococcus faecalis-contaminated root canals of extracted human teeth. J Endod 29, 576–579 (2003).
[49] Shen Y, Gao Y, Qian W, Ruse ND, Zhou X, Wu H, Haapasalo M: Three-dimensional numeric simulation of root canal irrigant flow with different irrigation needles. J Endod 36, 884–889 (2010).
[50] Sim TP, Knowles JC, Ng YL, Shelton J, Gulabivala K: Effect of sodium hypochlorite on mechanical properties of dentine and tooth surface strain. Int Endod J 34, 120–132 (2001).
[51] Siqueira JF, Rôças IN, Santos SRLD, Lima KC, Magalhães FAC, de Uzeda M: Efficacy of instrumentation techniques and irrigation regimens in reducing the bacterial population within root canals. J Endod 28, 181–184 (2002).
[52] Sjögren P, Halling A: Medline search validity for randomised controlled trials in different areas of dental research. Br Dent J 192, 97–99 (2002).
[53] Spangberg L, Engström B, Langeland K: Biologic effects of dental materials. 3. Toxicity and antimicrobial effect of endodontic antiseptics in vitro. Oral Surg Oral Med Oral Pathol 36, 856–871 (1973).
[54] Spoleti P, Siragusa M, Spoleti MJ: Bacteriological evaluation of passive ultrasonic activation. J Endod 29, 12–14 (2003).
[55] Steinberg D, Heling I, Daniel I, Ginsburg I: Antibacterial synergistic effect of chlorhexidine and hydrogen peroxide against Streptococcus sobrinus, Streptococcus faecalis and Staphylococcus aureus. J Oral Rehabil 26, 151–156 (1999).
[56] The SD: The solvent action of sodium hypochlorite on fixed and unfixed necrotic tissue. Oral Surg Oral Med Oral Pathol 47, 558–561 (1979).
[57] Torabinejad M, Cho Y, Khademi AA, Bakland LK, Shabahang S: The effect of various concentrations of sodium hypochlorite on the ability of MTAD to remove the smear layer. J Endod 29, 233–239 (2003).
[58] Torabinejad M, Khademi AA, Babagoli J, Cho Y, Johnson WB, Bozhilov K, Kim J, Shabahang S: A new solution for the removal of the smear layer. J Endod 29, 170–175 (2003).
[59] Townsend C, Maki J: An in vitro comparison of new irrigation and agitation techniques to ultrasonic agitation in removing bacteria from a simulated root canal. J Endod 35, 1040–1043 (2009).
[60] van der Sluis LWM, Wu MK, Wesselink PR: A comparison between a smooth wire and a K-file in removing artificially placed dentine debris from root canals in resin blocks during ultrasonic irrigation. Int Endod J 38, 593–596 (2005).
[61] van der Sluis LWM, Wu MK, Wesselink PR: The evaluation of removal of calcium hydroxide paste from an artificial standardized groove in the apical root canal using different irrigation methodologies. Int Endod J 40, 52–57 (2007).
[62] Vianna ME, Gomes BPFA, Berber VB, Zaia AA, Ferraz CCR, de Souza-Filho FJ: In vitro evaluation of the antimicrobial activity of chlorhexidine and sodium hypochlorite. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 97, 79–84 (2004).
[63] Waltimo TM, Sirén EK, Ørstavik D, Haapasalo MP: Susceptibility of oral Candida species to calcium hydroxide in vitro. Int Endod J 32, 94–98 (1999).
[64] Weller RN, Brady JM, Bernier WE: Efficacy of ultrasonic cleaning. J Endod 6, 740–743 (1980).

[65] Yamada RS, Armas A, Goldman M, Lin PS: A scanning electron microscopic comparison of a high volume final flush with several irrigating solutions: Part 3. J Endod 9, 137–142 (1983).
[66] Zamany A, Safavi K, Spångberg LSW: The effect of chlorhexidine as an endodontic disinfectant. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 96, 578–581 (2003).
[67] Zehnder M, Kosicki D, Luder H, Sener B, Waltimo T: Tissue-dissolving capacity and antibacterial effect of buffered and unbuffered hypochlorite solutions. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 94, 756–762 (2002).
[68] Zehnder M, Schmidlin P, Sener B, Waltimo T: Chelation in root canal therapy reconsidered. J Endod 31, 817–820 (2005).