

ZMK 33(?) 2017, S. 400-407

Priv.-Doz. Dr. Bettina Dannewitz

Klinische Diagnostik in der Parodontologie – man kann nur behandeln, was man sieht!

- [1] Jordan AR, Micheelis W: Fünfte Deutsche Mundgesundheitsstudie (DMS V). Materialienreihe Band 35 des Institutes der Deutschen Zahnärzte. Deutscher Ärzteverlag (DÄV), Köln (2016).
- [2] Bundesausschuss G: Richtlinie des Gemeinsamen Bundesausschusses für eine ausreichende, zweckmäßige und wirtschaftliche vertragszahnärztliche Versorgung (Behandlungsrichtlinie). 2006.
- [3] Ainamo J, Barmes D, Beagrie G, Cutress T, Martin J, Sardo-Infirri J: Development of the World Health Organization (WHO) community periodontal index of treatment needs (CPITN). *Int Dent J* 32, 281–291 (1982).
- [4] Bundesvereinigung K. Jahrbuch 2016. Zahlen zur vertragszahnärztlichen Versorgung. 2016.
- [5] Gargiulo AW, Wentz FM, Orban B: Dimensions and relations of the dentogingival junction in humans. *J Periodontol* 32, 261–267 (1961).
- [6] Hefti AF: Periodontal probing. *Crit Rev Oral Biol Med* 8, 336–356 (1997).
- [7] Polson AM, Caton JG, Yeaple RN, Zander HA: Histological determination of probe tip penetration into gingival sulcus of humans using an electronic pressure-sensitive probe. *J Clin Periodontol* 7, 479–488 (1980).
- [8] Listgarten MA, Mao R, Robinson PJ: Periodontal probing and the relationship of the probe to the periodontal tissues. *J Periodontol* 47, 511–513 (1976).
- [9] Listgarten MA: Periodontal probing: what does it mean? *J Clin Periodontol* 7, 165–176 (1980).
- [10] Gabathuler H, Hassell T: A pressure-sensitive periodontal probe. *Helv Odontol Acta* 15, 114–117 (1971).
- [11] van der Velden U, de Vries JH: Introduction of a new periodontal probe: the pressure probe. *J Clin Periodontol* 5, 188–197 (1978).
- [12] Armitage GC: Development of a classification system for periodontal diseases and conditions. *Ann Periodontol* 4, 1–6 (1999).
- [13] Armitage GC: Clinical evaluation of periodontal diseases. *Periodontol 2000* 7, 39–53 (1995).
- [14] Armitage GC: Manual periodontal probing in supportive periodontal treatment. *Periodontol 2000* 12, 33–39 (1996).
- [15] Lang NP, Joss A, Orsanic T, Gusberti FA, Siegrist BE: Bleeding on probing. A predictor for the progression of periodontal disease? *J Clin Periodontol* 13, 590–596 (1986).
- [16] Lang NP, Adler R, Joss A, Nyman S: Absence of bleeding on probing. An indicator of periodontal stability. *J Clin Periodontol* 17, 714–721 (1990).
- [17] Christersson LA, Slots J, Zambon JJ, Genco RJ: Transmission and colonization of *Actinobacillus actinomycetemcomitans* in localized juvenile periodontitis patients. *J Periodontol* 56, 127–131 (1985).

- [18] Papaioannou W, Bollen CM, Van Eldere J, Quirynen M: The adherence of periodontopathogens to periodontal probes. A possible factor in intra-oral transmission? *J Periodontol* 67, 1164–1169 (1996).
- [19] Holt LA, Williams KB, Cobb CM, Keselyak NT, Jamison CL, Brand VS: Comparison of probes for microbial contamination following use in periodontal pockets of various depths. *J Periodontol* 75, 353–359 (2004).
- [20] Papaioannou W: The subgingival microflora around titanium abutments under various clinical situations. Catholic University of Leuven, Leuven, Belgium (1994).
- [21] Lindhe J, Meyle J, Group D of EW on P: Peri-implant diseases: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol* 35, 282–285 (2008).
- [22] Schwarz F, Mihatovic I, Ferrari D, Wieland M, Becker J: Influence of frequent clinical probing during the healing phase on healthy peri-implant soft tissue formed at different titanium implant surfaces: a histomorphometrical study in dogs. *J Clin Periodontol* 37, 551–562 (2010).
- [23] Abrahamsson I, Berglundh T, Wennstrom J, Lindhe J: The peri-implant hard and soft tissues at different implant systems. A comparative study in the dog. *Clin Oral Implants Res* 7, 212–219 (1996).
- [24] Berglundh T, Lindhe J: Dimension of the periimplant mucosa. Biological width revisited. *J Clin Periodontol* 23, 971–973 (1996).
- [25] Abrahamsson I, Zitzmann NU, Berglundh T, Linder E, Wennerberg A, Lindhe J: The mucosal attachment to titanium implants with different surface characteristics: an experimental study in dogs. *J Clin Periodontol* 29, 448–455 (2002).
- [26] Schou S, Holmstrup P, Stoltze K, Hjorting-Hansen E, Fiehn NE, Skovgaard LT: Probing around implants and teeth with healthy or inflamed peri-implant mucosa/gingiva. A histologic comparison in cynomolgus monkeys (*Macaca fascicularis*). *Clin Oral Implants Res* 13, 113–126 (2002).
- [27] Ramachandra SS, Mehta DS, Sandesh N, Baliga V, Amarnath J: Periodontal probing systems: a review of available equipment. *Compend Contin Educ Dent* 32, 71–77 (2011).