

Endodontie im Milchzahngesäß

- [1] Al-Zayer MA, Straffon LH et al.: Indirect pulp treatment of primary posterior teeth: a retrospective study. *Pediatr Dent* 25, 29–36 (2003).
- [2] American Association of Paediatric Dentistry: Guideline on pulp therapy for primary and young permanent teeth. *Pediatr Dent* 30(7 Suppl), 170–174 (2008–2009).
- [3] Camp JA: Diagnosis dilemma in vital pulp therapy: treatment for the toothache is changing, especially in young, immature teeth. *J Endod* 34(7 Suppl), 6–12 (2008).
- [4] Coll JA: Indirect pulp capping and primary teeth: is the primary tooth pulpotomy out of date? *J Endod* 34(7 Suppl), 34–39 (2008).
- [5] Falster CA, Araujo FB et al.: Indirect pulp treatment: in vivo outcomes of an adhesive resin system vs calcium hydroxide for protection of the dentin-pulp complex. *Pediatr Dent* 24, 241–248 (2002).
- [6] Farooq NS, Coll JA et al.: Success rates of formocresol pulpotomy and indirect pulp therapy in the treatment of deep dentinal caries in primary teeth. *Pediatr Dent* 22, 278–286 (2000).
- [7] Franzon R, Casagrande L et al.: Clinical and radiographic evaluation of indirect pulp treatment in primary molars: 36 months follow-up. *Am J Dent* 20, 189–192 (2007).
- [8] Fuks AB: Vital pulp therapy with new materials for primary teeth: new directions and treatment perspectives. *Pediatr Dent* 30, 211–219 (2008).
- [9] Heinrich-Weltzien R, Kühnisch J: Kariesdiagnostik bei Kindern und Jugendlichen. Stellenwert der Bissflügel-Röntgenaufnahme. *ZWR* 116, 157–164 (2007).
- [10] Heinrich-Weltzien R, Kühnisch J: Milchzahnendodontie. *Zahnmedizin up2date* 2, 1–21 (2007).
- [11] Kassa D, Pay P et al.: Histological comparison of pulpal inflammation in primary teeth with occlusal or proximal caries. *Int J Paediatr Dent* 19, 26–33 (2009).
- [12] Krämer N, Frankenberger R: Endodontie im Milchgebiss. *Quintessenz* 58, 1077–1083 (2007).
- [13] Kühnisch J, Heinrich Weltzien R, Schäfer E: Endodontie im Milchgebiss. Stellungnahme der Deutschen Gesellschaft für Kinderzahnheilkunde (DGK) und der Deutschen Gesellschaft für Zahnerhaltung (DGZ). URL: www.dgzmk.de/uploads/tx_szdgzmkdocuments/2011-03-25_Stellungnahme_MZ-Endo_korrigiert.pdf (25.03.2010).
- [14] Mahoney P: Two-dimensional patterns of human enamel thickness on deciduous (dm1, dm2) and permanent first (M1) mandibular molars. *Arch Oral Biol* 55, 115–126 (2010).
- [15] Micheelis W, Schiffner U.: Vierte Deutsche Mundgesundheitsstudie (DMS IV). Deutscher Zahnärzte Verlag (2006).
- [16] Monteiro J, Day P et al.: Pulpa status of human primary teeth with physiological root resorption. *Int J Paediatr Dent* 19, 16–25 (2009).
- [17] Pieper K: Epidemiologische Begleituntersuchungen zur Gruppenprophylaxe 2009. Druckerei Gerhards GmbH (2010).
- [18] Rodd HD, Waterhouse PJ, Fuks AB, Fayle SA, Moffat MA: Pulp therapy for primary molars. *Int J Paediatr Dent*; 16(Suppl 1), 15–23 (2006).
- [19] Splieth C: Milchzahnendodontie in der Praxis. *dens* 9, 22–24 (2009).
- [20] Taylor GK, Macpherson LM: An investigation into the use of bitewing radiography in children in Greater Glasgow. *Br Dent J* 196, 563–8.
- [21] van Waes H, Stöckli P: Kinderzahnmedizin. Stuttgart, Georg Thieme Verlag (2001).
- [22] Vij R, Coll JA et al: Caries control and other variables associated with success of primary molar vital pulp therapy. *Pediatr Dent* 26, 214–220 (2004).
- [23] Wrba KT, Kielbassa AM, Hellwig E: Microscopic studies of accessory canals in primary molar furcations. *ASDC J Dent Child* 64, 118–122 (1997).