

Implantate – Triggern für chronische Entzündungen?

1. Shalabi, M.M.; [Gortemaker, A.G.](#); Hof, M.A. van 't; [Jansen, J.A.](#); [Creugers, N.H.J.](#); Implant surface roughness and bone healing: a systematic review,(2006) J Dent Res, Vol. 85, 496-500
2. J.- A. Shibli, L. Melo, D.- S. Ferrari, L.- C. Figueiredo, M. Faveri, M. Feres; Composition of supra- and subgingival biofilm of subjects with healthy and diseased implants, (2008) Clin Oral Impl Res, [Vol 19, Issue 10](#), 975–982
3. Solar R.J., Pollack S.R., Korostoff E.: In vitro corrosion testing of titanium surgical implant alloys : an approach to understanding titanium release from implants ; (1979) J Biomed Mater Res. 13 , 217-250
4. Wenneberg A., Ide-Ektessabi A., Hatkamata S., Sawase T., Johansson C., Albrektsson T., Martinelli A., Södervall U., Odellius H.; Titanium release from implants prepared with different surface roughness, (2004) Clin Oral Implants Res. 15 , 505-512
5. Rader C.P., Sterner T., Jakob F., Schütze N., Eulert J., Cytokine response of human macrophage-like cells after contact with polyethylene and pure titanium particles ; (1999) J Arthroplasty., 840-848
6. Nakashima Y., Sun D.H., Trindade M.C., Maloney W.J., Goodman S.B., Schurman D.J., Smith R.L., Signalling pathways for tumour necrosis factor-alpha and interleukin-6 expression in human macrophages exposed to titanium-alloy particulate debris in vitro , (1999) J Bone Joint Surg Am. 81. 603-615
7. Repenning D. Beschichtungen auf Implantaten (2006) in Gradinger, Gollwitzer: Ossäre Integration, Springer Medizin Verlag Heidelberg, Kap. 3.1, 51-61
8. Sterner T. , Schütze N., Saxler G., Franz J., Rader C. et al.; Auswirkungen von klinisch relevanten Aluminium Keramik-, Zirkonium Keramik- und Titanpartikel unterschiedlicher Größe und Konzentration auf die TNF-a-Ausschüttung in einem humanen Makrophagensystem, Biomed. Technik , 49 (2004) , 340-344
9. Laine M., Leonhardt A., Ross-Jansaker A., Pena A., van Winkelhoff A., Winkel E., Renvert S.; IL-1RN gene polymorphism is associated with peri-implantitis , (2006) Clin Oral Impl Res. 17, 380-385
10. v.Baehr V., Immunologische Grundlagen der Implantatunverträglichkeit unter besonderer Beachtung des Titans, umwelt-medizin-gesellschaft 22 (2009), 18-24
11. Kornman K.S., IL-1 gene polymorphism and smoking as risk factors for peri-implant bone loss in a well-maintained population, (2003) Clin Oral Implants Res. 14: 10-17

12. Dörner T., von Baehr V., Implant-related inflammatory arthritis , (2006) Nature Clin Pract Rheumatol. 2(1): 53-56

13. Lee, Angie DMD; Wang, Hom-Lay DDS, MSD, PhD , Biofilm Related to Dental Implants , (2010), Implant Dentistry, Volume 19 - Issue 5 , 387-393