

PD Dr. Sebastian Hahnel

**Die Betreuung von Patienten mit Mundtrockenheit – ein spezieller Aspekt in der zahnärztlichen Prophylaxe**

- [1] Ben-Aryeh, H., Cohen, M., Kanter, Y., Szargel, R., Laufer, D.: Salivary composition in diabetic patients. *J Diabet Complications* 2, 96–99 (1988).
- [2] Bernardi, M.J., Reis, A., Loguercio, A.D., Kehrig, R., Leite, M.F., Nicolaud, J.: Study of the buffering capacity, pH and salivary flow rate in type 2 well-controlled and poorly controlled diabetic patients. *Oral Health Prev Dent* 5, 73–78 (2007).
- [3] Binard, A., Devauchelle-Pensec, V., Fautrel, B., Jousse, S., Youinou, P., Saraux, P.: Epidemiology of Sjögren's syndrome: where are we now? *Clin Exp Rheumatol* 25, 1–4 (2007).
- [4] Busato, I.M.S., Ignácio, S.A., Brancher, J.A., Grégio, A.N.T., Machado, M.A.N., Azevedo-Alanis, L.R.: Impact of xerostomia on the quality of life of adolescents with type 1 diabetes mellitus. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 108, 376–382 (2009).
- [5] Busato, I.M., Ignácio, S.A., Brancher, J.A., Moysés, S.T., Azevedo-Alanis, L.R.: Impact of clinical status and salivary conditions on xerostomia and oral health-related quality of life of adolescents with type 1 diabetes mellitus. *Community Dent Oral Epidemiol* 40, 62–69 (2012).
- [6] Cassolato, S.F., Turnbull, R.S.: Xerostomia: Clinical aspects and treatment. *Gerodontontology* 20, 64–77 (2003).
- [7] Cho, M.A., Ko, J.Y., Kim, Y.K., Kho, H.S.: Salivary flow rate and clinical characteristics of patients with xerostomia according to its aetiology. *J Oral Rehabil* 37, 185–193 (2010).
- [8] Collin, H.L., Uusitupa, M., Niskanen, L., Koivisto, A.M., Markkanen, H., Meurman, J.H.: Caries in patients with non-insulin-dependent diabetes mellitus. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 85, 680–685 (1998).
- [9] Dawes, C.: Physiological factors affecting salivary flow rate, oral sugar clearance and the sensation of dry mouth in man. *J Dent Res* 66, 648–653 (1987).
- [10] Dawes, C., Macpherson, L.M.D.: Effects of nine different chewing-gums and lozenges on salivary flow rate and pH. *Caries Res* 26, 176–182 (1992).
- [11] Dodds, M.W.J., Dodds, A.P.: Effects of glycemic control on saliva flow rates and protein composition in non-insulin-dependant diabetes mellitus. *Oral Surg Oral Med Oral Patol Oral Radiol Endod* 83, 465–470 (1997).
- [12] Dodds, M.W.J., Yeh, C.K., Johnson, D.A.: Salivary alterations in type 2 (non-insulin-dependent) diabetes mellitus and hypertension. *Community Dent Epidemiol* 28, 373–381 (2000).
- [13] Eliasson, L., Carlén, A., Almstahl, A., Wikström, M., Lingström, P.: Dental plaque pH and micro-organisms during hyposalivation. *J Dent Res* 85, 334–338 (2006).
- [14] Epstein, J.B., Emerton, S., Le, N.D., Stevenson-Moore, P.: A double-blind crossover trial of Oral Balance gel and Biotene® toothpaste versus placebo in patients with xerostomia following radiation therapy. *Oral Oncol* 35, 132–137 (1999).
- [15] Ergun, S., Cekici, A., Topcuoglu, N., Migliari, D.A., Külekci, G., Tanyeri, H., Isik, G.: Oral status and Candida colonization in patients with Sjögren's Syndrome. *Med Oral Patol Oral Cir Bucal* 15, e310–e315 (2010).
- [16] Flink, H., Tegelberg, A., Lagerlöf, F.: Influence of the time of measurement of unstimulated human whole saliva on the diagnosis of hyposalivation. *Arch Oral Biol* 50, 553–559 (2005).
- [17] Fox, P.C., Busch, K.A., Baum, B.J.: Subjective reports of xerostomia and objective measures of salivary gland performances. *J Am Dent Assoc* 115, 581–584 (1987).

- [18] [Gerdin, E.W.](#), [Einarson, S.](#), [Jonsson, M.](#), [Aronsson, K.](#), [Johansson, I.](#): Impact of dry mouth conditions on oral health-related quality of life in older people. *Gerodontology* 22, 219–226 (2005).
- [19] Gilbert, G.H., Heft, M.W., Duncan, R.P.: Mouth dryness as reported by older Floridians. *Community Dent Oral Epidemiol* 21, 390–397 (1993).
- [20] Gil-Montoya, J.A., Guardia-López, I., González-Moles, M.A.: Evaluation of the clinical efficacy of a mouthwash and oral gel containing the antimicrobial proteins lactoperoxidase, lysozyme and lactoferrin in elderly patients with dry mouth – a pilot study. *Gerodontology* 25, 3–9 (2008).
- [21] Greenspan, D., Daniels, T.E.: Effectiveness of pilocarpine in postradiation xerostomia. *Cancer* 59, 1123–1125 (1987).
- [22] Grötz, K.A., Genitsariotis, S., Vehling, D., al-Nawas, B.: Long-term oral Candida colonization, mucositis and salivary function after head and neck radiotherapy. *Support Care Cancer* 11, 717–721 (2003).
- [23] Hahnel, S.: Mundtrockenheit: Ursachen, Diagnose, Therapie. Spitta, Balingen (2012).
- [24] Hansen, A., Dörner, T.: Sjögren-Syndrom. *Internist* 51, 1267–1280 (2010).
- [25] Karbach, J., Walter, C., al-Nawas, B.: Evaluation of saliva flow rates, Candida colonization and susceptibility of Candida strains after head and neck radiation. *Clin Oral Invest* 16, 1305–1312 (2012).
- [26] Khovidhunkit, S.O., Suwantuntula, T., Thaweboon, S., Mitrirattanakul, S., Chomkhakhai, U., Khovidhunkit, W.: Xerostomia, hyposalivation, and oral microbiota in type 2 diabetic patients: a preliminary study. *J Med Assoc Thai* 92, 1220–1228 (2009).
- [27] Kielbassa, A.M., Parichereh Shohadai, S., Schulte-Mönting, S.: Effect of saliva substitutes on mineral content of demineralized and sound dental enamel. *Support Care Cancer* 9, 40–47 (2001).
- [28] [Kirstilä, V.](#), [Lenander-Lumikari, M.](#), [Söderling, E.](#), [Tenovuo, J.](#): Effects of oral hygiene products containing lactoperoxidase, lysozyme, and lactoferrin on the composition of whole saliva and on subjective oral symptoms in patients with xerostomia. *Acta Odont Scand* 54, 391–397 (1996).
- [29] Kolavic, S.A., Gibson, G., al-Hashimi, I., Guo, Y.: The level of cariogenic micro-organisms in patients with Sjögren's syndrome. *Spec Care Dent*, 17: 65–69 (1997).
- [30] López-Jornet, P., García-Teresa, G., Vinas, M., Vinuesa, T.: Clinical and antimicrobial evaluation of a mouthwash and toothpaste for xerostomia: a randomized, double-blind, crossover study. *J Dent* 39, 757–763 (2011).
- [31] Meurman, J.H., Collin, H.L., Niskanen, L., Töry, J., Alakuijala, P., Keinänen, S., Uusitupa, M.: Saliva in non-insulin dependent diabetic patients and control subjects. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 86, 69–76 (1998).
- [32] Meyer-Lückel, H., Schulte-Mönting, J., Kielbassa, A.M.: The effect of commercially available saliva substitutes on predemineralized bovine dentin in vitro. *Oral Dis* 8, 192–198 (2002).
- [33] Montaldo, L., Montaldo, P., Papa, A., Caramico, N., Toro, G.: Effects of saliva substitutes on oral status in patients with Type 2 diabetes. *Diabet Med* 27, 1280–1283 (2010).
- [34] Moore, P.A., Guggenheim, J., Etzel, K.R., Weyant, R.J., Orchard, T.: Type 1 diabetes mellitus, xerostomia, and salivary flow rates. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 92, 281–291 (2001).
- [35] Nagy, K., Urban, E., Fazekas, O., Thurzo, L., Nagy, E.: Controlled study of lactoperoxidase gel on oral flora and saliva in irradiated patients with oral cancer. *J Craniofac Surg* 18, 1157–1164 (2007).
- [36] Napenas, J.J., Brennan, M.T., Fox, P.C.: Diagnosis and treatment of xerostomia (dry mouth). *Odontology* 97, 76–83 (2009.)
- [37] Nederfors, T., Isaksson, R., Mörnstad, H., Dahlöf, C.: Prevalence of perceived symptoms of dry mouth in an adult Swedish population – relation to age, sex and pharmacotherapy. *Community Dent Oral Epidemiol* 25, 211–216 (1997).

- [38] van Nieuw Amerongen, A., Veerman, E.C.I.: Current therapies for xerostomia and salivary gland hypofunction associated with cancer therapies. *Support Care Cancer* 11, 226–231 (2003).
- [39] Pajukoski, H., Meurman, J.H., Snellman-Gröhn, S., Keinänen, S., Sulkava, R.: Salivary flow and composition in elderly patients referred to an acute care geriatric ward. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 84, 265–271 (1997)
- [40] Porter, S.R., Scully, C., Hegarty, A.M.: An update of the etiology and management of xerostomia. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 97, 28–46 (2004).
- [41] [Quandt, S.A.](#), [Savoca, M.R.](#), [Leng, X.](#), [Chen, H.](#), [Bell, R.A.](#), [Gilbert, G.H.](#), [Anderson, A.M.](#), [Kohrman, T.](#), [Arcury, T.A.](#): Dry mouth and dietary quality in older adults in North Carolina. *J Am Geriatr Soc* 59, 439–445 (2011).
- [42] Ship, J., Vissink, A., Sreebny, L.M.: Treating dry mouth: help is available. In: Sreebny, L.M., Vissink, A. (Hrsg.): *Dry mouth – the malevolent clinical symptom: a clinical guide*. Wiley-Blackwell, 183–210 (2010).
- [43] Smith, R.G., Burtner, A.P.: Oral side-effects of the most frequently prescribed drugs. *Spec Care Dentist* 14, 96–102 (1994)
- [44] Smith, G., Smith, A.J., Shaw, L., Shaw, M.J.: Artificial saliva substitutes and mineral dissolution. *J Oral Rehabil* 28, 728–731 (2001).
- [45] Sreebny, L.M., Yu, A., Green, A., Valdini, A.: Xerostomia in Diabetes mellitus. *Diabetes Care* 15, 900–904 (1992).
- [46] Sreebny, L.M.: A useful source for the drug-dry mouth relationship. *J Dent Educ* 68, 6–7 (2004).
- [47] Soto-Rojas, A.E., Villa, A.R., Sifuentes-Osornio, J., Alarcón-Segovia, D., Kraus, A.: Oral manifestations in patients with Sjögren's syndrome. *J Rheumatol* 25, 906–910 (1998)
- [48] [Sugiura, Y.](#), [Soga, Y.](#), [Yamabe, K.](#), [Tsutani, S.](#), [Tanimoto, I.](#), [Maeda, H.](#), [Kokeguchi, S.](#), [Fujii, N.](#), [Ishimaru, F.](#), [Tanimoto, M.](#), [Nishimura, F.](#), [Takashiba, S.](#): Total bacterial counts on oral mucosa after using a commercial saliva substitute in patients undergoing hematopoietic cell transplantation. *Support Care Cancer* 18, 395–398 (2010).
- [49] Yamamoto, K., Kurihara, M., Matsusue, Y., Komatsu, Y., Tsuyuki, M., Fujimoto, T., Nakamura, S., Kirita, T.: Atrophic change of tongue papilla in 44 patients with Sjögren syndrome. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 107, 801–805 (2009).