

Zahnersatz und Lebensqualität – Stand der wissenschaftlichen Forschung

1. Allen, P.F., McMillan, A.S., Walshaw, D., Locker, D. A.: Comparison of the validity of generic and disease-specific measures in the assessment of oral health-related quality of life. *Community Dent Oral Epidemiol* 27, 344 - 352 (1999)
2. Brennan, M., Houston, F., O'Sullivan, M., O'Connell, B.: Patient satisfaction and oral health-related quality of life outcomes of implant overdentures and fixed complete dentures. *Int J Oral Maxillofac Implants* 25, 791 - 800 (2010)
3. Emami, E., Heydecke, G., Rompré, P.H., de Grandmont, P., Feine, J.S.: Impact of implant support for mandibular dentures on satisfaction, oral and general health-related quality of life: a meta-analysis of randomized-controlled trials. *Clin Oral Implants Res* 20, 533 – 544 (2009)
4. Grossmann, A.C., Hassel, A.J., Schilling, O., Lehmann, F., Koob, A., Rammelsberg, P.: Treatment with double crown-retained removable partial dentures and oral health-related quality of life in middle- and high-aged patients. *Int J Prosthodont* 20, 576 -578 (2007)
5. Hassel, A.J., Rolko, C., Grossmann, A.C., Ohlmann, B., Rammelsberg, P.: Correlations between self-ratings of denture function and oral health-related quality of life in different age groups. *Int J Prosthodont* 20, 242 - 244 (2007)
6. Hassel, A.J., Rolko, C., Koke, U., Leisen, J., Rammelsberg, P.: A German version of the GOHAI. *Community Dent Oral Epidemiol* 36, 34 - 42 (2008)
7. Inoue, M., John, M.T., Tsukasaki, H., Furuyama, C., Baba, K.: Denture quality has a minimal effect on health-related quality of life in patients with removable dentures. *J Oral Rehabil* epub (2011)
8. John, M., Micheelis, W.: Mundgesundheitsbezogene Lebensqualität in der Bevölkerung: Grundlagen und Ergebnisse des Oral Health Impact Profile (OHIP) aus einer repräsentativen Stichprobe in Deutschland. IDZ-Information Nr. 1 (2003)
9. John, M.T., Slade, G.D., Szentpétery, A., Setz, J.M.: Oral health-related quality of life in patients treated with fixed, removable, and complete dentures 1 month and 6 to 12 months after treatment. *Int J Prosthodont* 17, 503 – 511 (2004)
10. Ware, J.E., Snow, K.K., Kosinski, M., Gandek, B.: SF-36 health survey: Manual and interpretation guide. The Health Institute, New England Medical Center, Boston, MA (1993)
11. Woelk, B.G.: Lebensqualität und Zufriedenheit mit implantatgetragenem und konventionellen Zahnersatz. Dissertation Albert-Ludwigs-Universität Freiburg i. Br. (2007)
12. Wolfart, S., Heydecke, G., Luthardt, RG., Marré, B., Freesmeyer, W.B., Stark, H., Wöstmann, B., Mundt, T., Pospiech, P., Jahn, F., Gitt, I., Schädler, M., Aggstaller, H., Talebpur, F., Busche, E., Bell, M.: Effects of prosthetic treatment for shortened dental arches on oral health-related quality of life, self-reports of pain and jaw disability: results from the pilot-phase of a randomized multicentre trial. *J Oral Rehabil* 32, 815 - 822 (2005)