

Dr. Norbert Haßfurther

Implantation und simultane Kieferkammrekonstruktion bei großen Defekten nur mit nichtresorbierbaren titanverstärkten Membranen

Literatur 1

Araujo MG, Sonohara M, Hayacibara R, Cardaropoli G, Lindhe J.. Lateral ridge augmentation by the use of grafts comprised of autologous bone or a biomaterial. An experiment in the dog. *J Clin Periodontol.* 2002 Dec;29(12):1122-31.

Widmark G, Andersson B, Ivanoff CJ.: Mandibular bone graft in the anterior maxilla for single-tooth implants. Presentation of surgical method. *Int J Oral Maxillofac Surg.* 1997 Apr;26(2):106-9.

Jemt T, Lekholm U.: Measurements of buccal tissue volumes at single-implant restorations after local bone grafting in maxillas: a 3-year clinical prospective case series. *Clinical Implant Dentistry and Related Research.* 2003; 5(2): 63-70

Jemt T, Lekholm U.: Single implants and buccal bone grafts in the anterior maxilla: measurements of buccal crestal contours in a 6-year prospective clinical study. *Clinical Implant Dentistry and Related Research.* 2005; 7(3): 127-135

Meijndert L, Meijer HJA, Stellingsma K, Stegenga B, Raghoebar GM. : Evaluation of aesthetics of implant-supported single-tooth replacements using different bone augmentation procedures: A prospective randomized clinical study. *Clin Oral Implants Res* 2007;18:715-719

Literatur 2

Stavropoulos A, Nyengaard JR, Kostopoulos L, Karring T.: Implant placement in bone formed beyond the skeletal envelope by means of guided tissue regeneration. An experimental study in the rat. *J Clin Periodontol* 2005; 1108-1115

Chen ST, Darby IB, Reynolds EC.: A prospective clinical study on non-submerged immediate implants: Clinical outcomes and esthetic results. *Clin Oral Implants Res* 2007;65:552-562

Carmagnola D, Abati S, Celestino S, Chiapasco M, Bosshardt D, Lang NP.: Oral implants placed in bone defects treated with Bio-Oss, Ostim-Paste or PerioGlas: an experimental study in the rabbit tibiae. *Clin Oral Implants Res.* 2008 Dec;19(12):1246-53.

Cardaropoli G, Araujo MG, Hayacibara R, Sukekava F, Lindhe J.: Healing of extraction sockets and surgically produced - augmented and non-augmented - defects in the alveolar ridge. An experimental study in the dog. *J Clin Periodontol.* 2005 May;32(5):435-40.

Chen ST, Darby IB, Reynolds EC. A prospective clinical study on non-submerged immediate implants: Clinical outcomes and esthetic results. *Clin Oral Implants Res* 2007;65:552-562

Warrer K, Gotfredsen K, Hjorting-Hansen E, Karring T.: Effect of membranes and porous hydroxyapatite on healing in bone defects around titanium dental implants: an experimental study in monkeys. Clin Oral Impl Res 1991;2:172-178

Stavropoulos A, Kostopoulos L, Nyengaard JR, Karring T.: Fate of bone formed by guided tissue regeneration with or without grafting of Bio-Oss or Biogran. An experimental study in the rat. J Clin Periodontol 2004; 31:30-39

Literatur 3

Chen ST, Darby IB, Reynolds EC.: A prospective clinical study on non-submerged immediate implants: Clinical outcomes and esthetic results. Clin Oral Implants Res 2007;65:552-562

Evans CD, Chen ST.: Esthetic outcomes of immediate implant placements. Clin Oral Implants Res 2008;19:73-80

Kan JY, Rungcharassaeng K, Sclar A, Lozada JL.: Effects of the facial osseous defect morphology on gingival dynamics after immediate tooth replacement and guided bone regeneration: 1-year results.

J Oral Maxillofac Surg. 2007 Jul;65(7 Suppl 1):13-9. Erratum in: J Oral Maxillofac Surg. 2008 Oct;66(10):2195-6.

Literatur 4

Mellonig JT, Triplett RG.: Guided tissue regeneration and endosseous dental implants. Int J Periodontics Restorative Dent 1993; 13(2):109-119

Becker W, Dahlin C, Becker BE, et al.: The use of e-PTFE barrier membranes for bone promotion around titanium implants placed into extraction sockets: a prospective multicenter study. Int J Maxillofac Implants 1994; 9(1):31-40

Simion M, Baldoni M, Zaffe D.: Rigenerazione guidata die tessui in osteointegrazione II: site post estrattive. Rivista di Osteointegrazione 1991; 1(1):40-54

Becker W, Dahlin C, Becker BE, et al. The use of e-PTFE barrier membranes for bone promotion around titanium implants placed into extraction sockets: a prospective multicenter study. Int J Maxillofac Implants 1994; 9(1):31-40

Simion M, Baldoni M, Rossi P, Zaffe D.: Comparative study of effectiveness of GTAM membranes with and without early exposure during the healing period. Int J Periodontics Restorative Dent 1994; 14(2):167-180

Gher ME, Quintero G, Sandifer JB, et al.: Combined dental implant and guided tissue regeneration therapy in humans. Int J Periodontics Restorative Dent 1994; 14(4):333-347

Dahlin C, Lekholm U, Becker W.: Treatment of fenestration and dehiscence bone defects around oral implants using the guided tissue regeneration technique: A multicenter prospective study. Int J Oral Maxillofac Implants 1995; 10(3):312-318

Rominger JW, Triplett RG.: The use of guided tissue regeneration to improve implant osseointegration. J Oral Maxillofac Surg 1994; 52(2):106-112

Shanaman RH.: A retrospective study of 237 sites treated consecutively with guided bone regeneration. Int J Periodontics Restorative Dent 1994;14(4):293-301

Lang NP, Brägger U, Hämerle CHF, Sutter F.: Immediate transmucosal implants using the principle of guided tissue regeneration. Clin Oral Implants Res 1994; 5(3):154-163

Literatur 5

Haßfurther, Implantologie Journal 4/2003

Strietzel, MKG Chir 1, 2001