

ZMK 33 (4) 2017, S. 318-325

M. Hülsmann, A. Hergt

Das Management des zweiten mesiobukkalen Wurzelkanals in Oberkiefermolaren

- [1] Hess W: Zur Anatomie der Wurzelkanäle des menschlichen Gebisses mit Berücksichtigung der feineren Verzweigungen am Foramen apicale. Schweiz Vierteljahrsschr Zahnheilkde 27, 1–52 (1917).
- [2] Burns RC: Access openings and tooth morphology. In: Cohen S, Burns RC (Hrsg.): Pathways of the pulp. 4th ed. Mosby, St. Louis, 120–121.
- [3] Huumonen S, Kvist T, Gröndahl K, Molander A: Diagnostic value of computed tomography in re-treatment of root fillings in maxillary molars. Int Endod J 39, 827–833 (2006).
- [4] Wolcott J, Ishley D, Kennedy W, Johnson S, Minnich S, Meyers J: A 5 year clinical investigation of second mesiobuccal canals in endodontically treated and retreated maxillary molars. J Endod 31, 262–264 (2005).
- [5] Eskoz N, Weine FS: Canal configuration of the mesiobuccal root of the maxillary second molar. J Endod 21, 38–42 (1995).
- [6] Vertucci FJ: Root canal anatomy of the human permanent teeth. Oral Surg Oral Med Oral Pathol 58, 589–599 (1984).
- [7] Gilles J, Reader A: An SEM investigation of the mesiolingual canal in human maxillary first and second molars. Oral Surg Oral Med Oral Pathol 70, 638–643 (1990).
- [8] Neaverth EJ, Kotler LM, Kattenback RF: Clinical investigation (*in vivo*) of endodontically treated maxillary first molars. J Endod 13, 506–512 (1987).
- [9] Fogel HM, Peikoff MD, Christie WH: Canal configuration in the mesiobuccal root of the maxillary first molar: a clinical study. J Endod 20, 135–137 (1994).
- [10] Al Shalabi RM, Omer OE, Glennon J, Jennings M, Claffey NM: Root canal anatomy of maxillary first and second permanent molars. Int Endod J 33, 405–414 (2000).

- [11] Hülsmann M: Das Auffinden zusätzlicher Wurzelkanäle. *Schweiz Mschr Zahnmed* 102, 85–90 (1992).
- [12] DeCleen M: The fourth canal. *Endodontic Practice* 2, 6–14 (1999).
- [13] Slowey RR: Radiographic aids in the detection of extra root canals. *Oral Surg* 37, 762–772 (1974)
- [14] Parker J, Mol A, Rivera EM, Tawil P: CBCT uses in clinical endodontics: the effect of CBCT on the ability to locate MB2 canals in maxillary molars. *Int Endod J* 2016 [epub ahead of print].
- [15] Blattner TC, George N, Lee CC, Kumar V, Yelton CD: Efficacy of cone-beam computed tomography as a modality to accurately identify the presence of second mesiobuccal canals in maxillary first and second molars: a pilot study. *J Endod* 36, 867–870 (2010).
- [16] Bauman R, Scarfe W, Clark S, Morelli J, Scheetz J, Farman A: Ex vivo detection of mesiobuccal canals in maxillary molars using CBCT at four different isotropic voxel dimensions. *Int Endod J* 44, 752–758 (2011).
- [17] Baldassari-Cruz LA, Lilly JP, Rivera EM: The influence of dental operating microscope in locating the mesiolingual canal orifice. *Oral Surg Oral Med Oral Pathol Oral Radiol & Endod* 93, 190–194 (2002).
- [18] Yoshioka T, Kikuchi I, Fukumoto C, Kobayashi C, Suda H: Detection of the second mesiobuccal canal in the mesiobuccal roots of maxillary molar teeth ex vivo. *Int Endod J* 38, 124–128 (2005).
- [19] Stropko JJ: Canal morphology of maxillary molars; clinical observations of canal configurations. *J Endod* 25, 446–450; 31, 364–368 (1999).
- [20] Schwarze T, Baethge C, Stecher T, Geurtsen W: Identification of second canals in the mesiobuccal root of maxillary first and second molars using magnifying loupes or an operating microscope. *Aust Endod J* 28, 57–60 (2002).
- [21] Yoshioka T, Kobayashi C, Suda H: Detection rate of root canal orifices with a microscope. *J Endod*, 452–453 (2002).

- [22] Gördüsus MÖ, Gördüsus M, Friedman S: Operating microscope improves negotiation of second mesiobuccal canals in maxillary molars. *J Endod* 27, 683–686 (2001).
- [23] Buhrley LJ, Barrows MJ, BeGole EA, Wenckus CS: Effect of magnification on locating the mb2 canal in maxillary molars. *J Endod* 28, 324–327 (2002).
- [24] Sempira HN, Hartwell GR: Frequency of second mesiobuccal canals in maxillary molars as determined by use of an operating microscope: a clinical study. *J Endod* 26, 673–678 (2000).
- [25] Alacam T, Tinaz AC, Genc Ö, Kayaoglu G: Second mesiobuccal canal detection in maxillary first molars using microscopy and ultrasonics. *Aust Endod J* 34, 106–109 (2008).
- [26] Kulild JC, Peters DD: Incidence and configuration of canal systems in the mesiobuccal root of maxillary first and second molars. *J Endod* 16, 311–317 (1990).
- [27] Park JW, Lee JK, Ha BH, Choi JH, Perinpanayagam H: Three-dimensional analysis of maxillary first molar mesiobuccal root canal configuration and curvature using micro-computed tomography. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 108, 437–442 (2009).
- [28] Lee JK, Ha BH, Choi JH, Heo SM, Perinpanayagam H: Quantitative three-dimensional analysis of root canal curvature in maxillary first molars using micro-computed tomography. *J Endod* 32, 941–945 (2006).
- [29] Cleghorn BM, Christie WH, Dong CCS: Root and root canal morphology of the human permanent maxillary first molar; a literature review, *J Endod* 32, 813–821 (2006).
- [30] Texeira FB, Sano CL, Gomes PF, Zaia AA, Ferraz CC, Souza-Filho FJ: A preliminary *in vitro* study of the incidence and position of the root canal isthmus in maxillary and mandibular first molars. *Int Endod J* 36, 276–280 (2003).
- [31] Braun A, van der Sluis L: The management of complications related to the mesiobuccal root canal of a maxillary first molar. *ENDO Endodontic Practice Today* 1, 61–64 (2007).

[32] Ruddle CJ: MB2 root canal systems in maxillary first molars. Dent Today, 1–5 (1995).

[33] Pattanshetti N, Gaidhane M, Al Kandari AM: Root and root canal morphology of the mesiobuccal and distal roots of permanent first molars in a Kuwait population – a clinical study. Int Endod J 41, 755–762 (2008).

[34] Gutmann JL, Dumsha TC, Lovdahl PE: Problem solving in access openings, orifice locations, and initial preparation. In: Gutmann JL, Dumsha TC, Lovdahl PE: Problem solving in endodontics. 4th ed., Elsevier-Mosby, St. Louis, 85–114 (2006).

[35] Van der Sluis L, Vershuis M, Wu MK, Wesselink PR: Passive ultrasonic irrigation of the root canal: a review of the literature. Int Endod J 40, 415–426 (2007).