

Die biologisch induzierte Augmentation – Das Tissue Master Concept

Eine Falldarstellung

Dr. B. Hundeshagen, Dr. W. Götz, Dr. S. Hopmann, Dr. S. Neumeyer

ZMK 33 (11) 2017, S. 806-813

- [1] Al-Sabbagh M, Bhavsar I: Key local and surgical factors related to implant failure. *Dent Clin North Am* 59 (1), 1-23 (2015).
- [2] Amato F, Mirabella D, Macca U, Tarnow DP: Implant Site Development by Orthodontic Forced Extrusion: A Preliminary Study. *Int J Oral Maxillofac Implants* 27, 411–420 (2012).
- [3] Andreasen JO, et al: Transplantation of premolars as an approach for replacing avulsed teeth. *Pediatr Dent* 31 (2), 129-132 (2009).
- [4] Araújo MG, Lindhe J.: Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *J Clin Periodontol* 32, 212–218 (2005).
- [5] Atieh MA, et al: Interventions for replacing missing teeth: alveolar ridge preservation techniques for dental implant site development. *Cochrane Database Syst Rev* (5): CD010176 (2015).
- [6] Avila-Ortiz G, et al: Effect of alveolar ridge preservation after tooth extraction: a systematic review and meta-analysis. *J Dent Res* 93 (10), 950-958 (2014).
- [7] Berglundh T, Marinello CP, Lindhe J, Thilander B, Liljenberg B: Periodontal tissue reactions to orthodontic extrusion: an experimental study in the dog. *J Clin Periodontol* 18, 330–336 (1991).
- [8] Chambrone L, Chambrone LA: Forced orthodontic eruption of fractured teeth before implant placement: case report. *J Can Dent Assoc* 71 (4), 257-261 (2005).
- [9] Dannan A, Darwish MA, Sawan MN: The Orthodontic Extrusion Movements and the Periodontal Tissues. *Internet Journal of Dental Science* 8, 1–14 (2009).
- [10] Faria LP, et al: Orthodontic Extrusion as Treatment Option for Crown-Root Fracture: Literature Review with Systematic Criteria. *J Contemp Dent Pract* 16 (9), 758-762 (2015).
- [11] Filippi A: Zahntransplantation. *Biologischer Zahnersatz für Kinder, Jugendliche und manche Erwachsene*. Berlin: Quintessenz (2009).
- [12] Filippi A, et al: Transplantation of displaced and dilacerated anterior teeth. *Endod Dent Traumatol* 14 (2), 93-98 (1998).
- [13] Han HJ, et al: Multifactorial evaluation of implant failure: a 19-year retrospective study. *Int J Oral Maxillofac Implants* 29 (2), 303-310 (2014).
- [14] Hopmann S, Neumeyer S, Hannker C, Stelzel M, Thein T, Lampson C: Biologische Aspekte – Eine implantatprothetischen Versorgung nach traumainduziertem Frontzahnverlust. *teamwork – Das Magazin für den ambitionierten Zahnmediziner* 16 (1), 54-65 (2013).
- [15] Houston F, et al: Healing after root reimplantation in the monkey. *J Clin Periodontol* 12 (9), 716-727 (1985).
- [16] Iocca O, et al: Alveolar Ridge Preservation after tooth extraction: a Bayesian Network meta-analysis of grafting materials efficacy on prevention of bone height and width reduction. *J Clin Periodontol* 44 (1), 104-114 (2017).
- [17] Juodzbalys G, et al: New method of sedation in oral surgery. *J Oral Implantol* 31 (6), 304-308 (2005).
- [18] Kajiyama K, Murakami T, Yokota S: Gingival reactions after experimentally induced extrusion of the upper incisors in monkeys. *Am J Orthod Dentofac Orthop* 104, 36–47 (1993).

- [19] Klijn RJ, et al: Sinus floor augmentation surgery using autologous bone grafts from various donor sites: a meta-analysis of the total bone volume. *Tissue Eng Part B Rev* 16 (3), 295-303 (2010).
- [20] Maiorana C, et al: Slow Orthodontic Teeth Extrusion to Enhance Hard and Soft Periodontal Tissue Quality before Implant Positioning in Aesthetic Area. *Open Dent J* 6, 137-142 (2012).
- [21] Mantzikos T, Shamus I: Forced eruption and implant site development: soft tissue response. *Am J Orthod Dentofac Orthop* 112, 596–606 (1997).
- [22] Mendes RA, Rocha G: Mandibular third molar autotransplantation – literature review with clinical cases. *J Can Dent Assoc* 70 (11), 761-766 (2004).
- [23] Neumeyer S, Wachtel H: Die Replantation und orthodontische Extrusion hoch resezierter Zähne – *Quintessenz* 60 (10), 1141-1149 (2009).
- [24] Neumeyer S: Regeneration und Erhalt parodontaler Gewebestrukturen durch orthodontische Extrusionstechniken – eine Literaturübersicht unterstützt durch eigene klinische Fallanalysen. Masterthese zum Universitätsstudiengang „Master of Science in Parodontologie und periimplantärer Therapie“ an der Albert-Ludwigs-Universität Freiburg. Ernst Knoth Verlag, Melle (2010).
- [25] Neumeyer S, et al: Erhalt und Regeneration der horizontalen alveolären Dimension. Replantation, Extrusion und Translation von Wurzelsegmenten. *Quintessenz Implantologie* 22 (4), 1-11 (2014).
- [26] Neumeyer S, et al: Ein biologisches Behandlungskonzept für die Extraktionsalveole. Die Replantation und Extrusion von Wurzelsegmenten. *Quintessenz Implantologie* 22 (2), 149-158 (2014).
- [27] Polimeni G, Xiropaidis AV, Wikesjö UM: Biology and principles of periodontal wound healing/regeneration. *Periodontology* 2000 41, 30–47 (2006)
- [28] Porter JA, von Fraunhofer JA: Success or failure of dental implants? A literature review with treatment considerations. *Gen Dent* 53 (6), 423-432, quiz 433, 446, (2005).
- [29] Salama H, Salama M, Kelly J: The orthodontic-periodontal connection in implant site development. *Pract Periodontics Aesthet Dent* 8, 923–932 (1996).
- [30] Salama H, Salama M: The role of orthodontic extrusive remodeling in the enhancement of soft and hard tissue profiles prior to implant placement: a systematic approach to the management of extraction site defects. *Int J Periodontics Restorative Dent* 13, 312–333 (1993).
- [31] Schwarz F, et al: Extracted tooth roots used for lateral alveolar ridge augmentation: a proof-of-concept study. *J Clin Periodontol* 43 (4), 345-353 (2016).
- [32] Simion M, Fontana F: Autogenous and xenogeneic bone grafts for the bone regeneration. A literature review. *Minerva Stomatol* 53 (5), 191-206 (2004).
- [33] Tuna EB, et al: What is the Best Root Surface Treatment for Avulsed Teeth? *Open Dent J* 8, 175-179 (2014).
- [34] Urban IA, et al: Vertical Ridge Augmentation and Soft Tissue Reconstruction of the Anterior Atrophic Maxillae: A Case Series. *Int J Periodontics Restorative Dent* 35 (5), 613-623 (2015).
- [35] Watanabe T, et al: Creating labial bone for immediate implant placement: a minimally invasive approach by using orthodontic therapy in the esthetic zone. *J Prosthet Dent* 110 (6), 435-441 (2013).
- [36] Weng D, Stock V, Schliephake H: Are socket and ridge preservation techniques at the day of tooth extraction efficient in maintaining the tissues of the alveolar ridge? Systematic review, consensus statements and recommendations of the 1st DGI Consensus Conference in September 2010, Aerzen, Germany. *Eur J Oral Implantol* 4, 59–66 (2011).

[37] Wennstrom JL, et al: Some periodontal tissue reactions to orthodontic tooth movement in monkeys. *J Clin Periodontol* 14 (3), 121-129 (1987).

[38] Zenobio EG, et al: A mixed-model study assessing orthodontic tooth extrusion for the reestablishment of biologic width. A systematic review and exploratory randomized trial. *Int J Periodontics Restorative Dent* 35 (1), 19-27 (2015).