

**Bruxismus – wo stehen wir heute?**

- [1] Arima T, Tomonaga A, Toyota M, Inoue SI, Ohata N, Svensson P (2012) Does restriction of mandibular movements during sleep influence jaw-muscle activity? *J Oral Rehabil* 39 (7): 545–551.
- [2] Bader G, Lavigne G (2000) Sleep bruxism; an overview of an oromandibular sleep movement disorder. *REVIEW ARTICLE. Sleep Med Rev* 4 (1): 27-43.
- [3] Bernhardt OH, S.; Sünnig, W.; Meyer, G. (2012) Electrical stimulation of the temporalis muscle during sleep of myofascial pain - a pilot study. *J CranioMand Func* 4 (3): 191–193.
- [4] Boselli M, Parrino L, Smerieri A, Terzano MG (1998) Effect of age on EEG arousals in normal sleep. *Sleep* 21 (4):351–357.
- [5] Clark GT, Beemsterboer PL, Solberg WK, Rugh JD (1979) Nocturnal electromyographic evaluation of myofascial pain dysfunction in patients undergoing occlusal splint therapy. *J Am Dent Assoc* 99 (4):607–611.
- [6] Clark GT, Seligman DA, Solberg WK, Pullinger AG (1989) Guidelines for the examination and diagnosis of temporomandibular disorders. *J Craniomandib Disord* 3 (1):7–14.
- [7] EEG arousals: scoring rules and examples: a preliminary report from the Sleep Disorders Atlas Task Force of the American Sleep Disorders Association (1992). *Sleep* 15 (2):173–184.
- [8] Feu D, Catharino F, Quintao CCA, De Oliveira Almeida MA (2013) A systematic review of etiological risk factors associated with bruxism. *Journal of Orthodontics* 40 (2):163–171.
- [9] Glaros AG (1981) Incidence of diurnal and nocturnal bruxism. *J Prosthet Dent* 45 (5):545–549.
- [10] Harada T, Ichiki R, Tsukiyama Y, Koyano K (2006) The effect of oral splint devices on sleep bruxism: a 6-week observation with an ambulatory electromyographic recording device. *J Oral Rehabil* 33 (7):482–488.
- [11] Huynh N, Lavigne GJ, Lanfranchi PA, Montplaisir JY, de Champlain J (2006) The effect of 2 sympatholytic medications--propranolol and clonidine--on sleep bruxism: experimental randomized controlled studies. *Sleep* 29 (3):307–316.
- [12] Huynh NT, Rompre PH, Montplaisir JY, Manzini C, Okura K, Lavigne GJ (2006) Comparison of various treatments for sleep bruxism using determinants of number needed to treat and effect size. *Int J Prosthodont* 19 (5):435–441.
- [13] Jadidi F, Castrillon E, Svensson P (2008) Effect of conditioning electrical stimuli on temporalis electromyographic activity during sleep. *J Oral Rehabil* 35 (3):171–183.
- [14] Jadidi F, Castrillon EE, Nielsen P, Baad-Hansen L, Svensson P (2013) Effect of contingent electrical stimulation on jaw muscle activity during sleep: a pilot study with a randomized controlled trial design. *Acta Odontol Scand* 71 (5):1050–1062.
- [15] Karadeniz D, Ondze B, Basset A, Billiard M (2000) EEG arousals and awakenings in relation with periodic leg movements during sleep. *J Sleep Res* 9 (3):273–277.
- [16] Khouri S, Rouleau GA, Rompre PH, Mayer P, Montplaisir JY, Lavigne GJ (2008) A significant increase in breathing amplitude precedes sleep bruxism. *Chest* 134 (2):332–337.
- [17] Landry-Schonbeck A, de Grandmont P, Rompre PH, Lavigne GJ (2009) Effect of an adjustable mandibular advancement appliance on sleep bruxism: a crossover sleep laboratory study. *Int J Prosthodont* 22 (3):251–259.
- [18] Lavigne GJ, Khouri S, Abe S, Yamaguchi T, Raphael K (2008) Bruxism physiology and pathology: an overview for clinicians. *J Oral Rehabil* 35 (7):476–494.

- [19] Lavigne GJ, Soucy JP, Lobbezoo F, Manzini C, Blanchet PJ, Montplaisir JY (2001) Double-blind, crossover, placebo-controlled trial of bromocriptine in patients with sleep bruxism. *Clin Neuropharmacol* 24 (3):145–149.
- [20] Lobbezoo F, Ahlberg J, Glaros AG, Kato T, Koyano K, Lavigne GJ, de Leeuw R, Manfredini D, Svensson P, Winocur E (2013) Bruxism defined and graded: an international consensus. *J Oral Rehabil* 40 (1):2–4.
- [21] Lobbezoo F, Ahlberg J, Manfredini D, Winocur E (2012) Are bruxism and the bite causally related? *J Oral Rehabil* 39 (7):489–501.
- [22] Lobbezoo F, Lavigne GJ, Tanguay R, Montplaisir JY (1997) The effect of catecholamine precursor L-dopa on sleep bruxism: a controlled clinical trial. *Mov Disord* 12 (1):73–78.
- [23] Lobbezoo F, Rompre PH, Soucy JP, Iafrancesco C, Turkewicz J, Montplaisir JY, Lavigne GJ (2001) Lack of associations between occlusal and cephalometric measures, side imbalance in striatal D2 receptor binding, and sleep-related oromotor activities. *J Orofac Pain* 15 (1):64–71.
- [24] Macaluso GM, Guerra P, Di Giovanni G, Boselli M, Parrino L, Terzano MG (1998) Sleep bruxism is a disorder related to periodic arousals during sleep. *J Dent Res* 77 (4):565–573.
- [25] Madani AS, Abdollahian E, Khiavi HA, Radvar M, Foroughipour M, Asadpour H, Hasanzadeh N (2013) The efficacy of gabapentin versus stabilization splint in management of sleep bruxism. *J Prosthodont* 22 (2):126–131.
- [26] Magee KR (1970) Bruxism related to levodopa therapy. *Jama* 214 (1):147.
- [27] Maluly M, Andersen ML, Dal-Fabbro C, Garbuio S, Bittencourt L, de Siqueira JT, Tufik S (2013) Polysomnographic study of the prevalence of sleep bruxism in a population sample. *J Dent Res* 92 (7 Suppl):97s-103s.
- [28] Manfredini D, Landi N, Fantoni F, Segu M, Bosco M (2005) Anxiety symptoms in clinically diagnosed bruxers. *J Oral Rehabil* 32 (8):584–588.
- [29] Manfredini D, Winocur E, Guarda-Nardini L, Paesani D, Lobbezoo F (2013) Epidemiology of bruxism in adults: a systematic review of the literature. *J Orofac Pain* 27 (2):99–110.
- [30] Mohamed SE, Christensen LV, Penchas J (1997) A randomized double-blind clinical trial of the effect of amitriptyline on nocturnal masseteric motor activity (sleep bruxism). *Cranio* 15 (4):326–332.
- [31] Nishi SE, Basri R, Alam MK (2016) Uses of electromyography in dentistry: An overview with meta-analysis. *Eur J Dent* 10 (3):419–425.
- [32] Pierce CJ, Chrisman K, Bennett ME, Close JM (1995) Stress, anticipatory stress, and psychologic measures related to sleep bruxism. *J Orofac Pain* 9 (1):51–56.
- [33] Ramar K, Dort LC, Katz SG, Lettieri CJ, Harrod CG, Thomas SM, Chervin RD (2015) Clinical Practice Guideline for the Treatment of Obstructive Sleep Apnea and Snoring with Oral Appliance Therapy: An Update for 2015. *J Clin Sleep Med* 11 (7): 773–827.
- [34] Rehm DD, Mainieri VC, Sauvessig AC, Grossi PK, Teixeira ER, Tenenbaum HC, Drummond LG, Grossi ML (2012) Effects of the bite splint 15-day treatment termination in patients with temporomandibular disorder with a clinical history of sleep bruxism: a longitudinal single-cohort study. *Oral Surg Oral Med Oral Pathol Oral Radiol* 114 (6): 740–748.
- [35] Rugh JD, Solberg WK (1975) Electromyographic studies of bruxist behavior before and during treatment. *J Calif Dent Assoc* 3 (9): 56–59.
- [36] van der Zaag J, Lobbezoo F, Wicks DJ, Visscher CM, Hamburger HL, Naeije M (2005) Controlled assessment of the efficacy of occlusal stabilization splints on sleep bruxism. *J Orofac Pain* 19 (2): 151–158.
- [37] Watanabe T, Ichikawa K, Clark GT (2003) Bruxism levels and daily behaviors: 3 weeks of measurement and correlation. *J Orofac Pain* 17 (1): 65-73.
- [38] Winocur E, Gavish A, Voikovich M, Emadi-Perlman A, Eli I (2003) Drugs and bruxism: a critical review. *J Orofac Pain* 17 (2): 99–111.