

Von Generalisten und Spezialisten: Die Rolle der Bakterien in der erweiterten ökologischen Plaquehypothese

- [1] Aas JA, Griffen AL, Dardis SR, Lee AM, Olsen I, Dewhirst FE, Leys EJ, Paster BJ: Bacteria of dental caries in primary and permanent teeth in children and young adults. *J Clin Microbiol* 46, 1407–1417 (2008).
- [2] Alam S, Brailsford SR, Adams S, Allison C, Sheehy E, Zoiopoulos L, Kidd EA, Beighton D: Genotypic heterogeneity of *Streptococcus oralis* and distinct aciduric subpopulations in human dental plaque. *Appl Environ Microbiol* 66, 3330–3336 (2000).
- [3] Arends J, ten Bosch JJ: In vivo de- and remineralization of dental enamel. In: Leach S A (Hrsg.). Factors relating to demineralization and remineralization of teeth. Oxford-Washington D.C., 1–11 (1986).
- [4] Ashley PF, Attrill DC, Ellwood RP, Worthington HV, Davies RM: Toothbrushing habits and caries experience. *Caries Res* 33, 401–402 (1999).
- [5] Beals D, Ngo T, Feng Y, Cook D, Grau DG, Weber DA: Development and laboratory evaluation of a new toothbrush with a novel brush head design. *Am J Dent* 13(spec iss), 5A–13A (2000).
- [6] Beighton D: The complex oral microflora of high risk individuals and groups and its role in the caries process. *Community Dent Oral Epidemiol* 33, 248–255 (2005).
- [7] Beighton D: Can the ecology of the dental biofilm be beneficially altered? *Adv Dent Res* 21, 69–73 (2009).
- [8] Beighton D: Microflora of early childhood caries in relation to socio-demographic variables. *Oralprophylaxe Kinderzahnheilkd* 32 (2), 89–92 (2010).
- [9] Buzalaf MAR, Pessan JP, Honorio AM, ten Cate JM: Mechanism of action of fluoride for Caries control. In: Buzalaf M A R (Hrsg.). Fluoride and the oral environment. Basel: Karger, 97–114 (2011).
- [10] Clarkson J, Hardwick K, Barnes D, Richardson LM: International collaborative research on fluoride. *J Dent Res* 79, 893–904 (2000).
- [11] Chestnut IG, Schafer F, Jacobsen APM, Stephen KW: The influence of toothbrushing frequency and post-brushing rinsing on caries experience in a clinical trial. *Community Dent Oral Epidemiol* 26, 406–411 (1998).
- [12] Den Besten P, Ko HS: Fluoride levels in whole saliva of preschool children after brushing with 0.25 g (pea-sized) as compared to 1.0 g (full-brush) of a fluoride dentifrice. *Pediatr Dent* 18, 277–280 (1996).
- [13] Duke SA, Forward GC: The conditions occurring in vivo when brushing with toothpastes. *Br Dent J* 152, 52–54 (1982).
- [14] Emling RC, Flickinger KC, Cohen DW, Yankell SL: Comparison of estimated versus actual brushing time. *Pharmacol Ther Dent* 6, 93–98 (1991).
- [15] Filoche SK, Anderson SA, Sissons CH: Biofilm growth of *Lactobacillus* species is promoted by *Actinomyces* species and *Streptococcus mutans*. *Oral Microbiol Immunol* 19, 322–326 (2004).
- [16] Glass RL: The first international conference on the declining prevalence of dental caries. *J Dent Res* 61, 1301–1383 (1982).
- [17] Gützow HJ, Hellwig E, Hetzer G: Empfehlungen zur Kariesprophylaxe mit Fluoriden. *Dtsch Zahnärztl Z* 55, 383 (2000).
- [18] Gützow HJ, Hellwig E, Hetzer G: Kurzfassung Leitlinie Fluoridierungsmaßnahmen. (Hrsg.) Zahnärztliche Zentralstelle Qualitätssicherung (ZZQ) im Institut der Deutschen Zahnärzte 6–7 (2006).
- [19] Hamilton IR, Bowden GH: Fluoride effects on oral bacteria. In: Fejerskov O, Ekstrand J, Burt B A. (Hrsg.). Fluoride in Dentistry, ed 2. Copenhagen, Muksgaard, 230–251 (1996).

- [20] Houte J van: Role of microorganisms in caries etiology. *J Dent Res* 73, 672–681 (1994).
- [21] Houte J van, Sansone C, Joshipura K, Kent R: In vitro acidogenic potential and mutans streptococci of human smooth surface plaque associated with initial caries lesions and sound enamel. *J Dent Res* 70, 1497–1502 (1991).
- [22] Houte J van, Sansone C, Joshipura K, Kent R: Mutans streptococci and non-mutans streptococci acidogenic at low pH, and in vitro acidogenic potential of dental plaque in two different areas of the human dentition. *J Dent Res* 70, 1503–1507 (1991).
- [23] Keyes PH: Recent advances in dental caries research. Bacteriology, bacteriological findings, and biological implications. *Int Dent J* 12, 443–464 (1962).
- [24] Kilian M, Larsen MJ, Fejerskov O, Thystrup A: Effects of fluoride on the initial colonization of teeth in vivo. *Caries Res* 13, 319–329 (1979).
- [25] Kilian M, Thystrup A, Fejerskov O: Predominant plaque flora of Tanzanian children exposed to high and low water fluoride concentration. *Caries Res* 13, 330–343 (1979).
- [26] Kleinberg I: A mixed-bacteria ecological approach to understanding the role of the oral bacteria in dental caries causation: an alternative to *Streptococcus mutans* and the specific-plaque hypothesis. *Crit Rev Oral Biol Med* 13, 108–205 (2002).
- [27] Kneist S: Secondary effects of microbial salivary diagnostics [In German]. *Oralprophylaxe* 20, 208–217 (1998).
- [28] Kneist S, Heinrich-Weltzien R, Tietze W, Schumann V, Stößer L: The microbial colonization of the oral cavity as fundamental prerequisite for the caries risk – an overview of the findings from the Erfurt study [In German]. In: Stößer L (ed). *Caries dynamics and caries risk* [In German]. Berlin: Quintessenz, 201–213 (1998).
- [29] Kneist S, Heinrich-Weltzien R, Rupf S, Merte K, Eschrich K: Zur Bedeutung von *S. sobrinus* für die Kariesentwicklung bei Kindern. *Oralprophylaxe u. Kinderzahnheilkunde* 1 (26), 24–28 (2004).
- [30] Kneist S, Kubieziel H, Willershausen B, Küpper H, Callaway A: Modeling of *S. mutans* and *A. naeslundii* acid production in vitro with caries incidence of low- and high-risk children. *Quintessence International* 43 (5), 413–420 (2012).
- [31] Kneist S, Raser G, Nietzsche S, Callaway A, Willershausen B, Küpper H: Modeling of Invasion into Hard Tissue – Generalists (*S. sanguinis*) versus Specialists (*S. sobrinus*). *Caries Res* 47, Abstracts: 60th ORCA Congress, DOI: 10.1159/0003506702013 (2013).
- [32] Kneist S, Sieckmann C, Küpper H: Zur antimikrobiellen Wirkung von NaF-haltigen Zahnpasten. *ZWR* 3, 79–88 (2012).
- [33] Koga H, Yamagishi A, Takayanagi A, Maeda K, Matsukubo T: Estimation of optimal amount of fluoride dentifrice for adults to prevent caries by comparison between fluoride uptake into enamel in vitro and fluoride concentration in fluid in vivo. *Bull Tokyo Dent Coll* 48, 119–128 (2007).
- [34] König KG: *Karies und Kariesprophylaxe*. München: Goldmann (1971).
- [35] Loesche WJ: Role of *Streptococcus mutans* in human dental decay. *Microbiol Rev* 50, 353–380 (1986).
- [36] Lynch RJ, Navada R, Walia R: Low-levels of fluoride in plaque and saliva and their effects on the demineralisation and remineralisation of enamel; role of fluoride toothpastes, *Int Dent J* 54, 304–309 (2004).
- [37] Macgregor IDM, Rugg-Gunn AJ: Toothbrushing duration in 60 uninstructed young adults. *Community Dent Oral Epidemiol* 13, 121–122 (1985).
- [38] Macgregor IDM, Rugg-Gunn AJ: Effect of filming on toothbrushing performance in uninstructed adults in north-east England. *Community Dent Oral Epidemiol* 14, 320–322 (1986).
- [39] Makuch A: Die Herausbildung von zahnhygienischen Verhaltensweisen im frühen Kindesalter. *Oralprophylaxe* 30, 26–29 (2008).
- [40] Marinho VCC, Higgins JPT, Logan S, Sheiham A: Fluoride toothpastes for preventing dental caries in children and adolescents [Review]. *Cochrane Database Syst Rev* 1: CD002278 (2003).
- [41] Marsh PD: Microbial ecology of dental plaque and its significance in health and disease. *Adv Dent Res* 8 (2), 263–271 (1994).

- [42] Marsh PD: Dental plaque as a microbial biofilm. *Caries Res* 39 (3), 204–211 (2004).
- [43] Marsh PD: Dental Plaque as a biofilm: The significance of pH in health and caries. *Compend Contin Educ Dent* 30, 76–78, 80, 83–87 (2009).
- [44] Miller WD: Die Mikroorganismen der Mundhöhle. Zweite Aufl. Leipzig: Thieme (1892).
- [45] Nyvad B, Crielaard W, Mira A, Takahashi N, Beighton D: Dental Caries from a molecular microbiological perspective. *Caries Res* 47, 89–102 (2013).
- [46] Sansone C, Van Houte J, Joshipura K, Kent R, Margolis HC: The association of mutans streptococci and non-mutans streptococci capable of acidogenesis at a low pH with dental caries on enamel and root surfaces. *J Dent Res* 72, 508–516 (1993).
- [47] Sixer UP, Barbakow J, Yankell SL: New studies on estimated and actual toothbrushing times and dentifrice use. *J Clin Dent* 9, 49–51 (1998).
- [48] Schiffner U: Fluorid in der Kariesprophylaxe. *ZWR* 116 (4), 165–172 (2007).
- [49] Sieckmann C: Zur antibakteriellen Wirkung ausgewählter Zahnpasten. [Dissertation]. Jena: Friedrich-Schiller-Universität (2013).
- [50] Sjögren K, Birkhed D: Factors related to fluoride retention after toothbrushing and possible connection to caries activity. *Caries Res* 27, 474–477 (1993).
- [51] Soet JJ de, Nyvad B, Kilian M: Strain-related acid production by oral streptococci. *Caries Res* 34, 486–490 (2000).
- [52] Stößer L, Kneist S, Heinrich-Weltzien R, Fischer T, Tietze W: Current research on caries risk assessment. In: Stookey GK (ed). Early Detection of Dental Caries II: Proceedings of the 4th Annual Indiana Conference Indianapolis, Indiana. Indianapolis: Indiana University School of Dentistry, 31–56 (2000).
- [53] Takahashi N, Nyvad B: Caries ecology revisited: Microbial dynamics and the caries process. *Caries Res* 42, 409–418 (2008).
- [54] Takahashi N, Washio J, Mayanagi G: Metabolomics of supragingival plaque and oral bacteria. *J Dent Res* 89 (12), 1383–1388 (2010).
- [55] Tanzer JM, Livingston J, Thompson AM: The microbiology of primary dental caries in humans. *J Dent Educ* 65, 1028–1037 (2001).
- [56] Watson PS, Pontefract HA, Devine DA, Shore RC, Nattress BR, Kirkham J, Robinson C: Penetration of fluoride into natural plaque biofilms. *J Dent Res* 84, 451–455 (2005).
- [57] Weijden van der FA, Timmermann MF, Snoek IM, Reijerse E, Velden van der U: Toothbrushing duration and plaque removing efficacy of electric toothbrushes. *Am J Dent* 9, 31–36 (1996).
- [58] Zeedyk MS, Longbottom C, Pitts NB: Tooth-brushing practices of parents and toddlers: A study of home-based videotaped sessions. *Caries Res* 39, 27–33 (2005).
- [59] Zero DT, Raubertas RF, Fu J, Pedersen AM, Hayes AL, Featherstone JD: Fluoride concentrations in plaque, whole saliva, and ductal saliva after application of home-use topical fluorides. *J Dent Res* 71, 1768–1775 (1992).
- [60] Zero DT, Creeth JE, Bosma ML, Butler A, Guibert RG, Karwal R, Lynch RJM, Martinez-Mier EA, González-Cabezas C, Kelly SA: The effect of brushing time and dentifrice quantity on fluoride delivery in vivo and enamel surface microhardness in situ. *Caries Res* 44, 90–100 (2010).