

1. Baldwin, D.C., Appearance and aesthetics in oral health. *Community Dent Oral Epidemiol*, 1980. 8(5): p. 244-56.
2. Linn, E.L., Social meanings of dental appearance. *J Health Hum Behav*, 1966. 7(4): p. 289-95.
3. Beder, O.E., Esthetics – an enigma. *J Prosthet Dent*, 1971. 25(6): p. 588-91.
4. Ferracane, J.L., Resin composite – state of the art. *Dent Mater*, 2011. 27(1): p. 29-38.
5. Pitel, M.L., Low-shrink composite resins: a review of their history, strategies for managing shrinkage, and clinical significance. *Compend Contin Educ Dent*, 2013. 34(8): p. 578-90.
6. Fahl, N., Jr. and R.D. Paravina, Direct composite restorations – the ugly duckling classic. *J Dent*, 2013. 41 Suppl 5: p. e1-2.
7. Fahl, N., Jr., G.E. Denehy, and R.D. Jackson, Protocol for predictable restoration of anterior teeth with composite resins. *Pract Periodontics Aesthet Dent*, 1995. 7(8): p. 13-21.
8. Fahl, N., Jr., Predictable aesthetic reconstruction of fractured anterior teeth with composite resins: a case report. *Pract Periodontics Aesthet Dent*, 1996. 8(1): p. 17-31.
9. Vanini, L., Light and color in anterior composite restorations. *Pract Periodontics Aesthet Dent*, 1996. 8(7): p. 673-682.
10. Vanini, L. and F.M. Mangani, Determination and communication of color using the five color dimensions of teeth. *Pract Proced Aesthet Dent*, 2001. 13(1): p. 19-26.
11. Dietschi, D., Free-hand bonding in the esthetic treatment of anterior teeth: creating the illusion. *J Esthet Dent*, 1997. 9(4): p. 156-64.
12. Dietschi, D., Layering concepts in anterior composite restorations. *J Adhes Dent*, 2001. 3(1): p. 71-80.
13. Dietschi, D., Free-hand bonding: the ultimate treatment modality to enhance smiles in young patients. *Australasian Dental Practice*, 2012(1): p. 150-154.
14. Baratieri, L.N., E. Araujo, and S. Monteiro, Jr., Color in natural teeth and direct resin composite restorations: essential aspects. *Eur J Esthet Dent*, 2007. 2(2): p. 172-86.
15. Allgeier, S., B. Hahn, and G. Krastl, Direkte Frontzahnrestorationen aus Komposit. *wissen kompakt*, 2019. 13(3): p. 103-114.
16. Wolff, D., Ästhetische Rehabilitation mit direkten Kompositrestaurationen im Frontzahnbereich. *wissen kompakt*, 2013. 7(4): p. 29-40.
17. Frese, C., et al., Recontouring teeth and closing diastemas with direct composite buildups: a 5-year follow-up. *J Dent*, 2013. 41(11): p. 979-85.
18. LeSage, B.P., Aesthetic anterior composite restorations: a guide to direct placement. *Dent Clin North Am*, 2007. 51(2): p. 359-378.
19. Mackenzie, L., et al., Direct anterior composites: a practical guide. *Dent Update*, 2013. 40(4): p. 297-308.
20. Fahl, N., Jr., A polychromatic composite layering approach for solving a complex Class IV/direct veneer-diastrama combination: part I. *Pract Proced Aesthet Dent*, 2006. 18(10): p. 641-645.
21. Ernst, C.P., Schichtkonzepte bei vereinfachten Frontzahnkomposit-Systemen. *ZMK*, 2018. 34(9): p. 570-591.
22. Dietschi, D., Free-hand composite resin restorations: a key to anterior aesthetics. *Pract Periodontics Aesthet Dent*, 1995. 7(7): p. 15-25.
23. Ardu, S., et al., Influence of water sorption on resin composite color and color variation amongst various composite brands with identical shade code: an in vitro evaluation. *J Dent*, 2011. 39 Suppl 1: p. e37-44.

24. Dietschi, D. and N. Fahl, Jr., Shading concepts and layering techniques to master direct anterior composite restorations: an update. *Br Dent J*, 2016. 221(12): p. 765-771.
25. Manauta, J., et al., Stratification in anterior teeth using one dentine shade and a predefined thickness of enamel: a new concept in composite layering – Part II. *Odontostomatol Trop*, 2014. 37(147): p. 5-13.
26. Villarroel, M., et al., Direct esthetic restorations based on translucency and opacity of composite resins. *J Esthet Restor Dent*, 2011. 23(2): p. 73-87.
27. Amato, J., Restaurative Versorgung von Kronenfrakturen. *Quintessenz*, 2019. 70(9): p. 1076-1082.
28. Enamel Plus HFO-Broschüre (File: HFO MANUALE 2004 TED). 2004, Micerium S.p.A.: Avegno, Italy.
29. Vanini, L. and G. Tasca, Dalla forma al colore tecnica standardizzata per restauri in composito nei settori anteriori. *Odontoiatria*, 2000. 18(2): p. 113-127.
30. Vanini, L., Conservative composite restorations that mimic nature. A step-by-step anatomical stratification technique. *Journal of Cosmetic Dentistry*, 2010. 26(3): p. 80-98.
31. Fahl, N., Jr., A polychromatic composite layering approach for solving a complex Class IV/direct veneer/diastema combination: Part II. *Pract Proced Aesthet Dent*, 2007. 19(1): p. 17-22.
32. Fahl, N., Jr., Mastering composite artistry to create anterior masterpieces – part 2. *Journal of Cosmetic Dentistry*, 2011. 26(4): p. 42-55.
33. Paolone, G., et al., Composite shade guides and color matching. *Int J Esthet Dent*, 2014. 9(2): p. 164-82.
34. Manauta, J., et al., Stratification in anterior teeth using one dentine shade and a predefined thickness of enamel: a new concept in composite layering – Part I. *Odontostomatol Trop*, 2014. 37(146): p. 5-16.
35. Dietschi, D., Schichtkonzepte für Kompositrestaurationen im Frontzahnbereich. *Quintessenz*, 2001. 52: p. 669-678.
36. Betrisey, E., et al., The influence of stratification on color and appearance of resin composites. *Odontology*, 2016. 104(2): p. 176-83.
37. Dieter, M., Direct veneers in anterior smile design. *Int Dent African Edition*, 2015. 5(1): p. 16-22.
38. 3M-ESPE, Filtek Supreme Plus Universal Restorative. *Clinical Tips & Tricks*. 2006, St. Paul, MN, USA.
39. Eden, E. and E. Taviloglu, Restoring crown fractures by direct composite layering using transparent strip crowns. *Dent Traumatol*, 2016. 32(2): p. 156-60.
40. Krastl, G., A. Filippi, and R. Weiger, Frontzahntrauma: Zahnhartsubstanzverletzungen. *Zahnmedizin up2date*, 2008. 3(6): p. 519-537.
41. Krastl, G. and R. Weiger, Frontzahnrestorationen: Brauchen wir überhaupt Keramik? *Quintessenz*, 2010. 61(5): p. 511-520.
42. Schubert, A., M. Jahreis, and G. Krastl, Ästhetische Aspekte nach Zahntrauma. *Deutsche Zahnärztliche Zeitschrift*, 2015. 70(4): p. 279-286.
43. Krastl, G., et al., Current aspects of restoring traumatically fractured teeth. *Eur J Esthet Dent*, 2011. 6(2): p. 124-41.
44. Barrantes, J.C.R., E. Araujo, and L.N. Baratieri, Clinical Evaluation of Direct Composite Resin Restorations in Fractured Anterior Teeth. *ODOVTOS-International Journal of Dental Sciences*, 2015. 16: p. 47-61.
45. Dietschi, D., Optimizing smile composition and esthetics with resin composites and other conservative esthetic procedures. *Eur J Esthet Dent*, 2008. 3(1): p. 14-29.
46. Hahn, B., S. Soliman, and G. Krastl, Restaurative Maßnahmen zur Optimierung der Ästhetik bei Erwachsenen. *Schnittstelle zwischen Kieferorthopädie und Zahnerhaltung*. *Quintessenz*, 2017. 68(5): p. 525-532.
47. Ernst, C.P., Frontzahnrestorationen in überdurchschnittlich belasteten Bereichen. *Cosmetic Dentistry*, 2009. 7(1): p. 18-22.

48. Hugo, B., Direkte Kompositentechnik zur ästhetischen Korrektur an Frontzähnen. *Inf Orthod Kieferorthop*, 2002. 34(3): p. 165-171.
49. Willhite, C., Dramatic smile makeovers using direct resin veneers. *Compend Contin Educ Dent*, 1997. 18(7): p. 646-656.
50. Pontons-Melo, J.C., et al., A conservative approach for restoring anterior guidance: a case report. *J Esthet Restor Dent*, 2012. 24(3): p. 171-82.
51. Bühler, J., I. Ilgenstein, and G. Krastl, Ästhetische Korrektur von Zapfenzähnen durch direkte Kompositaufbauten. *DFZ Der Freie Zahnarzt*, 2014. 58(5): p. 60-69.
52. Sakai, V.T., et al., Alternative oral rehabilitation of children with hypodontia and conical tooth shape: a clinical report. *Quintessence Int*, 2006. 37(9): p. 725-30.
53. Dietschi, D., Learning and applying the Natural Layering Concept. *Cosmetic Dentistry*, 2009. 7(2): p. 36-42.
54. Wirsching, E., Formkorrekturen im Frontzahnbereich mit direkt applizierten Kompositen. *Zahnmedizin up2date*, 2012. 6(4): p. 379-399.
55. Alonso, V. and M. Caserio, A clinical study of direct composite full-coverage crowns: long-term results. *Oper Dent*, 2012. 37(4): p. 432-41.
56. Duarte Jr, S., J. Perdigao, and M. Lopes, Composite resin restorations--natural aesthetic and dynamics of light. *Pract Proced Aesthet Dent*, 2003. 15(9): p. 657-664.
57. Staehle, H.J., Zahnformanomalie - Langzeitbeobachtung nach minimalinvasiver restaurativer Therapie. *Quintessenz*, 2009. 60(10): p. 1177-1183.
58. Wolff, D., et al., Recontouring teeth and closing diastemas with direct composite buildups: a clinical evaluation of survival and quality parameters. *J Dent*, 2010. 38(12): p. 1001-9.
59. Strassler, H.E., et al., Restorative management of double teeth: two case reports. *Dent Today*, 2010. 29(8): p. 50-2, 54; quiz 56-7.
60. Kulkarni, V.K., et al., Endodontic treatment and esthetic management of a primary double tooth with direct composite using silicone buildup guide. *Contemp Clin Dent*, 2012. 3(Suppl 1): p. 92-95.
61. van Waes, H., Therapie bei Zahnfehlbildungen, in *Farbatlant der Zahnmedizin, Band 17: Kinderzahnmedizin*, H. van Waes and P.W. Stöckli, Editors. 2001, Georg Thieme Verlag: Stuttgart.
62. Hahn, B., et al., Komposite in der Front – klinische Anwendungen. *Zahnmedizin up2date*, 2018. 12(06): p. 527-543.
63. Peumans, M., et al., The 5-year clinical performance of direct composite additions to correct tooth form and position. I. Esthetic qualities. *Clin Oral Investig*, 1997. 1(1): p. 12-8.
64. Soares, C.J., et al., Esthetic rehabilitation of anterior teeth affected by enamel hypoplasia: a case report. *J Esthet Restor Dent*, 2002. 14(6): p. 340-8.
65. Grundlingh, A.A. and N. Patel, Direct composite full mouth rehabilitation in a patient with Junctional Epidermolysis Bullosa: A case report. *Int Dent African Ed.*, 2012. 2(4): p. 20-31.
66. Kharbot, B. and F. Schwendicke, Minimalinvasive Therapie einer spät diagnostizierten Dentinogenesis imperfecta. *Deutsche Zahnärztliche Zeitschrift*, 2019. 74(4): p. 234-241.
67. Sapir, S. and J. Shapira, Dentinogenesis imperfecta: an early treatment strategy. *Pediatr Dent*, 2001. 23(3): p. 232-7.
68. Knezevic, A., Z. Tarle, and V. Panduric, Esthetic reconstruction of teeth in patient with dentinogenesis imperfecta – a case report. *Coll Antropol*, 2006. 30(1): p. 231-4.
69. Lygidakis, N.A., et al., Best Clinical Practice Guidance for clinicians dealing with children presenting with Molar-Incisor-Hypomineralisation (MIH): An EAPD Policy Document. *Eur Arch Paediatr Dent*, 2010. 11(2): p. 75-81.
70. Feierabend, S., Behandlungskonzepte bei Strukturanomalien des Zahnschmelzes und des Dentins. *wissen kompakt*, 2014. 8(1): p. 13-25.
71. Dietschi, D., Optimising aesthetics and facilitating clinical application of free-hand bonding using the 'natural layering concept'. *Br Dent J*, 2008. 204(4): p. 181-5.

72. Cavalheiro, J.P., et al., Esthetic rehabilitation of anterior teeth with molar-incisor hypomineralization and dental fluorosis: a case report. *Gen Dent*, 2020. 68(3): p. 34-39.
73. Souza, M., et al., Esthetic reconstruction of teeth with enamel hypoplasia. *Gen Dent*, 2020. 68(2): p. 56-59.
74. Hugo, B., Form- und Stellungskorrekturen bei Frontzähnen mittels Komposit. *Quintessenz*, 2002. 53(3): p. 227-236.
75. Willhite, C., Diastema closure with freehand composite: controlling emergence contour. *Quintessence Int*, 2005. 36(2): p. 138-40.
76. Prabhu, R., et al., Clinical evaluation of direct composite restoration done for midline diastema closure – long-term study. *J Pharm Bioallied Sci*, 2015. 7(Suppl 2): p. S559-62.
77. Lacy, A.M., Application of composite resin for single-appointment anterior and posterior diastema closure. *Pract Periodontics Aesthet Dent*, 1998. 10(3): p. 279-86; quiz 288.
78. De Araujo, E.M., Jr., S. Fortkamp, and L.N. Baratieri, Closure of diastema and gingival recontouring using direct adhesive restorations: a case report. *J Esthet Restor Dent*, 2009. 21(4): p. 229-40.
79. Lenhard, M., Closing diastemas with resin composite restorations. *Eur J Esthet Dent*, 2008. 3(3): p. 258-68.
80. Lowe, E., Simplifying diastema closure in the anterior region. *Dent Today*, 2003. 22(12): p. 50-2, 54-5.
81. Lührs, A.K., Diastemaschluss mittels direkter Technik im Frontzahnbereich. *Deutsche Zahnärztliche Zeitschrift*, 2011. 66(9): p. 628-635.
82. Ernst, C.P., Schneidezähne in Form gebracht. *ZMK*, 2014. 30(10): p. 636-647.
83. Baez Rosales, A., et al., Conservative Approach for the Esthetic Management of Multiple Interdental Spaces: A Systematic Approach. *J Esthet Restor Dent*, 2015. 27(6): p. 344-54.
84. Kleeberger, B., Functional Esthetic Restoration with Direct Composite Resin. *J Can Dent Assoc*, 2008. 74(4): p. 345-350.
85. Klaiber, B., Alles noninvasiv – Zahnformveränderung, Lückenschluss, Reduktion schwarzer Dreiecke *Zahnärztliche Mitteilungen*, 2006. 96(10): p. 52-59.
86. Wirsching, E., Direkte Kompositrestaurationen vor, während und nach kieferorthopädischer Behandlung. *Quintessenz*, 2013. 64(2): p. 145-152.
87. Müssig, E., et al., Applications for Direct Composite Restorations in Orthodontics. *Journal of Orofacial Orthopedics / Fortschritte der Kieferorthopädie*, 2004. 65(2): p. 164-179.
88. Saratti, C.M., I. Krejci, and G.T. Rocca, Multiple diastema closure in periodontally compromised teeth: How to achieve an enamel-like emergence profile. *J Prosthet Dent*, 2016.
89. Walter, C. and G. Krastl, Konservative Therapie und ästhetische Rekonstruktion mit Kompositmaterialien bei einer Patientin mit aggressiver Parodontitis. *Quintessenz*, 2007. 58(10): p. 1085-1096.
90. Wirsching, E., Aktuelle Möglichkeiten der adhäsiven Restauration von Frontzähnen mit Komposit. *Quintessenz*, 2014. 65(9): p. 1067-1075.
91. Willhite, C., Direct Veneers. Section B: Transitional Bonding, in *Contemporary Esthetic Dentistry*, G. Freedman, Editor. 2012, C. V. Mosby Co.: St. Louis, Missouri. p. 411-422.
92. Felipe, L.A., et al., Using opaquers under direct composite resin veneers: an illustrated review of the technique. *J Esthet Restor Dent*, 2003. 15(6): p. 327-36; discussion 337.
93. Milnar, F.J., Selecting nanotechnology-based composites using colorimetric and visual analysis for the restoration of anterior dentition: a case report. *J Esthet Restor Dent*, 2004. 16(2): p. 89-100; discussion 101.

94. Zarow, M. and K. Szczeklik, Direct composite veneer as a prevention for discoloration recurrence after non-vital tooth bleaching. Case report. *Il Dentista Moderno*, 2015. 33(9): p. 156-163.
95. Coelho-de-Souza, F.H., et al., Direct anterior composite veneers in vital and non-vital teeth: A retrospective clinical evaluation. *J Dent*, 2015. 43(11): p. 1330-6.
96. Okuda, W.H., Minimally invasive dentistry and its impact on esthetic restorative dentistry. *Gen Dent*, 2013. 61(5): p. 24-6.
97. Wirsching, E., Contemporary options for restoration of anterior teeth with composite. *Quintessence Int*, 2015. 46(6): p. 457-463.
98. Deliperi, S., D.N. Bardwell, and M.D. Congiu, Reconstruction of severely damaged endodontically treated and bleached teeth using a microhybrid composite resin: two-year case report. *Pract Proced Aesthet Dent*, 2003. 15(3): p. 221-6; quiz 227.
99. Milnar, F.J., Incorporating flowable composites into the minimally invasive treatment sequence for aesthetic enhancement. *Pract Proced Aesthet Dent*, 2006. 18(1): p. 65-70; quiz 72.
100. Krastl, G., Rekonstruktion nach Zahntransplantation., in *Zahntransplantation. Biologischer Zahnersatz für Kinder, Jugendliche und manche Erwachsene*, A. Filippi, Editor. 2009, Quintessenz Verlags-GmbH: Berlin. p. 69-80.
101. Wolff, D., H.J. Staehle, and C. Frese, Komplexe Zahnaufbauten als Alternative zur Überkronung. *ZWR*, 2015. 124(1): p. 30-34.
102. Krastl, G., R. Weiger, and A. Filippi, Grenzfälle der Zahnerhaltung: Intraalveoläre Transplantation und intentionelle Replantation im Frontzahngebiet. *Zahnmedizin up2date*, 2015. 9(1): p. 15-30.
103. Willhite, C., Complex Bonding. *AACD Journal*, 1997. 13(4): p. 16-23.
104. Ruel, J., et al., Effect of retraction procedures on the periodontium in humans. *J Prosthet Dent*, 1980. 44(5): p. 508-15.
105. Prasad, K.D., et al., Gingival displacement in prosthodontics: A critical review of existing methods. *J Interdiscip Dentistry*, 2011. 1(2): p. 80-86.
106. Sanavi, F., A.S. Weisgold, and L.F. Rose, Biologic width and its relation to periodontal biotypes. *J Esthet Dent*, 1998. 10(3): p. 157-63.
107. Ahmad, I., Anterior dental aesthetics: gingival perspective. *Br Dent J*, 2005. 199(4): p. 195-202.
108. Kois, J.C., The restorative-periodontal interface: biological parameters. *Periodontol* 2000, 1996. 11: p. 29-38.
109. Kosyfaki, P., M. del Pilar Pinilla Martin, and J.R. Strub, Relationship between crowns and the periodontium: a literature update. *Quintessence Int*, 2010. 41(2): p. 109-26.
110. Olsson, M. and J. Lindhe, Periodontal characteristics in individuals with varying form of the upper central incisors. *J Clin Periodontol*, 1991. 18(1): p. 78-82.
111. Dupriez, N.D., A.K. von Koeckritz, and K.H. Kunzelmann, A comparative study of sliding wear of nonmetallic dental restorative materials with emphasis on micromechanical wear mechanisms. *J Biomed Mater Res B Appl Biomater*, 2015. 103(4): p. 925-34.
112. Heintze, S.D., et al., Round robin test: wear of nine dental restorative materials in six different wear simulators – supplement to the round robin test of 2005. *Dent Mater*, 2011. 27(2): p. e1-9.
113. Vanoorbeek, S., et al., Computer-aided designed/computer-assisted manufactured composite resin versus ceramic single-tooth restorations: a 3-year clinical study. *Int J Prosthodont*, 2010. 23(3): p. 223-30.
114. Alarcon, J.V., et al., Wear testing of composite, gold, porcelain, and enamel opposing a removable cobalt-chromium partial denture alloy. *J Prosthodont*, 2009. 18(5): p. 421-6.
115. Takahashi, R., et al., Surface characterization of current composites after toothbrush abrasion. *Dent Mater J*, 2013. 32(1): p. 75-82.
116. Ferracane, J.L., et al., Academy of Dental Materials guidance-Resin composites: Part II-Technique sensitivity (handling, polymerization, dimensional changes). *Dent Mater*, 2017. 33(11): p. 1171-1191.

117. Ilie, N., U. Lohbauer, and M. Rosentritt, Lichtpolymerisation. ZWR, 2016. 125(6): p. 284-289.
118. Blunck, U. and N. Ilie, Lichtpolymerisation heute. Zahnärztliche Mitteilungen, 2020. 109(23-24): p. 48-58.
119. Hosoya, Y., Five-year color changes of light-cured resin composites: influence of light-curing times. Dent Mater, 1999. 15(4): p. 268-74.
120. Brauer, G.M., Color changes of composites on exposure to various energy sources. Dental Materials, 1988. 4: p. 55-59.
121. Burrow, M.F. and O.F. Makinson, Color change in light-cured resins exposed to daylight. Quintessence Int, 1991. 22(6): p. 447-52.
122. Davis, L.G., P.D. Ashworth, and L.S. Spriggs, Psychological effects of aesthetic dental treatment. J Dent, 1998. 26(7): p. 547-54.
123. Pereira, R., et al., Dental prophylaxis influence in tooth color assessment—Clinical study. Journal of Esthetic and Restorative Dentistry. n/a(n/a).
124. Sakai, V.T., et al., Predictable esthetic treatment of fractured anterior teeth: a clinical report. Dent Traumatol, 2007. 23(6): p. 371-5.
125. Manhart, J., Keramikveneers. Teil 1: Indikation und Behandlungsplanung. Quintessenz, 2011. 62(7): p. 869-883.
126. Burki, Z., et al., A randomised controlled trial to investigate the effects of dehydration on tooth colour. J Dent, 2013. 41(3): p. 250-7.
127. Terry, D.A. and W. Geller, Selection defines design. J Esthet Restor Dent, 2004. 16(4): p. 213-25; discussion 226.
128. Dietschi, D., Clinical Application of the "Natural Layering Concept". Oral Health, 2007. 97(8): p. 69.
129. Terry, D.A. and K.F. Leinfelder, An integration of composite resin with natural tooth structure: the Class IV restoration. Pract Proced Aesthet Dent, 2004. 16(3): p. 235-42; quiz 244.
130. Brewer, J.D., A. Wee, and R. Seghi, Advances in color matching. Dental Clinics of North America, 2004. 48(2): p. 341-358.
131. Fondriest, J., Shade matching in restorative dentistry: the science & strategies. Int J Periodontics Restorative Dent, 2003. 23(5): p. 467-79.
132. Terry, D.A., Color matching with composite resin: a synchronized shade comparison. Pract Proced Aesthet Dent, 2003. 15(7): p. 515-21; quiz 522.
133. Miller, L.L., Shade matching. J Esthet Dent, 1993. 5(4): p. 143-53.
134. Magne, P. and J. Holz, Stratification of composite restorations: systematic and durable replication of natural aesthetics. Pract Periodontics Aesthet Dent, 1996. 8(1): p. 61-8; quiz 70.
135. Felipe, L.A., et al., Clinical strategies for success in proximoincisor composite restorations. Part I: Understanding color and composite selection. J Esthet Restor Dent, 2004. 16(6): p. 336-47.
136. Denner, W., Ästhetik – minimalinvasiv mit Komposit. ZMK, 2006. 22(10): p. 644-653.
137. Probst, F.A., Dreidimensionale Untersuchungen zur Morphologie der oberen Frontzähne, in Dissertation Medizinische Fakultät der Ludwig-Maximilians-Universität München. 2007: München.
138. Brand, N., Oberflächenbearbeitung. Das geschulte Auge sieht mehr. Dental Zeitung, 2005(5): p. 46-47.
139. Manhart, J. and U. Gehringer, Wenig hilft manchmal viel. Verbesserung der Frontzahnästhetik mit einer Vollkeramikkrone und einem Additional Veneer. dental dialogue, 2018. 19(4): p. 92-113.
140. Fahl, N., Jr., Mastering composite artistry to create anterior masterpieces - part 1. Journal of Cosmetic Dentistry, 2010. 25(3): p. 56-68.
141. Fahl, N., Coronal Reconstruction of a Severely Compromised Central Incisor with Composite Resins - A Case Report. Journal of Cosmetic Dentistry, 2010. 26(1): p. 92-113.
142. Fahl, N., Jr., Optimizing the esthetics of Class IV restorations with composite resins. J Can Dent Assoc, 1997. 63(2): p. 108-115.

143. Felipe, L.A., et al., Clinical strategies for success in proximoincisor composite restorations. Part II: Composite application technique. *J Esthet Restor Dent*, 2005. 17(1): p. 11-21.
144. LeSage, B.P., Aesthetic anterior composite restorations: a guide to direct placement. *Dent Clin North Am*, 2007. 51(2): p. 359-78, viii.
145. Salat, A., W. Devoto, and J. Manauta, Achieving a precise color chart with common computer software for excellence in anterior composite restorations. *Eur J Esthet Dent*, 2011. 6(3): p. 280-96.
146. Khashayar, G., et al., The influence of varying layer thicknesses on the color predictability of two different composite layering concepts. *Dent Mater*, 2014. 30(5): p. 493-8.
147. Magne, P., et al., Evaluation of an anatomic dual-laminate composite resin shade guide. *J Dent*, 2013. 41 Suppl 3: p. e80-6.
148. Sproull, R.C., Color matching in dentistry. Part III. Color control. *J Prosthet Dent*, 1974. 31(2): p. 146-54.
149. Rauber, G.B., et al., Evaluation of a technique for color correction in restoring anterior teeth. *J Esthet Restor Dent*, 2017.
150. Manauta, J., et al., Natural, polarized light and the choice of composite: a key to success in shade matching of direct anterior restorations- Part I. *Odontostomatol Trop*, 2016. 39(155): p. 11-9.
151. Dietschi, D., S. Ardu, and I. Krejci, A new shading concept based on natural tooth color applied to direct composite restorations. *Quintessence Int*, 2006. 37(2): p. 91-102.
152. Bazos, P. and P. Magne, Bio-Emulation: biomimetically emulating nature utilizing a histoanatomic approach; visual synthesis. *Int J Esthet Dent*, 2014. 9(3): p. 330-52.
153. Winter, R., Visualizing the natural dentition. *J Esthet Dent*, 1993. 5(3): p. 102-17.
154. Brackett, M.G., et al., The effect of light curing source on the residual yellowing of resin composites. *Oper Dent*, 2007. 32(5): p. 443-50.
155. Cook, W.D., Photopolymerization kinetics of dimethacrylates using the camphorquinone/amine initiator system. *Polymer*, 1992. 33(3): p. 600-609.
156. Kamoun, E.A., et al., Carboxylated camphorquinone as visible-light photoinitiator for biomedical application: Synthesis, characterization, and application. *Arabian Journal of Chemistry*, 2016. 9(5): p. 745-754.
157. Sakaguchi, R.L., J. Ferracane, and J.M. Powers, *Craig's Restorative Dental Materials*, 14th Edition. 2019, St. Louis: Elsevier.
158. Lee, Y.K., et al., Changes of optical properties of dental nano-filled resin composites after curing and thermocycling. *J Biomed Mater Res B Appl Biomater*, 2004. 71(1): p. 16-21.
159. Paravina, R.D., J.C. Ontiveros, and J.M. Powers, Curing-dependent changes in color and translucency parameter of composite bleach shades. *J Esthet Restor Dent*, 2002. 14(3): p. 158-66.
160. Bazos, P. and P. Magne, Getting it right the first time. *J Cosmet Dent*, 2013. 29: p. 36-41.
161. Denissen, H. and A. Dozic, Photometric assessment of tooth color using commonly available software. *Eur J Esthet Dent*, 2010. 5(2): p. 204-15.
162. Tam, W.K. and H.J. Lee, Dental shade matching using a digital camera. *J Dent*, 2012. 40 Suppl 2: p. e3-10.
163. Dietschi, D., S. Ardu, and I. Krejci, Übertragung der natürlichen Zahnfarbe auf direkte Kompositrestaurationen. Ein neues Farbgebungskonzept. *Quintessenz*, 2006. 57(3): p. 241-251.
164. Edwards, N., Cross-polarisation, making it practical. *J Vis Commun Med*, 2011. 34(4): p. 165-72.
165. Kim, E., et al., Development of polarization dental imaging modality and evaluation of its clinical feasibility. *J Dent*, 2012. 40 Suppl 1: p. e18-25.
166. Hein, S., J. Tapia, and P. Bazos, eLABor\_aid: a new approach to digital shade management. *Int J Esthet Dent*, 2017. 12(2): p. 186-202.

167. Bazos, P. and P. Magne, Bio-emulation: biomimetically emulating nature utilizing a histo-anatomic approach; structural analysis. *Eur J Esthet Dent*, 2011. 6(1): p. 8-19.
168. Ardu, S., et al., Resin composite thickness' influence on L\*a\*b\* coordinates and translucency. *Clin Oral Investig*, 2019. 23(4): p. 1583-1586.
169. Ardu, S. and I. Krejci, Biomimetic direct composite stratification technique for the restoration of anterior teeth. *Quintessence Int*, 2006. 37(3): p. 167-74.
170. Schroeder, H.E., *Pathobiologie oraler Strukturen*. 1991, Basel: Karger-Verlag.
171. Hall, N.R. and M.C. Kafalias, Composite colour matching: the development and evaluation of a restorative colour matching system. *Aust Prosthodont J*, 1991. 5: p. 47-52.
172. Borggreven, J.M., F.C. Driessens, and J.W. van Dijk, Diffusion through bovine tooth enamel as related to the water structure in its pores. *Arch Oral Biol*, 1980. 25(5): p. 345-8.
173. Moreno, E.C. and R.T. Zahradnik, The pore structure of human dental enamel. *Arch Oral Biol*, 1973. 18(8): p. 1063-8.
174. Brodbelt, R.H., et al., Translucency of human dental enamel. *J Dent Res*, 1981. 60(10): p. 1749-53.
175. Russell, M.D., M. Gulfranz, and B.W. Moss, In vivo measurement of colour changes in natural teeth. *J Oral Rehabil*, 2000. 27(9): p. 786-92.