

ZMK (26) 12, 781-785

Dr. Aladin Sabbagh

SUS²: Die Kooperation-unabhängige Kieferorthopädie

1. Aelbers CMF, Dermaut LR. Orthopädie in der Orthodontie - Ein Literaturüberblick. Inf Orthod Kieferorthop 1999;31:65-79
2. Blackwood HO. Clinical management of the Jasper Jumper. I Clin Orthod 1991;25:755-60.
3. Bumann, Lotzmann, Funktionsdiagnostik und Therapieprinzipien, 98-121, Thieme Verlag, ISBN 3-13-787501-3, 2000
4. Covell DA, Trammell DW, Boero RP, A cephalometric study of Class II Division 1 malocclusions treated with the Jasper Jumper appliance. Angle Orthod 1999;69:311-20.
5. Ehmer U, Tulloch CJF, Proftit WR, Phillips C, Internationaler Vergleich zur Frühbehandlung von Angle KL.II/1-Dysgnathien. J Orofac Orthop/ Fortschr Kieferorthop 1999;60:392-408.
6. Erdogan E., Erdogan E. Asymmetric Application of the Jasper Jumper in the correction of midline discrepancies. J. Clin. Orthod. 1998; 32: 170 – 80.
7. Gesch D. Eine Longitudinale Untersuchung über das Wachstum bei unbehandelten Kindern mit Angle-Klasse II/1-maiokklusion. J Orofac Orthop/Fortschr Kieferorthop 2000;61:20-33
8. Hui Xiong, BDS, morth; Urban Hägg, DDS, Odont Dr, FHKAM, FCDSHK(Ortho), fDRSRCS(Edin), phd; Guo-Hua Tang, BDS, morth; A. Bakr M. Rabie, Cert Orth, MS, phd, fHKAM, FCDSHK(Orth); Wayne Robinson, LIBST, diped, the Angle Orthodontist: Vol. 74, No. 1, pp. 86–92. 2003. The Effect of Continuous Bite-Jumping in Adult Rats: A Morphological Study
9. McNamara JA, Howe RP, Dischinger TG. A comparison of the Herbst and Fränkel appliances in the treatment of Class II malocclusion. Am J Orthod Dentofacial Orthop 1990;98:134-44.
10. Nakhleh,A., Isaza Penco s. A.Sabbagh, Bianchi R., SUS-Multibracket Appliance Treatment for Non Compliant Class II Patient, european orthodontic society, 83rd Congress Berlin, Germany, 2007
11. Pancherz H, Hansen K. Occlusal changes during and after Herbst treatment: a cephalometric investigation. Eur J Orthod. 1986; 8:215-28.
12. Pancherz H. The mechanism of class II correction in Herbst appliance treatment. Am J Orthod Dentofacial Orthop. 1982;82:104-13
13. Pancherz H. Treatment of Class II malocclusions by jumping the bite with the Herbst appliance. A cephalometric investigation. Am J Orthod. 1979; 76:423–442.

- 14.Ruf S., Pancherz H., DDS, The mechanism of Class II correction during Herbst therapy in relation to the vertical jaw base relationship: A cephalometric roentgenographic study, Angle Orthod 1997;67(4):271-276
- 15.Sabbagh, A. Die „Kombi-Herbst“-Apparatur
Abstractband Gemeinsame Jahrestagung der DGZMK und DGKFO,
Sept./Okt. 1995, Wiesbaden
- 16.Sabbagh, A. Neue klinische Anwendungsmöglichkeit der Herbst-Apparatur, 29-32, zmknr.1/2 Spitta Verlag, 1997
- 17.Sabbagh A. Die Korrektur der Distalbißlage durch eine vereinfachte Herbstapparatur – die SUS Apparatur. Proceedings of the 76th Annual meeting of the German Orthodontic Society, 2003 Sep 10-14; German orthodontic Society: Munich, 2003, p.5, Abstr.#4.
- 18.Sabbagh A. The Sabbagh Universal Spring (SUS). In Papadopoulos M.,ed Orthodontic treatment of class II noncompliant patient, Mosby Elsevier, ISBN: 978-0- 7234-3391-0.2006
- 19.[Sabbagh.A. „Die progressive Bisumstellung mit der SUS-Apparatur“.ZMK \(22\) 5/06, S. 292 ff. Spitta Verlag 2006](#)
- 20.[Sabbagh A., influence of condylar hypermobility on relapse after bite jumping. European orthodontic society, 83rd Congress Berlin, Germany, 2007](#)
- 21.[Sabbagh.A. CMD: Das Aqua Splint Konzept, ZMK 10 \(25\), 700–703, Spitta Verlag 2009](#)
- 22.Schwindling F., jasper jumper TM bildatlas,75-82, edition schwindling 1995, isbn 3-931062-01-
- 23.[Schindler sabine, URN: urn:nbn:de:hebis:26-opus-13924 URL: http://geb.uni-giessen.de/geb/volltexte/2004/1392/ , Dentoskelettale und faziale Veränderungen bei der Distalbissbehandlung \(Klasse II-1\) von Erwachsenen mit der Herbst-/Multibracket-Apparatur : eine röntgenkephalometrische Untersuchung, 2004.](#)
- 24.Stucki N, Bengt I. The use of the Jasper Jumper for the correction of Class II malocclusion in the young permanent , dentition. Eur J Orthod 1998;20:271-81.
- 25.Weiland FJ, Ingervall B, Bantleon HP, Droschl H. Initial effects of treatment of Class II malocclusions with the Herren activator, activatorheadgear combination and Jasper Jumper. Am J Orthod Dentofacia Orthop 1997;112:19-27.
- 26.Wieslander, L.Intensive treatment of servers Class II malocclusions with a headgear-Herbst-Appliance in the early mixed dentition. Am. J. Orthod. 86: 1-13, 1984

27. Wong GWK, So LLY, Hagg U. A comparative study of sagittal correction with the Herbst appliance in two different ethnic groups. Eur J Orthod 1997;19:195-204.
28. [Xi Du, Urban Hägg and A. Bakr M. Rabie, Effects of headgear Herbst and mandible step-by-step advancement versus conventional Herbst appliance and maximal jumping of the mandible, the European Journal of Orthodontics, Volume 24, Issue 2, April 2002: pp. 167-174](#)