

Biokompatibilität von Kompositkunststoffen und Amalgam – ein Vergleich

- [1] European Commission Scientific Committee on Emerging and Newly Identified Health Risks SCENIHR: The safety of dental amalgam and alternative dental restoration materials for patients and users,
https://ec.europa.eu/health/scientific_committees/emerging/docs/scenahr_o_046.pdf (2015).
- [2] Schmalz G, Widbiller M, Galler KM: Material Tissue Interaction – From Toxicity to Tissue Regeneration. *Oper Dent* 41 (2), 117-31 (2016).
- [3] Fleisch AF, Sheffield PE, Chinn C, Edelstein BL, Landrigan PJ: Bisphenol A and related compounds in dental materials. *Pediatrics* 126 (4), 760-8 (2010).
- [4] Pongprueksa P, De Munck J, Duca RC, Poels K, Covaci A, Hoet P, et al: Monomer elution in relation to degree of conversion for different types of composite. *J Dent* 43 (12), 1448-55 (2015).
- [5] Van Landuyt KL, Nawrot T, Gebeelen B, De Munck J, Snaauwaert J, Yoshihara K, et al: How much do resin-based dental materials release? A meta-analytical approach. *Dent Mater* 27 (8), 723-47 (2011).
- [6] Sevkusic M, Schuster L, Rothmund L, Dettinger K, Maier M, Hickel R, et al: The elution and breakdown behavior of constituents from various light-cured composites. *Dent Mater* 30 (6), 619-31 (2014).
- [7] Oysaed H, Ruyter IE, Sjovik Kleven IJ: Release of formaldehyde from dental composites. *J Dent Res* 67 (10), 1289-94 (1988).
- [8] Arenholt-Bindslev D, Breinholt V, Preiss A, Schmalz G: Time-related bisphenol-A content and estrogenic activity in saliva samples collected in relation to placement of fissure sealants. *Clin Oral Investig* 3 (3), 120-5 (1999).
- [9] Schmalz G, Preiss A, Arenholt-Bindslev D: Bisphenol-A content of resin monomers and related degradation products. *Clin Oral Investig* 3 (3), 114-9 (1999).
- [10] Kingman A, Hyman J, Masten SA, Jayaram B, Smith C, Eichmiller F, et al: Bisphenol A and other compounds in human saliva and urine associated with the placement of composite restorations. *J Am Dent Assoc* 143 (12), 1292-302 (2012).
- [11] Affairs. ADACoS. Determination of bisphenol a released from resin-based composite dental restoratives. *J Am Dent Assoc* 145 (7), 763-6 (2014).
- [12] Scientific Committee on Emerging and Newly Identified Health Risks SCENIHR, Opinion on the safety of the use of bisphenol A in medical devices,
https://ec.europa.eu/health/scientific_committees/emerging/docs/scenahr_o_040.pdf (2015).
- [13] Selig D, Haenel T, Hausnerova B, Moeginger B, Labrie D, Sullivan B, et al: Examining exposure reciprocity in a resin based composite using high irradiance levels and real-time degree of conversion values. *Dent Mater* 31 (5), 583-93 (2015).
- [14] Ferracane F, Watts DC, Barghi N, Ernst CP, Rueggeberg FA, Shortall A, et al: Der effiziente Einsatz von Lichtpolymerisationsgeräten – ein Leitfaden für Zahnärzte. *ZMK* 30, 166 – 80 (2014).
- [15] Strassler HE, Price RB: Understanding light curing, Part I. Delivering predictable and successful restorations. *Dent Today* 33 (5), 114 (2014), 6, 8 passim; quiz 21.
- [16] Bhatt S, Ayer CD, Price RB, Perry R: Effect of curing light and restoration location on energy delivered. *Compend Contin Educ Dent* 36 (3), 208-10, 12, 14 (2015).

- [17] Federlin M, Price R: Improving light-curing instruction in dental school. *J Dent Educ* 77 (6), 764-72 (2013).
- [18] Henriks-Eckerman ML, Alanko K, Jolanki R, Kerosuo H, Kanerva L: Exposure to airborne methacrylates and natural rubber latex allergens in dental clinics. *J Environ Monit* 3 (3), 302-5 (2001).
- [19] Marquardt W, Seiss M, Hickel R, Reichl FX: Volatile methacrylates in dental practices. *J Adhes Dent* 11 (2), 101-7 (2009).
- [20] Schmalz G, Galler KM: Biocompatibility of biomaterials - Lessons learned and considerations for the design of novel materials. *Dent Mater* 33 (4), 382-93 (2017).
- [21] Van Landuyt KL, Hellack B, Van Meerbeek B, Peumans M, Hoet P, Wiemann M, et al: Nanoparticle release from dental composites. *Acta Biomater* 10 (1), 365-74 (2014).
- [22] Bogdan A, Buckett MI, Japuntich DA: Nano-sized aerosol classification, collection and analysis--method development using dental composite materials. *J Occup Environ Hyg* 11 (7), 415-26 (2014).
- [23] Terzano C, Di Stefano F, Conti V, Graziani E, Petroianni A: Air pollution ultrafine particles: toxicity beyond the lung. *Eur Rev Med Pharmacol Sci* 14 (10), 809-21 (2010).
- [24] Nunez LJ, Schmalz G, Hembree J, Hulett LD, Jr: Influence of amalgam, alloy, and mercury on the in vitro growth of *Streptococcus mutans*: II. Comparison of amalgams and alloys. *J Dent Res* 55 (5), 893-9 (1976).
- [25] Custodio HM, Harari R, Gerhardsson L, Skerfving S, Broberg K: Genetic influences on the retention of inorganic mercury. *Arch Environ Occup Health* 60 (1), 17-23 (2005).
- [26] Goodrich JM, Wang Y, Gillespie B, Werner R, Franzblau A, Basu N: Glutathione enzyme and selenoprotein polymorphisms associate with mercury biomarker levels in Michigan dental professionals. *Toxicol Appl Pharmacol* 257 (2), 301-8 (2011).
- [27] Mazzaron Barcelos GR, de Marco KC, Grotto D, Valentini J, Garcia SC, Leite Braga GU, et al: Evaluation of glutathione S-transferase GSTM1 and GSTT1 polymorphisms and methylmercury metabolism in an exposed Amazon population. *J Toxicol Environ Health A* 75 (16-17), 960-70 (2012).
- [28] Geurtsen W: Biocompatibility of resin-modified filling materials. *Crit Rev Oral Biol Med* 11 (3), 333-55 (2000).
- [29] Schweikl H, Spagnuolo G, Schmalz G: Genetic and cellular toxicology of dental resin monomers. *J Dent Res* 85 (10), 870-7 (2006).
- [30] Schwengberg S, Bohlen H, Kleinsasser N, Kehe K, Seiss M, Walther UI, et al: In vitro embryotoxicity assessment with dental restorative materials. *J Dent* 33 (1), 49-55 (2005).
- [31] Galler KM, Schweikl H, Hiller KA, Cavender AC, Bolay C, D'Souza RN, et al: TEGDMA reduces mineralization in dental pulp cells. *J Dent Res* 90 (2), 257-62 (2001).
- [32] Stanislawski L, Lefevre M, Bourd K, Soheili-Majd E, Goldberg M, Perianin A: TEGDMA-induced toxicity in human fibroblasts is associated with early and drastic glutathione depletion with subsequent production of oxygen reactive species. *J Biomed Mater Res A* 66 (3), 476-82 (2003).
- [33] Engelmann J, Leyhausen G, Leibfritz D, Geurtsen W: Effect of TEGDMA on the intracellular glutathione concentration of human gingival fibroblasts. *Journal of biomedical materials research* 63 (6), 746-51 (2002).
- [34] Krifka S, Spagnuolo G, Schmalz G, Schweikl H: A review of adaptive mechanisms in cell responses towards oxidative stress caused by dental resin monomers. *Biomaterials* 34 (19), 4555-63 (2013).
- [35] Demirci M, Hiller KA, Bosl C, Galler K, Schmalz G, Schweikl H: The induction of oxidative stress, cytotoxicity, and genotoxicity by dental adhesives. *Dent Mater* 24 (3), 362-71 (2008).

- [36] Couve E, Osorio R, Schmachtenberg O: Reactionary Dentinogenesis and Neuroimmune Response in Dental Caries. *J Dent Res* 93 (8), 788-93 (2014).
- [37] Reichl FX, Seiss M, Kleinsasser N, Kehe K, Kunzelmann KH, Thomas P, et al: Distribution and excretion of BisGMA in guinea pigs. *J Dent Res* 87 (4), 378-80 (2008).
- [38] Quinlan CA, Zisterer DM, Tipton KF, O'Sullivan MI: In vitro cytotoxicity of a composite resin and compomer. *Int Endod J* 35 (1), 47-55 (2002).
- [39] Sigusch BW, Pflaum T, Volpel A, Gretsche K, Hoy S, Watts DC, et al. Resin-composite cytotoxicity varies with shade and irradiance. *Dent Mater* 28 (3), 312-9 (2012).
- [40] Hansel C, Leyhausen G, Mai UE, Geurtzen W: Effects of various resin composite (co)monomers and extracts on two caries-associated micro-organisms in vitro. *J Dent Res* 77 (1), 60-7 (1998).
- [41] Khalichi P, Cvitkovitch DG, Santerre JP: Effect of composite resin biodegradation products on oral streptococcal growth. *Biomaterials* 25 (24), 5467-72 (2004).
- [42] Schmalz G, Krifka S, Schweikl H: Toll-like receptors, LPS, and dental monomers. Advances in dental research 23 (3), 302-6 (2011)..
- [43] Eckhardt A, Harorli T, Limtanyakul J, Hiller KA, Bosl C, Bolay C, et al: Inhibition of cytokine and surface antigen expression in LPS-stimulated murine macrophages by triethylene glycol dimethacrylate. *Biomaterials* 30 (9), 1665-74 (2009).
- [44] Jedeon K, De la Dure-Molla M, Brookes SJ, Loiodice S, Marciano C, Kirkham J, et al: Enamel defects reflect perinatal exposure to bisphenol A. *Am J Pathol* 183 (1), 108-18 (2013).
- [45] Jedeon K, Houari S, Loiodice S, Thuy TT, Le Normand M, Berdal A, et al: Chronic Exposure to Bisphenol A Exacerbates Dental Fluorosis in Growing Rats. *J Bone Miner Res* (2016).
- [46] Jedeon K, Loiodice S, Marciano C, Vinel A, Canivenc Lavier MC, Berdal A, et al: Estrogen and bisphenol A affect male rat enamel formation and promote ameloblast proliferation. *Endocrinology* 155 (9), 3365-75 (2014).
- [47] Volkel W, Colnot T, Csanady GA, Filser JG, Dekant W. Metabolism and kinetics of bisphenol a in humans at low doses following oral administration. *Chem Res Toxicol* 15 (10), 1281-7 (2002).
- [48] Dekant W, Volkel W: Human exposure to bisphenol A by biomonitoring: methods, results and assessment of environmental exposures. *Toxicol Appl Pharmacol* 228 (1), 114-34 (2008).
- [49] Lefevre M, Bourd K, Loriot MA, Goldberg M, Beaune P, Perianin A, et al: TEGDMA modulates glutathione transferase P1 activity in gingival fibroblasts. *J Dent Res* 83 (12), 914-9 (2004).
- [50] Kallus T, Mjor IA: Incidence of adverse effects of dental materials. *Scand J Dent Res* 99 (3), 236-40 (1991).
- [51] Schmalz G, Arenhoff-Bindslev, D. Biocompatibility of Dental Materials. Heidelberg, Berlin: Springer (2009).
- [52] Ismail SB, Kumar SK, Zain RB: Oral lichen planus and lichenoid reactions: etiopathogenesis, diagnosis, management and malignant transformation. *J Oral Sci* 49 (2), 89-106 (2007).
- [53] McGivern B, Pemberton M, Theaker ED, Buchanan JA, Thornhill MH: Delayed and immediate hypersensitivity reactions associated with the use of amalgam. *Br Dent J* 188 (2), 73-6 (2000).
- [54] McParland H, Warnakulasuriya S: Oral lichenoid contact lesions to mercury and dental amalgam -- a review. *J Biomed Biotechnol* 2012, 589569 (2012).

- [55] Bolewska J, Holmstrup P, Moller-Madsen B, Kenrad B, Danscher G: Amalgam associated mercury accumulations in normal oral mucosa, oral mucosal lesions of lichen planus and contact lesions associated with amalgam. *J Oral Pathol Med* 19 (1), 39-42 (1990).
- [56] Thornhill MH, Pemberton MN, Simmons RK, Theaker ED: Amalgam-contact hypersensitivity lesions and oral lichen planus. *Oral surgery, oral medicine, oral pathology, oral radiology, and endodontics* 95 (3), 291-9 (2003).
- [57] Hallstrom U: Adverse reaction to a fissure sealant: report of case. *ASDC J Dent Child* 60 (2), 143-6 (1993).
- [58] Carmichael AJ, Gibson JJ, Walls AW: Allergic contact dermatitis to bisphenol-A-glycidylmethacrylate (BIS-GMA) dental resin associated with sensitivity to epoxy resin. *Br Dent J* 183 (8), 297-8 (1997).
- [59] Auzevie V, Mahe E, Marck Y, Auffret N, Descamps V, Crickx B: Oral lichenoid eruption due to methacrylate allergy. *Contact Dermatitis* 45 (4), 241 (2001).
- [60] Moore MM, Burke FJ, Felix DH: Allergy to a common component of resin-bonding systems: a case report. *Dent Update* 27 (9), 432-4 (2000).
- [61] Lind PO: Oral lichenoid reactions related to composite restorations. Preliminary report. *Acta Odontol Scand* 46 (1), 63-5 (1988).
- [62] Kanerva L, Rantanen T, Aalto-Korte K, Estlander T, Hannuksela M, Harvima RJ, et al: A multicenter study of patch test reactions with dental screening series. *Am J Contact Dermat* 12 (2), 83-7 (2001).
- [63] Goon AT, Isaksson M, Zimerson E, Goh CL, Bruze M: Contact allergy to (meth)acrylates in the dental series in southern Sweden: simultaneous positive patch test reaction patterns and possible screening allergens. *Contact Dermatitis* 55 (4), 219-26 (2006).
- [64] Aalto-Korte K, Alanko K, Kuuliala O, Jolanki R: Methacrylate and acrylate allergy in dental personnel. *Contact Dermatitis* 57 (5), 324-30 (2007).
- [65] Wrangsjo K, Swartling C, Meding B: Occupational dermatitis in dental personnel: contact dermatitis with special reference to (meth)acrylates in 174 patients. *Contact Dermatitis* 45 (3), 158-63 (2001).
- [66] Piirila P, Kanerva L, Keskinen H, Estlander T, Hytonen M, Tuppurainen M, et al: Occupational respiratory hypersensitivity caused by preparations containing acrylates in dental personnel. *Clin Exp Allergy* 28 (11), 1404-11 (1998).
- [67] Munksgaard EC, Hansen EK, Engen T, Holm U: Self-reported occupational dermatological reactions among Danish dentists. *Eur J Oral Sci* 104 (4 (Pt 1)), 396-402 (1996).
- [68] Wallenhammar LM, Ortengren U, Andreasson H, Barregard L, Bjorkner B, Karlsson S, et al: Contact allergy and hand eczema in Swedish dentists. *Contact Dermatitis* 43 (4), 192-9 (2000).
- [69] Auschill TM, Arweiler NB, Brecx M, Reich E, Sculean A, Netuschil L: The effect of dental restorative materials on dental biofilm. *Eur J Oral Sci* 110 (1), 48-53 (2002).
- [70] Spranley TJ, Winkler M, Dagate J, Oncale D, Strother E: Curing light burns. *Gen Dent* 60 (4), e210-4 (2012).
- [71] Worskett P: A comparative study of bonded and non-bonded amalgam restorations in general dental practice. *Br Dent J* 214 (7), E19 (2013).
- [72] van Dijken JW, Pallesen U: Clinical performance of a hybrid resin composite with and without an intermediate layer of flowable resin composite: a 7-year evaluation. *Dent Mater* 27 (2), 150-6 (2011).

- [73] Berkowitz GS, Horowitz AJ, Curro FA, Craig RG, Ship JA, Vena D, et al: Postoperative hypersensitivity in class I resin-based composite restorations in general practice: interim results. *Compend Contin Educ Dent* 30 (6), 356-8, 60, 62-3 (2009).
- [74] Alvanforoush N, Palamara J, Wong RH, Burrow MF: Comparison between published clinical success of direct resin composite restorations in vital posterior teeth in 1995-2005 and 2006-2016 periods. *Aust Dent J* 62 (2), 132-45 (2017).
- [75] Unemori M, Matsuya Y, Akashi A, Goto Y, Akamine A: Self-etching adhesives and postoperative sensitivity. *Am J Dent* 17 (3), 191-5 (2004).
- [76] Silva GA, Lanza LD, Lopes-Junior N, Moreira A, Alves JB: Direct pulp capping with a dentin bonding system in human teeth: a clinical and histological evaluation. *Oper Dent* 31 (3), 297-307 (2006).
- [77] Schmalz G, Hiller KA, Nunez LJ, Stoll J, Weis K: Permeability characteristics of bovine and human dentin under different pretreatment conditions. *J Endod* 27 (1), 23-30 (2001).
- [78] Widbiller M, Lindner SR, Buchalla W, Eidt A, Hiller KA, Schmalz G, et al: Three-dimensional culture of dental pulp stem cells in direct contact to tricalcium silicate cements. *Clin Oral Investig* 20 (2), 237-46 (2016).
- [79] Hashem D, Mannocci F, Patel S, Manoharan A, Brown JE, Watson TF, et al: Clinical and radiographic assessment of the efficacy of calcium silicate indirect pulp capping: a randomized controlled clinical trial. *J Dent Res* 94 (4), 562-8 (2015).
- [80] Pallesen U, van Dijken JW, Halken J, Hallonsten AL, Hoigaard R: A prospective 8-year follow-up of posterior resin composite restorations in permanent teeth of children and adolescents in Public Dental Health Service: reasons for replacement. *Clin Oral Investig* 18 (3), 819-27 (2014).
- [81] Al-Qudah AA, Mitchell CA, Biagioli PA, Hussey DL: Thermographic investigation of contemporary resin-containing dental materials. *J Dent* 33 (7), 593-602 (2005).
- [82] DeRouen TA, Martin MD, Leroux BG, Townes BD, Woods JS, Leitao J, et al: Neurobehavioral effects of dental amalgam in children: a randomized clinical trial. *JAMA* 295 (15), 1784-92 (2006).
- [83] Bellinger DC, Trachtenberg F, Barregard L, Tavares M, Cernichiari E, Daniel D, et al: Neuropsychological and renal effects of dental amalgam in children: a randomized clinical trial. *JAMA* 295 (15), 1775-83 (2006).
- [84] Melchart D, Wuhr E, Weidenhammer W, Kremers L: A multicenter survey of amalgam fillings and subjective complaints in non-selected patients in the dental practice. *Eur J Oral Sci* 106 (3), 770-7 (1998).
- [85] Melchart D, Vogt S, Kohler W, Streng A, Weidenhammer W, Kremers L, et al: Treatment of health complaints attributed to amalgam. *J Dent Res* 87 (4), 349-53 (2008).
- [86] Talsness CE, Andrade AJ, Kuriyama SN, Taylor JA, vom Saal FS: Components of plastic: experimental studies in animals and relevance for human health. *Philos Trans R Soc Lond B Biol Sci* 364 (1526), 2079-96 (2009).
- [87] Vandenberg LN, Welshons WV, Vom Saal FS, Toutain PL, Myers JP: Should oral gavage be abandoned in toxicity testing of endocrine disruptors? *Environ Health* 13 (1), 46 (2014).
- [88] Rassaei M, Thelen M, Abumuaileq R, Hescheler J, Luke M, Schneider T: Effect of high-intensity irradiation from dental photopolymerization on the isolated and superfused vertebrate retina. *Graefes Arch Clin Exp Ophthalmol* 251 (3), 751-62 (2013).
- [89] Schmalz G: Einigung über Minamata-Problematik - Internationales Abkommen zu Amalgam. *Zahnärzt Mitt* 104 (6A), 621-31 (2014).
- [90] Scientific Committee on Health and Environmental Risks SCHER, Opinion on the environmental risks and indirect health effects of mercury from dental amalgam (update

2014),

https://ec.europa.eu/health/sites/health/files/scientific_committees/environmental_risks/docs/scher_o_165.pdf (2014).

[91] VERORDNUNG (EU) 2017/852 vom 17. Mai 2017 über Quecksilber und zur Aufhebung der Verordnung (EG) Nr. 1102/2008 Amtsblatt der Europäischen Union, L 137/1 (2017).

[92] Schmalz G, Thonemann B: Amalgamfüllung. In: Heidemann D, editor. Kariologie und Füllungstherapie. 2. München-Wien-Baltimore: Urban&Schwarzenberg (1999).