

- [1] Bartsch A. Compliance von Kindern und Jugendlichen. Studienreihe psychologische Forschungsergebnisse, Band 35; 1998. Dr. Kovac-Verlag, Hamburg: ISBN 978-3-86064-814-8
- [2] Lindhe J, Koch G. The effect of supervised oral hygiene on gingiva of children. J Periodont Res. 1967; 2 (3): 215-220.
- [3] Nikias MK, Budner NS, Breakstone RS. Maintenance of oral home care preventive practices. J Publ Health Dent. 1982; 42 (1): 7-27.
- [4] Axelsson P, Lindhe J. The effect of a preventive programme on dental plaque, gingivitis and caries on schoolchildren. J Clin Periodontol. 1974; 1: 126-138.
- [5] Axelsson P, Lindhe J. Effect on controlled oral hygiene procedures on caries and periodontal disease in adults. J Clin Periodontol. 1978; 5: 133-151.
- [6] Axelsson P, Lindhe J. Effect of controlled oral hygiene procedures on caries and periodontal disease in adults. Results after 6 years. J Clin Periodontol. 1981; 8: 239-248.
- [7] Saxer U. Neue Erkenntnisse zwingen zu Praxis-Recall-Systemen. DZW 2000; 5: 6-8.
- [8] Caton J, Proye M, Polson A. Maintenance of healed periodontal pockets after a single episode of root planing. J Periodontol. 1982; 53 (7): 420-424.
- [9] Demetriou N, Tsami-Pandi A, Parashis A Compliance with supportive periodontal treatment in private periodontal practice. J Periodontol. 1995; 66 (2): 145-149.
- [10] Bastendorf K-D. Oralprophylaktische Maßnahmen in der Allgemeinpraxis - Praxiskonzept und Effektivitätsprüfung. Prophylaxe impuls 1999; 1: 49-53.
- [11] KZBV. Einvernehmlich gefasster Beschluss des Bewertungsausschusses zu der systematischen Behandlung von Parodontitis und anderer Parodontalerkrankungen (PAR-Richtlinie). Pressegespräch. <https://www.kzbv.de/statement-esser-erstf-par-ri2021-05-12.download.9648e4123d1c10e39a86c76a98a42c47.pdf>, letzter Zugriff am 25.09.2021
- [12] Caton JG, Armitage G, Berglundh T, Chapple ILC, Jepsen S, Kornman KS, Mealey BL, Papapanou PN, Sanz M, Tonetti MS. A new classification scheme for periodontal and peri-implant diseases and conditions - Introduction and key changes from the 1999 classification. J Clin Periodontol. 2018; 45 (Suppl 20): S1-S8. doi: 10.1111/jcpe.12935. PMID: 29926489.
- [13] Sanz M, Herrera D, Kerschull M, Chapple I, Jepsen S, Berglundh T, Sculean A, Tonetti MS. EFP Workshop Participants and Methodological Consultants. Treatment of stage I-III periodontitis - The EFP S3 level clinical practice guideline. J Clin Periodontol. 2020;47 (Suppl 22): 4-60. doi: 10.1111/jcpe.13290.
- [14] S3-Leitlinie zur Behandlung von Parodontitis Stadium I bis III - Die deutsche Implementierung der S3-Leitlinie „Treatment of Stage I–III Periodontitis“ der

European Federation of Periodontology (EFP). AWMF Registernummer 083 – 043. (Langversion): [https://www.awmf.org/uploads/tx\\_szleitlinien/083-043I\\_S3\\_Behandlung-von-Parodontitis-Stadium-I-III\\_2021-02\\_2.pdf](https://www.awmf.org/uploads/tx_szleitlinien/083-043I_S3_Behandlung-von-Parodontitis-Stadium-I-III_2021-02_2.pdf), letzter Zugriff am 22.03.2021

[15] Strafela-Bastendorf N, Bastendorf KD. PZR-neugedacht. zm 2016; 106 (11A): 26-32

[16] Arefnia B, Koller M, Wimmer G, Lussi A, Haas M. In Vitro Study of Surface Changes Induced on Enamel and Cementum by Different Scaling and Polishing Techniques. Oral Health & Preventive Dentistry 2021; 19 (1), 85-92.

[17] Camboni S, Donnet M. Tooth surface comparison after Air Polishing and Rubber Cup: A Scanning Electron Microscopy Study. J Clin Dent. 2016; 27: 13-18.

[18] Wolgin M, Frankenhauser A, Shakavets N, Bastendorf KD, Lussi A, Kielbassa AM. A randomized controlled trial on the efficacy of a low-abrasive air-polishing system to improve oral health care. Quintessenz international 2021; doi.3290/j.qi.b1763661

[19] Bonettia GA, Parenti SI, Ippolito DR, Gatto MR, Luigi C. Effects of ultrasonic instrumentation with different scaler-tip angulations on the shear bond strength and bond failure mode of metallic orthodontic brackets. Korean J Orthod. 2014; 44 (1): 44-49.

[20] Wennström JL, Tomasi C, Bertelle A, Dellasega E. Full mouth ultrasonic debridement versus quadrant scaling and root planing as an initial approach in the treatment of chronic periodontitis. J Clin Periodontol. 2005; 32: 851-859.

[21] Wennström JL, Dahlen G, Ramberg P. Subgingival debridement of periodontal pockets by air polishing in comparison with ultrasonic instrumentation during maintenance therapy. J Clin Periodontol. 2011; 38: 820-827.

[22] Mittal A, Nichani AS, Venugopal R. The effect of various ultrasonic and hand instruments on the root surfaces of human single rooted teeth: a planimetric and profilometric study. Journal of Indian Society of Periodontology 2014; 18 (6): 710-717.

[23] Johansson L, Öster B, Hamp S. Evaluation of cause-related periodontal therapy and compliance with maintenance care recommendations. J Clin Periodontol. 1984; 11 (10): 68-699.

[24] Nikias MK, Budner NS, Breakstone, RS. Maintenance of oral home care preventive practices. J Publ Health Dent. 1982; 42: 7-28.

[25] Novaes AB, Novaes AB Jr, Moraas N, Campos GM, Grial M. Compliance with supportive periodontal therapy. J Periodontol. 1996; 67, 213.

[26] Ramfjord S, Morrison E, Burgett F, Nissle R, Shick R, Zann G, Knowles J. Oral hygiene and maintenance of periodontal support. J Periodontol. 1982; 53 (1), 26-30.

[27] Wang NJ, Aspelund GO. Preventive care and recall intervals. Targeting of services in child dental care in Norway. Community Dent Health 2010; 27 (1): 5-11.

- [28] Löken SY, Wigen TI, Wang NJ. Recall intervals in children are individualized and extended. *Acta Odontol Scand.* 2019; 77 (6): 468-473.
- [29] Amaechi BT. Remineralisation - the buzzword for early MI caries management. *Br Dent J.* 2017; 223 (3): 173-182.
- [30] Fee PA, Riley P, Worthington HV, Clarkson JE, Boyers D, Beirne PV. Recall intervals for oral health in primary care patients. *Cochrane Database Syst Rev.* 2020; 14 (10): CD004346. doi: 10.1002/14651858.CD004346.pub4
- [31] Haukka A, Heikkinen AM, Haukka J, Kaila K. Oral health indices predict individualised recall interval. *Clin Exp Dent Res.* 2020; 6 (6): 585-595.
- [32] Trombelli L, Simonelli A, Franceschetti G, Maietti E, Farina R. What periodontal recall interval is supported by evidence? *Review Periodontol.* 2020; 84 (1): 124-133.
- [33] Ramseier C. Die Bestimmung personalisierter Intervalle in der unterstützenden Parodontaltherapie (UPT). *zm* 2021; 111 (9): 66-73.
- [34] Tonetti M, Eickholz P, Loos BG, Papanou P, van der Velden U, Armitage G, Bouchard P, Deinzer R, Dietrich T, Hughes F, Kocher T, Lang NP, Lopez R, Needleman J, Newton T, Nibali L, Pretzl B, Ramseier C, Sanz-Sanchez I, Schlegelhauf U, Suvan JE. Principles in prevention of periodontal diseases: Consensus report of group 1 of the 11th European Workshop on Periodontology on effective prevention of periodontal and peri-implant diseases. *J Clin Periodontol.* 2015; 42 (16): 5-11.
- [35] Figuero E, Nobrega DF, Garcia-Gargallo M, Tenuta LMA, Herrera D, Carvalho JC. Mechanical and chemical plaque control in the simultaneous management of gingivitis and caries: a systematic review. *J Clin Periodontol.* 2017; 44 (18): 116-134.
- [36] Bastendorf KD. Recall in der Prophylaxepaxis. *Spitta-Buch: Aktueller Stand der Parodontologie 2000.*
- [37] Donnet M, Fournier M, Schmidlin PR and Lussi A. A Novel Method to Measure the Powder Consumption of Dental Air-Polishing Devices. *Appl. Sci.* 2021, 11(3), 1101.