

ZMK 3/2022; (38) 82-88

OA Dr. Christian Diegritz

Diagnostik und Therapie horizontaler Wurzelfrakturen

- [1] Petti S, Glendor U, Andersson L. World traumatic dental injury prevalence and incidence, a meta-analysis—One billion living people have had traumatic dental injuries. *Dental traumatology*. 2018; 34 (2): 71-86.
- [2] Abbott P. Traumatic dental injuries are now the 5th most prevalent disease/injury in the world-but they are being neglected!! *Dental Traumatology*. 2018; 34 (6): 383.
- [3] Andreasen JO, Andreasen FM, Andersson L. Textbook and color atlas of traumatic injuries to the teeth: John Wiley & Sons; 2018.
- [4] Cvek M, Tsilingaridis G, Andreasen JO. Survival of 534 incisors after intra-alveolar root fracture in patients aged 7-17 years. *Dent Traumatol*. 2008; 24 (4): 379-87.
- [5] Caliskan MK, Pehlivan Y. Prognosis of root-fractured permanent incisors. *Endod Dent Traumatol*. 1996; 2 (3): 129-36.
- [6] Molina JR, Vann WF, Jr., McIntyre JD, Trope M, Lee JY. Root fractures in children and adolescents: diagnostic considerations. *Dent Traumatol*. 2008; 24 (5): 503-9.
- [7] Cohenca N, Simon JH, Roges R, Morag Y, Malfaz JM. Clinical indications for digital imaging in dento-alveolar trauma. Part 1: traumatic injuries. *Dent Traumatol*. 2007; 23 (2): 95-104.
- [8] Bornstein MM, Wölner-Hanssen AB, Sendi P, Von Arx T. Comparison of intraoral radiography and limited cone beam computed tomography for the assessment of root-fractured permanent teeth. *Dental Traumatology*. 2009; 25 (6): 571-7.
- [9] May JJ, Cohenca N, Peters OA. Contemporary management of horizontal root fractures to the permanent dentition: diagnosis--radiologic assessment to include cone-beam computed tomography. *Pediatr Dent*. 2013; 35 (2): 120-4.
- [10] Bourguignon C, Cohenca N, Lauridsen E, Flores MT, O'Connell AC, Day PF, et al. International Association of Dental Traumatology guidelines for the management of traumatic dental injuries: 1. Fractures and luxations. *Dent Traumatol*. 2020; 36 (4): 314-30.
- [11] Andreasen FM, Andreasen JO. Resorption and mineralization processes following root fracture of permanent incisors. *Dental Traumatology*. 1988; 4 (5): 202-14.

- [12] Goldberg F, Frajlich S, Kuttler S, Manzur E, Briseño-Marroquín B. The evaluation of four electronic apex locators in teeth with simulated horizontal oblique root fractures. *Journal of Endodontics*. 2008; 34 (12): 1497-9.
- [13] Andreasen JO, Andreasen FM, Mejare I, Cvek M. Healing of 400 intra-alveolar root fractures. 1. Effect of pre-injury and injury factors such as sex, age, stage of root development, fracture type, location of fracture and severity of dislocation. *Dent Traumatol*. 2004; 20 (4): 192-202.
- [14] Zachrisson BU, Jacobsen I. Long-term prognosis of 66 permanent anterior teeth with root fracture. *Scand J Dent Res*. 1975; 83 (6): 345-54.
- [15] Kim D, Yue W, Yoon T-C, Park S-H, Kim E. Healing of horizontal intra-alveolar root fractures after endodontic treatment with mineral trioxide aggregate. *Journal of endodontics*. 2016; 42 (2): 230-5.