

Adhäsive Vollzirkonteilkronen nach mukogingivalchirurgischer Vorbehandlung

Prof. Dr. Claus-Peter Ernst, Dr. Maiker Hormes

- [1] Allen AL. Use of suprapersioal envelope in soft tissue grafting for root coverage, I. Rationale and technique. *Int J Periodontics Restorative Dent.* 1994; 14: 216-227.
- [2] Aykor A, Ozel E. Five-year clinical evaluation of 300 teeth restored with porcelain laminate veneers using total-etch and a modified self-etch adhesive system. *Oper Dent.* 2009; 34: 516-523.
- [3] Bavbek NC, Roulet JF, Ozcan M. Evaluation of microshear bond strength of orthodontic resin cement to monolithic zirconium oxide as a function of surface conditioning method. *J Adhes Dent.* 2014; 16: 473-480.
- [4] Bömicke W, Schürz A, Krisam J, Rammelsberg P, Rues S. Durability of Resin-Zirconia Bonds Produced Using Methods Available in Dental Practice. *J Adhes Dent.* 2016; 18: 17-27.
- [5] Burkhardt R, Lang NP. Coverage of localized gingival recessions: comparison of micro- and macrosurgical techniques. *J Clin Periodontology.* 2005; 32: 287-293.
- [6] Cairo F, Nieri M, Pagliaro U. Efficacy of periodontal plastic surgery procedures in the treatment of localized facial gingival recessions, A systematic review. *J Clin Periodontol.* 2014; 41 Suppl 15: S44-62.
- [7] Chambrone L, Chambrone D, Pustiglioni FE, Chambrone LA, Lima LA. Can subepithelial connective tissue grafts be considered the gold standard procedure in the treatment of Miller Class I and II recession-type defects? *J Dent.* 2008; 36: 659-671.
- [8] Edelhoff D, Prandtner O, Saeidi Pour R, Liebermann A, Stimmelmayer M, Güth JF. Frontzahnrestaurationen: Leistungsfähigkeit von Keramikveneers. *Wissen Kompakt.* 2019; 13 (3): 115-127.
- [9] Ernst CP. Die korrekte Vorbehandlung indirekter Restaurationen zur adhäsiven Befestigung. *ZMK.* 2017; 33: 98-110.
- [10] Ernst CP. Bevorstehende Hochzeit: Ästhetische Notfallbehandlung in der Corona-Zeit. *ZMK.* 2020; 36: 608-701.
- [11] Ernst CP. Ein universelles adhäsives Befestigungs- und Stumpfaufbaumaterial. *ZMK.* 2020; 36: 294-309.
- [12] Fickl S, Nannmak U, Schlagenhaut U, Hurzeler MB, Kebschull M. Percine dermal matrix in the treatment of dehiscence-type defects - an experimental split-mouth animal trial. *Clin Oral Implants Res.* 2015; 26: 799-805.
- [13] Foushee DG, Moriarty JD, Simpson DM. Effects of mandibular orthognatic treatment on mucogingival tissues. *J Peridontol.* 1985; 56: 727-733.
- [14] Fradeani M, Redemagni M, Corrado M. Porcelain laminate veneers: 6- to 12-year clinical evaluation – a retrospective study. *Int J Periodontics Restorative Dent.* 2005; 25: 9-17.
- [15] Hajto J. Veneers Materialien und Methoden im Vergleich. *Teamwork.* 2000; 3: 195-202.
- [16] Hajto J. Veneers – eine wertvolle Ergänzung für jede Praxis. *Cosmetic Dentistry.* 2018; 16: 18-21.

- [17] Huerzeler O, Weng MB, Weng D. A single-incision technique to harvest subepithelial connective tissue grafts from the palate. *Int J Periodontics Restorative Dent.* 1999; 19: 279-287.
- [18] Inokoshi M, De Munck J, Minakuchi S, Van Meerbeek B. Meta-analysis of bonding effectiveness to zirconia ceramics. *J Dent Res.* 2014; 93: 329-334.
- [19] Inokoshi M, Van Meerbeek B. Adhesively luted zirconia restorations: why and how? *J Adhes Dent.* 2014; 16: 294.
- [20] Ishii R, Tsujimoto A, Takamizawa T, Tsubota K, Suzuki T, Shimamura Y, Miyazaki M. Influence of surface treatment of contaminated zirconia on surface free energy and resin cement bonding. *J Dent Mater.* 2015; 34: 91-97.
- [21] Kasaj A. 2016. Gingival recession coverage: Do we still need autogenous grafts? *Quintessence Int.* 2016; 47: 775-783.
- [22] Kassab MM, Cohen RE. The etiology and prevalence of gingival recession. *J Am Dent Assoc.* 2003; 134: 220-225.
- [23] Kern M, Pasia N, Sasse M, Yazigi C. Ten-year outcome of zirconia ceramic cantilever resin-bonded fixed dental prostheses and the influence of the reasons for missing incisors. *J Dent.* 2017; 65: 521-555.
- [24] Mierau HD, Fiebig A. Zur Epidemiologie der Gingivarezessionen und möglicher klinischer Begleiterscheinungen - Untersuchung an 2410 18-22-jährigen. *Dtsch Zahnärztl Z.* 1986; 41: 371-381.
- [25] Özcan M. Air abrasion of zirconia resin-bonded fixed dental prostheses prior to adhesive cementation: why and how? *J Adhes Dent.* 2013; 15: 394.
- [26] Özcan M, Bock T. Protocol for Removal of Clinically Relevant Contaminants from Zirconium Dioxide Fixed Dental Prostheses. *J Adhes Dent.* 2015; 17: 576-577.
- [27] Roccuzzo M, Bunino M, Needleman I, Sanz M. Periodontal plastic surgery for treatment of localized gingival recessions: a systematic review. *J Clin Periodontology.* 2002; 29 Suppl. 3: 178-184.
- [28] Rotundo R, Pini-Prato G. Use of a new collagen matrix (mucograft) for the treatment of multiple gingival recessions: case reports. *Int J Periodontics Restorative Dent.* 2012; 32: 413-319.
- [29] Schmitt CM, Moest T, Lutz R, Wehrhan F, Neukam FW, Schlegel KA. Long-term outcomes after vestibuloplasty with a porcine collagen matrix (Muvograft) versus the free gingival graft: a comparative prospective clinical trial. *Clin Oral Implants Res.* 2016; 27: 125-133.
- [30] Tonetti, Cortellini MS, Pellegrini G, Nieri M, Bonaccini D, Allegri M, Bouchard P, Cairo F, Conforti G, Fourmouis I, Graziani F, Guerrero A, Halben I, Melt J, Raserini G, Topoll H, Wachtel H, Wallkamm B, Zabalegui I, Zuhr O. Xenogenic collagen matrix or autologous connective tissue graft as adjunct to coronally advanced flaps for coverage of multiple adjacent gingival recession: Randomized trial assessing non-inferiority in root coverage and superiority in oral health-related quality of life. *J Clin Periodontol.* 2018; 45: 78-88.
- [31] Vacek, Gher JS, Gher ME, Assad DA, Richardson AC, Giambaresi LI. The dimensions of the human dentogingival junction. In *J Periodontics Restorative Dent.* 1994; 14: 154-165.

[32] Zucchelli G, de Sanctis M.. Long-term outcome following treatment of multiple Miller class I and II recession defects in esthetic areas of the mouth. *J Periodontology*. 2005; 76: 2286-2292.

[33] Zuhr O, Fickl S, Wachtel H, Bolz W, Hurzeler MB. Covering of gingival recessions with a modified microsurgical tunnel technique: case report. *Int J Periodontics Restorative Dent*. 2007; 27: 457-463.