

**Klinische Indikation und Anwendung eines freien Schleimhauttransplantates vs.  
subepitheliales Bindegewebetransplantat**

- [1] Agudio G, Cortellini P, Buti J, Pini Prato G. Periodontal Conditions of Sites Treated With Gingival Augmentation Surgery Compared With Untreated Contralateral Homologous Sites: An 18- to 35-Year Long-Term Study. *J Periodontol* 2016; 87 (12): 1371-1378. doi:10.1902/jop.2016.160284
- [2] Ainamo A, Bergenholz A, Hugoson A, Ainamo J. Location of the mucogingival junction 18 years after apically repositioned flap surgery. *Journal of Clinical Periodontology* 1992; 19 (1): 49-52. doi:10.1111/j.1600-051x.1992.tb01148.x
- [3] Allen AL. Use of the supraperiosteal envelope in soft tissue grafting for root coverage. I. Rationale and technique. *Int J Periodontics Restorative Dent.* 1994; 14 (3): 216-227.
- [4] Bachmann A, Bernimoulin JP. [Free grafts of attached and papillary gingiva]. *SSO Schweiz Monatsschr Zahnheilkd.* 1980; 90(4): 374-380.
- [5] Baker DL, Seymour GJ. The possible pathogenesis of gingival recession. A histological study of induced recession in the rat. *Journal of Clinical Periodontology* 1976; 3 (4): 208-219. doi:10.1111/j.1600-051x.1976.tb00040.x
- [6] Bernimoulin J, Curilovic Z. Gingival recession and tooth mobility. *J Clin Periodontol.* 1977; 4 (2): 107-114.
- [7] Bernimoulin JP, Schroeder HE. Changes in the differentiation pattern of oral mucosal epithelium following heterotopic connective tissue transplantation in man. *Pathol Res Pract.* 1980; 166 (2-3): 290-312. doi:10.1016/S0344-0338(80)80136-1
- [8] Cairo F, Nieri M, Cincinelli S, Mervelt J, Pagliaro U. The interproximal clinical attachment level to classify gingival recessions and predict root coverage outcomes: an explorative and reliability study. *Journal of Clinical Periodontology* 2011; 38 (7): 661-666.
- [9] Caton JG, Armitage G, Berglundh T, Chapple ILC, Jepsen S, Kornman KS, Tonetti MS. A new classification scheme for periodontal and peri-implant diseases and conditions - Introduction and key changes from the 1999 classification. *J Clin Periodontol.* 2018; 45 Suppl 20: S1-S8. doi:10.1111/jcpe.12935
- [10] Chambrone L, Tatakos DN. Long-Term Outcomes of Untreated Buccal Gingival Recessions: A Systematic Review and Meta-Analysis. *Journal of Periodontology* 2016; 87 (7): 796-808. doi:10.1902/jop.2016.150625
- [11] Checchi L, Daprise G, Gatto MR, Pelliccioni GA. Gingival recession and toothbrushing in an Italian School of Dentistry: a pilot study. *Journal of Clinical Periodontology* 1999; 26 (5): 276-280. doi:10.1034/j.1600-051x.1999.260502.x
- [12] Cortellini P, Bissada NF. Mucogingival conditions in the natural dentition: Narrative review, case definitions, and diagnostic considerations. *J Clin Periodontol.* 2018a; 45 Suppl 20: S190-S198. doi:10.1111/jcpe.12948
- [13] Cortellini P, Bissada NF. Mucogingival conditions in the natural dentition: Narrative review, case definitions, and diagnostic considerations. *J Periodontol.* 2018b; 89 Suppl 1: S204-S213. doi:10.1002/JPER.16-0671
- [14] Daprise G, Gatto MR, Checchi L. The evolution of buccal gingival recessions in a student population: a 5-year follow-up. *Journal of Periodontology* 2007; 78 (4): 611-614. doi:10.1902/jop.2007.060277
- [15] de Trey E, Bernimoulin JP. Influence of free gingival grafts on the health of the marginal gingiva. *J Clin Periodontol.* 1980; 7 (5): 381-393. doi:10.1111/j.1600-051x.1980.tb02011.x

- [16] Fischer KR, Kunzberger A, Donos N, Fickl S, Friedmann A. Gingival biotype revisited—novel classification and assessment tool. *Clin Oral Investig.* 2018; 22 (1): 443-448. doi:10.1007/s00784-017-2131-1
- [17] Gumus P, Buduneli E. Graft stabilization with cyanoacrylate decreases shrinkage of free gingival grafts. *Aust Dent J.* 2014; 59 (1): 57-64. doi:10.1111/adj.12149
- [18] Hagedal S, Spahr A, Rompolo E, Haller B, Heijl L, Bernimoulin JP. Comparative study of Emdogain and coronally advanced flap technique in the treatment of human gingival recessions. A prospective controlled clinical study. *J Clin Periodontol.* 2002; 29 (1): 35-41.
- [19] Jepsen S, Caton JG, Albandar JM, Bissada NF, Bouchard P, Cortellini P, Fan J. Periodontal manifestations of systemic diseases and developmental and acquired conditions: Consensus report of workgroup 3 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *Journal of Clinical Periodontology* 2018; 45: S219-S229.
- [20] Kallesta C, Matsson L, Holm AK. Periodontal conditions in a group of Swedish adolescents. (I). A descriptive epidemiologic study. *Journal of Clinical Periodontology* 1990; 17 (9): 601-608.
- [21] Kaner D. Das freie Schleimhauttransplantat—ein Klassiker zur Erzeugung keratinisierter Gingiva und Mukosa an Zähnen und Implantaten. *Parodontologie* 2016; 27 (3): 265-269.
- [22] Karring T, Ostergaard E, Loe H. Conservation of tissue specificity after heterotopic transplantation of gingiva and alveolar mucosa. *Journal of Periodontal Research* 1971; 6 (4): 282-293. doi:10.1111/j.1600-0765.1971.tb00619.x
- [23] Khocht A, Simon G, Person P, Denepitiya JL. Gingival recession in relation to history of hard toothbrush use. *Journal of Periodontology* 1993; 64 (9), 900-905. doi:10.1902/jop.1993.64.9.900
- [24] Kim DM, Neiva R. Periodontal soft tissue non-root coverage procedures: a systematic review from the AAP Regeneration Workshop. *J Periodontol.* 2015; 86 (2 Suppl): S56-72. doi:10.1902/jop.2015.130684
- [25] Lang NP, Loe H. The relationship between the width of keratinized gingiva and gingival health. *Journal of Periodontology* 1972; 43 (10): 623-627. doi:10.1902/jop.1972.43.10.623
- [26] Loe H, Anerud A, Boysen H, Smith M. The natural history of periodontal disease in man. The rate of periodontal destruction before 40 years of age. *Journal of Periodontology* 1978; 49 (12): 607-620. doi:10.1902/jop.1978.49.12.607
- [27] Lost C. Depth of alveolar bone dehiscences in relation to gingival recessions. *Journal of Clinical Periodontology* 1984; 11 (9): 583-589. doi:10.1111/j.1600-051x.1984.tb00911.x
- [28] Lundberg M, Wennstrom JL. Development of gingiva following surgical exposure of a facially positioned unerupted incisor. *Journal of Periodontology* 1988; 59 (10): 652-655. doi:10.1902/jop.1988.59.10.652
- [29] McGuire MK, Nunn M. Evaluation of human recession defects treated with coronally advanced flaps and either enamel matrix derivative or connective tissue. Part 1: Comparison of clinical parameters. *J Periodontol.* 2003; 74 (8): 1110-1125. doi:10.1902/jop.2003.74.8.1110
- [30] McGuire MK, Scheyer ET, Schupbach P. A Prospective, Case-Controlled Study Evaluating the Use of Enamel Matrix Derivative on Human Buccal Recession Defects: A Human Histologic Examination. *J Periodontol.* 2016; 87 (6): 645-653. doi:10.1902/jop.2016.150459
- [31] Miller PD Jr. A classification of marginal tissue recession. *International Journal of Periodontics and Restorative Dentistry* 1985; 5 (2): 8-13.

- [32] Miyasato M, Crigger M, Egelberg J. Gingival condition in areas of minimal and appreciable width of keratinized gingiva. *Journal of Clinical Periodontology* 1977; 4 (3): 200-209. doi:10.1111/j.1600-051x.1977.tb02273.x
- [33] Nabers JM. Free gingival grafts. *Periodontics* 1966; 4 (5): 243-245.
- [34] Pasquinelli KL. The histology of new attachment utilizing a thick autogenous soft tissue graft in an area of deep recession: a case report. *International Journal of Periodontics and Restorative Dentistry* 1995; 15 (3): 248-257.
- [35] Penne, BM, Tabor JC, King KO, Towner JD, Fritz BD, Higgason JD. Free masticatory mucosa graft. *J Periodontol.* 1969; 40 (3): 162-166. doi:10.1902/jop.1969.40.3.162
- [36] Roccuzzo M, Grasso G, Dalmasso P. Keratinized mucosa around implants in partially edentulous posterior mandible: 10-year results of a prospective comparative study. *Clin Oral Implants Res.* 2016; 27 (4): 491-496. doi:10.1111/cir.12563
- [37] Sangnes G. Traumatization of teeth and gingiva related to habitual tooth cleaning procedures. *Journal of Clinical Periodontology* 1976; 3 (2): 94-103. doi:10.1111/j.1600-051x.1976.tb01855.x
- [38] Sculean A, Chappuis V, Cosgarea R. Coverage of mucosal recessions at dental implants *Periodontal* 2000. 2017; (73) 1: 134-140.
- [39] Susin C, Haas AN, Oppermann RV, Haugejorden O, Albandar JM. Gingival recession: epidemiology and risk indicators in a representative urban Brazilian population. *J Periodontol.* 2004; 75 (10): 1377-1386. doi:10.1902/jop.2004.75.10.1377
- [40] Tatakis DN, Chambrone L, Allen EP, Langer B, McGuire MK, Richardson CR, Zadeh HH. Periodontal soft tissue root coverage procedures: a consensus report from the AAP Regeneration Workshop. *Journal of Periodontology* 2015; 86 (2 Suppl): S52-55. doi:10.1902/jop.2015.140376
- [41] Trott JR, Cross HG. An analysis of the principle reasons for tooth extractions in 1813 patients in Manitoba. *Dent Pract Dent Rec.* 1996; 17 (1): 20-27.
- [42] Vehkalahti M. Occurrence of gingival recession in adults. *Journal of Periodontology* 1989; 60 (11): 599-603. doi:10.1902/jop.1989.60.11.599
- [43] Wennstrom J, Lindhe J. Plaque-induced gingival inflammation in the absence of attached gingiva in dogs. *Journal of Clinical Periodontology* 1993a; 10 (3): 266-276. doi:10.1111/j.1600-051x.1983.tb01275.x
- [44] Wennstrom J, Lindhe J. Role of attached gingiva for maintenance of periodontal health. Healing following excisional and grafting procedures in dogs. *J Clin Periodontol.* 1983b; 10 (2): 206-221.
- [45] Zucchelli G. Ästhetische Parodontalchirurgie (Vol. 1). Berlin: Quintessenz Verlag, 2014.