ZMK (31) 5 2015, S. 328-336

Michael Hülsmann, Carolin Adler, Anne Kathrin Schmidt

Die Entfernung der temporären Wurzelkanaleinlage

Literatur:

[1] Adler C: Vergleichende In-Vitro-Studie zur Entfernung der medikamentösen Einlage Kalziumhydroxid aus runden und ovalen Wurzelkanälen; Vergleich von passiver Ultraschallspülung und SAF. Eine Micro-CT-Studie. Med Diss, Göttingen 2014.

[2] Ahmetoglu F, Simsek N, Keles A, Ocak MS, Er K: Efficacy of self-adjusting file and passive ultrasonic irrigation on removing calcium hydroxide from root canals. Dent Mater J 32, 1005-1010 (2013).

[3] Al-Garni S, Al-Shahrani S, Al-Nazhan S, Al-Maflehi N: Evaluation of calcium hydroxide removal using EndoActivator system: an in vitro study. Saudi Endod J 4, 13-19 (2014).

[4] Alturaiki S, Lamphon H, Edrees H, Ahlquist M: Efficacy of 3 different irrigation systems on removal of calcium hydroxide from the root canal. A scanning electron microscopic study. J Endod 41, 97-101 (2015).

[5] Arslan H, Akcay M, Capar ID, Ertas H, Ok E, Uysal B: Efficacy of needle irrigation, EndoActivator, and Photon-initiated photoacoustic streaming technique on removal of double and triple antibiotioc paste. J Endod 40, 1439-1442 (2014).

[6] Arslan H, Akcay M, Capar ID, Saygili G, Gok T, Ertas H: An in vitro comparison of irrigation using photon-initiated photoacoustic streaming, ultrasonic, sonic and needle techniques in removing calcium hydroxide. Int Endod J doi:10.1111/iej.12306.

[7] Arslan H, Capar ID, Saygili B, Uysal B, Gok T, Ertas H, Topcuoglu HS: Efficacy of various irrigation protocols on the removal of triple antibiotic paste. Int Endod J 40, 594-599 (2014).

[8] Arslan H, Gok T, Saygili G, Altintop H, Akcay M, Capar ID: Evaluation of effectiveness of various irrigating solutions on removal of calcium hydroxide mixed with 2% chlorhexidine gel and detection of orange-brown precipitate after removal. J Endod 40, 1820-1823 (2014).

[9] Athanassidis B, Abbott PV, Walsh LJ: The use of calcium hydroxide, antibiotics and biocides as antimicrobial medicaments in endodontics. Aust Dent J 52, (Suppl) 64-82 (2007).

[10] Balvedi RP, Versiani MA, Manna FF, Biffi JC: A comparison of two techniques for the removal of calcium hydroxide from root canals. Int Endod J 43, 763–768 (2010).

[11] Berkhoff JA, Chen PB, Teixeira FB, Diogenes A: Evaluation of triple antibiotic paste removal by different irrigation procedures. J Endod 40, 1172-1177 (2014).

[12] Bodrumlu E, Avsar A, Hazar Bodrumlu E, Cicek E: The effects of calcium hydroxide removal methods on bond strength of Epiphany SE with two irrigation protocols. Acta Odont Scand 71, 989-993 (2013).

[13] Byström A, Sundqvist G: Bacteriologic evaluation of the efficacy of mechanical root canal instrumentation in endodontic therapy. Scand J Dent Res 89, 321-328 (1981).

[14] Çalt S, Serper A: Dentinal tubule penetration of root canal sealers after root canal dressing with calcium hydroxide. J Endod 25, 431–433 (1999).

[15] Çalt S, Serper A, Özçelik B, Dalat MD: Dentinal tubule penetration of root canal sealers after root canal dressing with calcium hydroxide. J Endod 25, 329-331 (1999).

[16] Capar ID, Ozcan E, Arslan H, Ertas H, Aydinbelge HA: Effect of different final irrigation methods on the removal of calcium hydroxide from an artificial standardized groove in the apical third of root canals. J Endod 40, 451-454 (2014).

[17] Chou K, George R, Walsh LJ: Effectiveness of different intracanal irrigation techniques in removing intracanal paste medicaments. Aust Endod J 40, 21-25 (2014).

[18] De-Deus G, Souza EM, Barino B, Maia J, Zamolyi RQ, Reis C, Kfir A: The Self-Adjusting-File optimizes debridement quality in oval-shaped root canals. J Endod 37, 701-705 (2011).

[19] Estrela C, Sydney GB, Bammann LL, Felippe Júnior O: Mechanism of action of calcium and hydroxyl ions of calcium hydroxide on tissue and bacteria. Braz Dent J 6, 85–90 (1995).

[20] Faria G, Kuga MC, Ruy AC, Aranda-Garcia AJ, Bonetti-Filho I, Guerreiro-Tanomaru JM, Leonardo RT: The efficacy of the self-adjusting file and ProTaper for removal of calcium hydroxide from root canals. J Appl Oral Sci 21, 346-350 (2013).

[21] Faria G, Viola KS, Kuga MC, Garcia AJ, Daher VB, De Pasquali Leonardo MF, Tanomaru-Filho M: Effect of rotary instrument associated with different irrigation techniques on removing calcium hydroxide dressing. Microsc Res Tech 77, 642-666 (2014).

[22] Fava LR, Saunders WP: Calcium hydroxide pastes: classification and clinical indications. Int Endod J 32, 257–282 (1999).

[23] Goldberg F, Alfie D, Roitmann M: Evaluation of the incidence of transportation after placement and removal of calcium hydroxide. J Endod 30, 646-648 (2004).

[24] Gorduysus M, Yilmaz Z, Gorduysus O, Atila B, Karapinar SO: Effectiveness of a new canal brushing technique in removing calcium hydroxide from the root canal system: a scanning electron microscope study. J Conserv Dent 15, 367-371 (2012).

[25] Hof R, Perevalov V, Eltanani M, Zary R, Metzger Z: The Self-Adjusting File (SAF). Part 2: mechanical analysis. J Endod 36, 691-696 (2010).

[26] Hosoya Y, Garcia-Godoy F, Summit JB: Microleakage and sealant penetration using a vibrating probe. Am J Dent 17, 427-432 (2004).

[27] Hülsmann M: Effects of mechanical instrumentation and chemical irrigation on the root canal dentin and surrounding tissues. Endod Topics 29, 55-86 (2013).

[28] Hülsmann M, Rödig T: Probleme der Desinfektion des Wurzelkanalsystems. In: Hülsmann M, Schäfer E (Hrsg.): Probleme in der Endodontie: Prävention, Identifikation und Management. Quintessenz, 235-280 (2007).

[29] Huque J, Kota K, Yamaga M, Iwaku M, Hishino E: Bacterial eradication from root dentine by ultrasonic irrigation with sodium hypochlorite. Int Endod J 31, 242-250 (1988).

[30] Kaja C, Altundasar E, Tuncel B, Serper A: Effects of volume and application time of EDTA for removing calcium hydroxide from root canals ex vivo. Int End J 44, 1176-1221 (2011).

[31] Kenee DM, Allemang JD, Johnson JD, Hellstein J, Nichol BK: A quantitative assessment of efficacy of various calcium hydroxide removal techniques. J Endod 32, 563–565 (2006).

[32] Kim D, Kim E: Antimicrobial effect of calcium hydroxide as an intracanal medicament in root canal treatment: a literature review. Restor Dent Endod 39, 241-252 (2014).

[33] Kuga MC: Calcium hydroxide intracanal dressing removal with different rotary instruments and irrigating solutions: a scanning electron microscopy study. Braz Dent J 21, 310-314 (2010).

[34] Lambrianidis T, Kosti E, Boutsioukis C, Mazinis M: Removal efficacy of various calcium hydroxide/chlorhexidine medicaments from the root canal. Int Endod J 39, 55–61 (2006).

[35] Lambrianidis T, Margelos J, Beltes P: Removal efficiency of calcium hydroxide dressing from the root canal. J Endod 25, 85–88 (1999).

[36] Lee S, Wu M, Wesselink PR: The efficacy of ultrasonic irrigation to remove artificially placed dentine debris from different-sized simulated plastic root canals. Int Endod J 37, 607–612 (2004).

[37] Ma JZ, Shen Y, Yang Y, Gao Y, Wan P, Gan Y, Patel P, Curti A, Khakpour M, Haapasalo M: In vitro study of calcium hydroxide removal from mandibular molar root canals. J Endod 2015; doi:10.1016/j.joen.2014.11.023 (epub ahead of print).

[38] Ma JZ, Shen Y, Al-Ashaw AJ, Khaleel HY, Yang Y, Wang ZJ, Peng B, Haapasalo M: Micro-computed tomography evaluation of the removal of calcium hydroxide medicament from C-shaped root canals of mandibular second molars. Int Endod J 2014; doi:10.1111/iej.12319 (epub ahead of print).

[39] Maalouf L, Zogheib C, Naaman A: Removal efficiency of calcium hydroxide dressing from the root canal without chemically active adjuvant. J Contemp Dent Pract 14, 188-192 (2013).

[40] Margelos J, Eliades G, Verdelis C, Palaghias G: Interaction of calcium hydroxide with zinc oxide-eugenol type sealers: a potential clinical problem. J Endod 23, 43–48 (1997).

[41] Melo da Silva J, Silveira A, Santos E, Prado L, Pessoa OF: Efficacy of sodium hypochlorite, ethylendiaminetetraacetic, citric acid and phosphoric acid in calcium hydroxide removal from the root canal: a microscopic cleanliness evaluation. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 112, 820-824 (2011).

[42] Metzger Z, Teperovich E, Rary R, Hof R: The self-adjusting file (SAF). Part I: respecting the root canal anatomy – a new concept of endodontic files and its implementation J Endod 36, 679-690 (2010).

[43] Nainan MT, Nirupama D, Benjamin S: Comparison of the efficacy of ethylene diaminetetraacetic acid and maleic acid in the removal of three calcium hydroxide intra-canal dressings: a spiral computerized tomography volumetric analysis. J Conserv Dent 16, 56-60 (2013).

[44] Nandini S, Velmurugan N, Kandaswamy D: Removal efficiency of calcium hydroxide intracanal medicament with two calcium chelators: volumetric analysis using spiral CT, an in vitro study. J Endod 32, 1097–1101 (2006).

[45] Ricucci D, Langeland K: Incomplete calcium hydroxide removal from the root canal: a case report. Int Endod J 30, 418-421 (1997).

[46] Rôças I, Siqueira JF Jr: In vivo antimicrobial effects of endodontic treatment procedures as assessed by molecular microbiologic techniques. J Endod 37, 304-310 (2011).

[47] Rödig T, Hirschleb M, Zapf A, Hülsmann M: Comparison of ultrasonic irrigation and RinsEndo for the removal of calcium hydroxide and ledermix paste from root canals. Int Endod J 44, 1155-1161 (2011).

[48] Rödig T, Hülsmann M: Applikation und Entfernung der medikamentösen Einlage. Endodontie 15, 379–385 (2006).

[49] Rödig T, Vogel S, Zapf A, Hülsmann M: Efficacy of different irrigants in the removal of calcium hydroxide from root canals. Int Endod J 43, 519–527 (2010).

[50] Salgado RJC, Moura-Netto C, Yamazaki AK, Cardoso LN, Moura AA, Prokopowitsch I: Comparison of different irrigants on calcium hydroxide medication removal: microscopic cleanliness evaluation. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 107, 580–584 (2009).

[51] Schmidt AK: Untersuchung neuer Techniken zur Entfernung von Kalziumhydroxid aus dem Wurzelkanalsystem gerader Wurzelkanäle. Med Diss, Göttingen 2011.

[52] Schröder M: Vergleichende Studie der Effektivität vier verschiedener Spültechniken zur Entfernung von Kalziumhydroxid aus einem gekrümmten Wurzelkanal. Med Diss, Göttingen 2012.

[53] Silva LJ, Pessoa OF, Teixeira MB, Gouveia CH, Braga RR: Micro-CT evaluation of calcium hydroxide removal through passive ultrasonic irrigation associated with or without an additional instrument. Int Endod J 2014;doi:10.1111/iej.12374 (epub ahead of print).

[54] Siqueira JF, Lopes HP: Mechanisms of antimicrobial activity of calcium hydroxide: a critical review. Int Endod J 32, 361–369 (1999).

[55] Taşdemir T, Celik D, Er K, Yildirim T, Ceyhanli KT, Yeşilyurt C: Efficacy of several techniques for the removal of calcium hydroxide medicament from root canals. Int Endod J 44, 505–509 (2011).

[56] Topcuoglu HS, Düzgün S, Ceyhanli KT, Akti A, Pala K, Kesim B: Efficacy of different irrigation techniques in the removal of calcium hydroxide from a simulated internal resorption cavity. Int Endod J 2014, doi:10.1111./iej 12316 (epub ahead of print).

[57] Türker SA, Kocak MM, Kocak S, Saglam BC: Comparison of calcium hydroxide removal by self-adjusting file, EndoVac, and Canal Brush agitation techniques: an in vitro study. J Conserv Dent 16, 439-443 (2013).

[58] Ustun Y, Uzun O, Er O, Canakci BC, Touz O: The effect of residual calcium hydroxide on the accuracy of a contemporary electronic apex locator. Acta Odontol Scand 73, 132-136 (2015).

[59] Van der Sluis LW, Wu MK, Wesselink PR: The evaluation of removal of calcium hydroxide paste from an artificial standardized groove in the apical root canal using different irrigation methodologies. Int Endod J 40, 52-57 (2007).

[60] Wiseman A, Cox TC, Paranjpe A, Flake NM, Cohenca N, Johnson JD: Efficacy of sonic and ultrasonic activation for removal of calcium hydroxide from mesial canals of mandibular molars: a microtomographic study. J Endod 37, 235–238 (2011).

[61] Yücel AC, Gürel M, Güler E, Karabucak B: Comparison of final irrigation techniques in removal of calcium hydroxide. Aust Endod J 39, 116-121 (2013).