

- [1] Buser D, Martin W, Belser UC. Optimizing esthetics for implant restorations in the anterior maxilla: anatomic and surgical considerations. *Int J Oral Maxillofac Implants.* 2004; 19 Suppl: 43-61.
- [2] Pjetursson BE, Bragger U, Lang NP, Zwahlen M. Comparison of survival and complication rates of tooth-supported fixed dental prostheses (FDPs) and implant-supported FDPs and single crowns (SCs). *Clin Oral Implants Res.* 2007; 18 Suppl 3: 97-113.
- [3] Misch K, Wang HL. Implant surgery complications: etiology and treatment. *Implant Dent.* 2008; 17: 159-68.
- [4] Sadid-Zadeh R, Kutkut A, Kim H. Prosthetic failure in implant dentistry. *Dent Clin North Am.* 2015; 59: 195-214.
- [5] Vercruyssen M, Fortin T, Widmann G, Jacobs R, Quirynen M. Different techniques of static/dynamic guided implant surgery: modalities and indications. *Periodontol 2000.* 2014; 66: 214-27.
- [6] Raico Gallardo YN, da Silva-Olivio IRT, Mukai E, Morimoto S, Sesma N, Cordaro L. Accuracy comparison of guided surgery for dental implants according to the tissue of support: a systematic review and meta-analysis. *Clin Oral Implants Res.* 2017; 28: 602-12.
- [7] Jung RE, Schneider D, Ganeles J, Wismeijer D, Zwahlen M, Hammerle CH, et al. Computer technology applications in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants.* 2009; 24 Suppl: 92-109.
- [8] D'Haese J, Ackhurst J, Wismeijer D, De Bruyn H, Tahmaseb A. Current state of the art of computer-guided implant surgery. *Periodontol 2000.* 2017; 73: 121-33.
- [9] Panchal N, Mahmood L, Retana A, Emery R, 3rd. Dynamic Navigation for Dental Implant Surgery. *Oral Maxillofac Surg Clin North Am.* 2019; 31: 539-47.
- [10] Block MS. Static and Dynamic Navigation for Dental Implant Placement. *J Oral Maxillofac Surg.* 2016; 74: 231-3.
- [11] Aydemir CA, Arisan V. Accuracy of dental implant placement via dynamic navigation or the freehand method: A split-mouth randomized controlled clinical trial. *Clin Oral Implants Res.* 2020; 31: 255-63.
- [12] Pinter GT, Decker R, Szenasi G, Barabas P, Huszar T. Dynamic Navigation for Dental Implant Placement. *J Vis Exp.* 2022.
- [13] Mediavilla Guzman A, Riad Deglow E, Zubizarreta-Macho A, Agustin-Panadero R, Hernandez Montero S. Accuracy of Computer-Aided Dynamic Navigation Compared to Computer-Aided Static Navigation for Dental Implant Placement: An In Vitro Study. *J Clin Med.* 2019; 8 (12): 2123.
- [14] Lopes A, de Araujo Nobre M, Santos D. The Workflow of a New Dynamic Navigation System for the Insertion of Dental Implants in the Rehabilitation of Edentulous Jaws: Report of Two Cases. *J Clin Med.* 2020; 9 (2): 421.
- [15] Jorba-Garcia A, Gonzalez-Barnadas A, Camps-Font O, Figueiredo R, Valmaseda-Castellon E. Accuracy assessment of dynamic computer-aided implant placement: a systematic review and meta-analysis. *Clin Oral Investig.* 2021; 25: 2479-94.
- [16] Keßler A, Dosch M, Reymus M, Folwaczny M. Influence of 3D-printing method, resin material, and sterilization on the accuracy of virtually designed surgical implant guides. *J Prosthet Dent.* 2021; 128 (2).

- [17] Kessler A, Le V, Folwaczny M. Influence of the tooth position, guided sleeve height, supporting length, manufacturing methods, and resin E-modulus on the in vitro accuracy of surgical implant guides in a free-end situation. *Clin Oral Implants Res.* 2021; 32: 1097-104.
- [18] Le V, Kessler A, Folwaczny M. Influence of DLP and SLA printer technology on the accuracy of surgical guides for implant dentistry in free-end situations. *Int J Comput Dent.* 2023; 0: 0. doi: 10.3290/j.ijcd.b3774115. Online ahead of print.
- [19] Vercruyssen M, Laleman I, Jacobs R, Quirynen M. Computer-supported implant planning and guided surgery: a narrative review. *Clin Oral Implants Res.* 2015; 26 Suppl 11: 69-76.
- [20] Cassetta M, Altieri F, Giansanti M, Bellardini M, Brandetti G, Piccoli L. Is there a learning curve in static computer-assisted implant surgery? A prospective clinical study. *International journal of oral and maxillofacial surgery.* 2020; 49: 1335-42.
- [21] Kuhl S, Zurcher S, Mahid T, Muller-Gerbl M, Filippi A, Cattin P. Accuracy of full guided vs. half-guided implant surgery. *Clin Oral Implants Res.* 2013; 24: 763-9.
- [22] Bover-Ramos F, Vina-Almunia J, Cervera-Ballester J, Penarrocha-Diago M, Garcia-Mira B. Accuracy of Implant Placement with Computer-Guided Surgery: A Systematic Review and Meta-Analysis Comparing Cadaver, Clinical, and In Vitro Studies. *Int J Oral Maxillofac Implants.* 2018; 33: 101-15.
- [23] Van Assche N, Vercruyssen M, Coucke W, Teughels W, Jacobs R, Quirynen M. Accuracy of computer-aided implant placement. *Clin Oral Implants Res.* 2012; 23 Suppl 6: 112-23.
- [24] Arisan V, Karabuda CZ, Ozdemir T. Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res.* 2010; 21: 980-8.
- [25] Fortin T, Bosson JL, Isidori M, Blanchet E. Effect of flapless surgery on pain experienced in implant placement using an image-guided system. *Int J Oral Maxillofac Implants.* 2006; 21: 298-304.
- [26] Hultin M, Svensson KG, Trulsson M. Clinical advantages of computer-guided implant placement: a systematic review. *Clin Oral Implants Res.* 2012; 23 Suppl 6: 124-35.
- [27] Divakar TK, Gidean Arularasan S, Baskaran M, Packiaraj I, Dhineksh Kumar N. Clinical Evaluation of Placement of Implant by Flapless Technique Over Conventional Flap Technique. *J Maxillofac Oral Surg.* 2020; 19: 74-84.
- [28] Flanagan D. Flapless dental implant placement. *J Oral Implantol.* 2007; 33: 75-83.
- [29] Malo P, de Araujo Nobre M, Lopes A. Three-Year Outcome of Fixed Partial Rehabilitations Supported by Implants Inserted with Flap or Flapless Surgical Techniques. *J Prosthodont.* 2016; 25: 357-63.
- [30] Jesch P, Jesch W, Bruckmoser E, Krebs M, Kladek T, Seemann R. An up to 17-year follow-up retrospective analysis of a minimally invasive, flapless approach: 18 945 implants in 7783 patients. *Clin Implant Dent Relat Res.* 2018; 20: 393-402.
- [31] Cassetta M, Giansanti M, Di Mambro A, Stefanelli LV. Accuracy of positioning of implants inserted using a mucosa-supported stereolithographic surgical guide in the edentulous maxilla and mandible. *Int J Oral Maxillofac Implants.* 2014; 29: 1071-8.
- [32] Widmann G, Bale RJ. Accuracy in computer-aided implant surgery--a review. *Int J Oral Maxillofac Implants.* 2006; 21: 305-13.
- [33] D'Haese J, Van De Velde T, Elaut L, De Bruyn H. A prospective study on the accuracy of mucosally supported stereolithographic surgical guides in fully edentulous maxillae. *Clin Implant Dent Relat Res.* 2012; 14 :293-303.

- [34] Marliere DAA, Demetrio MS, Picinini LS, Oliveira RG, Netto H. Accuracy of computer-guided surgery for dental implant placement in fully edentulous patients: A systematic review. *Eur J Dent.* 2018; 12: 153-60.
- [35] Schelbert T, Gander T, Blumer M, Jung R, Rucker M, Rostetter C. Accuracy of Computer-Guided Template-Based Implant Surgery: A Computed Tomography-Based Clinical Follow-Up Study. *Implant Dent.* 2019; 28: 556-63.
- [36] Tahmaseb A, Wismeijer D, Coucke W, Derksen W. Computer technology applications in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants.* 2014; 29 Suppl: 25-42.
- [37] Ozan O, Turkyilmaz I, Ersoy AE, McGlumphy EA, Rosenstiel SF. Clinical accuracy of 3 different types of computed tomography-derived stereolithographic surgical guides in implant placement. *J Oral Maxillofac Surg.* 2009; 67: 394-401.
- [38] Pozzi A, Polizzi G, Moy PK. Guided surgery with tooth-supported templates for single missing teeth: A critical review. *Eur J Oral Implantol.* 2016; 9 Suppl 1: S135-53.
- [39] El Kholy K, Janner SFM, Schimmel M, Buser D. The influence of guided sleeve height, drilling distance, and drilling key length on the accuracy of static Computer-Assisted Implant Surgery. *Clin Implant Dent Relat Res.* 2019; 21: 101-7.
- [40] Balaguer-Marti JC, Canet-Lopez A, Penarrocha-Diago M, Romeo-Rubio M, Penarrocha-Diago M, Garcia-Mira B. Influence of Splint Support on the Precision of Static Totally Guided Dental Implant Surgery: A Systematic Review and Network Meta-analysis. *Int J Oral Maxillofac Implants.* 2023; 38: 157-68.
- [41] Kessler A, Dosch M, Reymus M, Folwaczny M. Influence of 3D- printing method, resin material, and sterilization on the accuracy of virtually designed surgical implant guides. *J Prosthet Dent.* 2021; 128 (2). DOI:10.1016/j.prosdent.2020.08.038.
- [42] Probst FA, Schweiger J, Stumbaum MJ, Karampinos D, Burian E, Probst M. Magnetic resonance imaging based computer-guided dental implant surgery-A clinical pilot study. *Clin Implant Dent Relat Res.* 2020; 22: 612-21.