

**PNC 3 (12) 2018, S. 136–140**

## **Ätiologie und Therapie der Molaren-Inzisiven-Hypomineralisation**

Therapieempfehlungen für die Praxis

Prof. Dr. Jan Kühnisch

### **Literatur**

- [1] Alaluusua S: Aetiology of molar-incisor hypomineralisation: a systematic review. *Eur Arch Paediatr Dent* 11, 53–58 (2010).
- [2] Alaluusua S, Lukinmaa PL, Torppa J, Tuomisto J, Vartiainen T: Developing teeth as biomarker of dioxin exposure. *Lancet* 353 (9148), 206 (1999).
- [3] Alaluusua S, Lukinmaa PL, Vartiainen T, Partanen M, Torppa J, Tuomisto J: Polychlorinated dibenzo-p-dioxins and dibenzofurans via mother's milk may cause developmental defects in the child's teeth. *Environ Toxicol Pharmacol* 15 (1), 193–197 (1996).
- [4] Baroni C, Marchionni S: MIH supplementation strategies: prospective clinical and laboratory trial. *J Dent Res* 90, 371–376 (2011).
- [5] Baroudi K, Ibraheem SN: Assessment of chair-side computer-aided design and computer-aided manufacturing restorations: a review of the literature. *J Int Oral Health* 7, 96–104 (2015).
- [6] Bekes K, Heinzelmann K, Lettner S, Schaller HG: Efficacy of desensitizing products containing 8% arginine and calcium carbonate for hypersensitivity relief in MIH-affected molars: an 8-week clinical study. *Clin Oral Investig* 21, 2311–2317 (2017).
- [7] Crombie F, Manton D, Kilpatrick N: Aetiology of molar-incisor hypomineralization: a critical review. *Int J Paediatr Dent* 19, 73–83 (2009).
- [8] Feierabend S, Halbleib K, Klaiber B, Hellwig E: Laboratory-made composite resin restorations in children and adolescents with hypoplasia or hypomineralization of teeth. *Quintessence Int* 43, 305–311 (2012).
- [9] Jälevik B, Klingberg GA: Dental treatment, dental fear and behaviour management problems in children with severe enamel hypomineralization of their permanent first molars. *Int J Paediatr Dent* 12, 24–32 (2002).
- [10] Jälevik B, Norén JG, Klingberg G, Barregård L: Etiologic factors influencing the prevalence of demarcated opacities in permanent first molars in a group of Swedish children. *Eur J Oral Sci* 109, 230–234 (2001).

- [11] Jedeon K, De la Dure-Molla M, Brookes SJ, Liodice S, Marciano C, Kirkham J, Canivenc-Lavier MC, Boudalia S, Bergès R, Harada H, Berdal A, Babajko S: Enamel defects reflect perinatal exposure to bisphenol A. *Am J Pathol* 183, 108–118 (2013).
- [12] Jordan R, Micheelis W: Fünfte Deutsche Mundgesundheitsstudie (DMS V). Materialienreihe Band 35. Köln: Deutscher Ärzte Verlag (2016).
- [13] Koch MJ, García-Godoy F: The clinical performance of laboratory-fabricated crowns placed on first permanent molars with developmental defects. *J Am Dent Assoc* 131, 1285–1290 (2000).
- [14] Kotsanos N, Kaklamanos EG, Arapostathis K: Treatment management of first permanent molars in children with molar-incisor hypomineralisation. *Eur J Paediatr Dent* 6, 179–184 (2005).
- [15] Kühnisch J, Lauenstein A, McGlynn G, Staskiewicz A, Hickel R, Grupe G: Was molar incisor hypomineralisation (MIH) present in ancient populations? *Clin Oral Invest* 20, 2387–2393 (2016).
- [16] Kühnisch J, Thiering E, Kratzsch J, Heinrich-Weltzien R, Hickel R, Heinrich J for the GINI-10 plus study group and LISA-10 plus study group: Elevated serum 25(OH)-vitamin D levels are negatively correlated with MIH. *J Dent Res* 94, 381–387 (2015).
- [17] Kühnisch J, Heitmüller D, Thiering E, Brockow I, Hoffmann U, Neumann C, Heinrich-Weltzien R, Bauer CP, von Berg A, Koletzko S, Garcia-Godoy F, Hickel R, Heinrich J: Proportions and extent of manifestation of molar-incisor-hypomineralisations according to different phenotypes. *J Public Health Dent* 74, 42–49 (2014).
- [18] Kühnisch J, Mach D, Thiering E, Brockow I, Hoffmann U, Neumann C, Heinrich-Weltzien R, Bauer CP, Berdel D, von Berg A, Koletzko S, Garcia-Godoy F, Hickel R, Heinrich J and the GINI plus 10 study group: Respiratory diseases are associated with molar-incisor hypomineralizations. *Swiss Dent J* 124, 286–293 (2014).
- [19] Laisi S, Ess A, Sahlberg C, Arvio P, Lukinmaa PL, Alaluusua S: Amoxicillin may cause molar incisor hypomineralization. *J Dent Res* 88, 132–136 (2009).
- [20] Lygidakis NA, Wong F, Jälevik B, Vierrou AM, Alaluusua S, Espelid I: Best Clinical Practice Guidance for clinicians dealing with children presenting with Molar-Incisor-Hypomineralisation (MIH): An EAPD Policy Document. *Eur Arch Paediatr Dent* 11, 75–81 (2010).
- [21] Lygidakis NA, Chaliasou A, Siounas G: Evaluation of composite restorations in hypomineralised permanent molars: a four year clinical study. *Eur J Paediatr Dent* 4, 143–148 (2003).

- [22] Manhart J, Chen H, Hamm G, Hickel R: Buonocore Memorial Lecture. Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition. *Oper Dent* 29, 481–508 (2004).
- [23] Mejare I, Bergman E, Grindefjord M: Hypomineralized molars and incisors of unknown origin: treatment outcome at age 18 years. *Int J Paediatr Dent* 15, 20–28 (2005).
- [24] Millet et al 2015 – bitte ergänzen
- [25] Norrisgaard P, Bonnelykke K, Haubek D, Kühnisch J, Bisgaard H: Vitamin D3 high-dose supplementation in pregnancy reduces molar incisor hypomineralisation (MIH) in off-spring. 14<sup>th</sup> EAPD Congress. Lugano June 20–23 (2018).
- [26] Pfisterer J, Kessler A, Kühnisch J: Einzeitige CAD/CAM-Seitenzahnrestauration bei einem 8-Jährigen mit Molaren-Inzisiven-Hypomineralisation (MIH). *Quintessenz* 68, 7–16 (2016).
- [27] van der Tas JT, Elfrink MEC, Heijboer AC, Rivadeneira F, Jaddoe VVW, Tiemeier H, Schoufour JD, Moll HA, Ongkosuwito EM, Wolvius EB, Voortman T: Foetal, neonatal and child vitamin D status and enamel hypomineralization. *Community Dent Oral Epidemiol* 2018; doi: 10.1111/cdoe.12372.
- [28] Wittneben JG, Wright RF, Weber HP, Gallucci GO: A systematic review of the clinical performance of CAD/CAM single-tooth restorations. *Int J Prosthodont* 22, 466–471 (2009).
- [29] Wuollet E, Laisi S, Salmela E, Ess A, Alaluusua S: Molar-incisor hypomineralization and the association with childhood illnesses and antibiotics in a group of Finnish children. *Acta Odontol Scand* 74, 416–422 (2016).
- [30] Zagdwon AM, Fayle SA, Pollard MA: A prospective clinical trial comparing preformed metal crowns and cast restorations for defective first permanent molars. *Eur J Paediatr Dent* 4, 138–142 (2003).
- [31] Zimmermann M, Koller C, Hickel R, Kühnisch J: Chairside treatment of amelogenesis imperfecta, including establishment of a new vertical dimension with resin nanoceramic and intraoral scanning. *J Prosthet Dent* 116, 309–313 (2016).