

Dr. Frederic Meyer, et al.

Remineralisation von Zähnen mit MIH (Molaren-Inzisiven-Hypomineralisation) mit einer Hydroxylapatit-Zahnpasta

- [1] Giuca MR, Lardani L, Pasini M, Beretta M, Gallusi G, Campanella V. State-of-the-art on MIH. Part. 1 Definition and epidemiology. 2020.
- [2] Weerheijm KL, Duggal M, Mejare I et al. Judgement criteria for Molar Incisor Hypomineralisation (MIH) in epidemiologic studies: A summary of the European meeting on MIH held in Athens, 2003. Eur J Paediatr Dent. 2003; 4: 110–114.
- [3] Lygidakis NA, Garot E, Somani C, Taylor GD, Rouas P, Wong FSL. Best clinical practice guidance for clinicians dealing with children presenting with molar-incisor-hypomineralisation (MIH): an updated European Academy of Paediatric Dentistry policy document. Eur Arch Paediatr Dent. 2022; 23 (1): 3-21.
- [4] Denis M, Atlan A, Vennat E, Tirlet G, Attal J-P. White defects on enamel: Diagnosis and anatomopathology: Two essential factors for proper treatment (part 1). Int Orthod. 2013; 11: 139–165.
- [5] Farah R, Drummond B, Swain M, Williams S. Linking the clinical presentation of molar-incisor hypomineralisation to its mineral density. Int J Paediatr Dent. 2010; 20: 353–360.
- [6] Huang TTY, Jones AS, He LH, Darendeliler MA, Swain MV. Characterisation of enamel white spot lesions using X-ray micro-tomography. J Dent. 2007; 35: 737–743.
- [7] Zhao D, Dong B, Yu D, Ren Q, Sun Y. The prevalence of molar incisor hypomineralisation: evidence from 70 studies. Int J Paediatr Dent. 2018; 28: 170–179.
- [8] Schwendicke F, Elhennawy K, Reda S, Bekes K, Manton DJ, Krois J. Global burden of molar incisor hypomineralisation. J Dent. 2018; 68: 10–18.
- [9] Garot E, Rouas P, Somani C, Taylor GD, Wong F, Lygidakis NA. An update of the aetiological factors involved in molar incisor hypomineralisation (MIH): a systematic review and meta-analysis. Eur Arch Paediatr Dent. 2022; 23 (1): 23-38.
- [10] Chawla N, Messer LB, Silva M. Clinical Studies on Molar-Incisor-Hypomineralisation Part 1: Distribution and Putative Associations. Eur Arch Paediatr Dent. 2008; 9: 180–190.
- [11] Rodd HD, Boissonade FM, Day PF. Pulpal Status of Hypomineralized Permanent Molars. Pediatr Dent. 2007; 29: 514–520.
- [12] Jälevik B, Klingberg GA. Dental treatment, dental fear and behaviour management problems in children with severe enamel hypomineralisation of their permanent first molars. Int J Paediatr Dent. 2002; 12: 24–32.
- [13] Dantas-Neta NB, Moura L de FA de D, Cruz PF et al. Impact of molar-incisor hypomineralisation on oral health-related quality of life in schoolchildren. Braz Oral Res. 2016; 30. doi:10.1590/1807-3107BOR-2016.vol30.0117.

- [14] Somali C, Taylor GD, Gadot E, Rouas P, Lygidakis NA, Wong FSL. An update of treatment modalities in children and adolescents with teeth affected by molar incisor hypomineralisation (MIH): a systematic review. *Eur Arch Paediatr Dent.* 2022; 23 (1): 39-64.
- [15] Lygidakis NA, Dimou G, Stamatakis E. Retention of fissure sealants using two different methods of application in teeth with hypomineralized molars (MIH): a 4 year clinical study. *Eur Arch Paediatr Dent.* 2009; 10: 223–226.
- [16] Ehlers V, Reuter AK, Kehl E-B et al. Efficacy of a Toothpaste Based on Microcrystalline Hydroxyapatite on Children with Hypersensitivity Caused by MIH: A Randomised Controlled Trial. *Oral Health Prev Dent.* 2021; 19: 647–658.
- [17] Crombie FA, Cochrane NJ, Manton DJ, Palamara JEA, Reynolds EC. Mineralisation of Developmentally Hypomineralized Human Enamel in vitro. *Caries Res.* 2013; 47: 259–263.
- [18] Olgen IC, Sonmez H, Bezgin T. Effects of different remineralization agents on MIH defects: a randomized clinical study. *Clin Oral Investig.* 2022; 26: 3227–3238.
- [19] Olmo-González B, Moreno-López R, Ribera-Uribe M. Dental management strategies for Molar Incisor Hypomineralisation. *Pediatr Dent J.* 2020; 30: 139–154.
- [20] Singh SK, Goyal A, Gauba K, Rathore M. A Comparative Evaluation of CPP-ACP Cream and Fluoride Varnish in Remineralization of MIH-affected Teeth Using Laser Fluorescence. *Pediatr Dent.* 2021; 4: 117–121.
- [21] Najibfarid K, Ramalingam K, Chedjieu I, Amaechi B. Remineralization of early caries by a nano-hydroxyapatite dentifrice. *J Clin Dent.* 2011; 22: 139–43.
- [22] O'Hagan-Wong K, Enax J, Meyer F, Ganss B. The use of hydroxyapatite toothpaste to prevent dental caries. *Odontology* 2022; 110: 223–230.
- [23] Amaechi BT, AbdulAzees PA, Alshareif DO et al. Comparative efficacy of a hydroxyapatite and a fluoride toothpaste for prevention and remineralization of dental caries in children. *BDJ Open.* 2019; 5: 1–9.
- [24] Amaechi BT, Phillips TS, Evans V et al. The Potential of Hydroxyapatite Toothpaste to Prevent Root Caries: A pH-Cycling Study. *Clin Cosmet Investig Dent.* 2021; 13: 315–324.
- [25] Amaechi BT, AbdulAzees PA, Okoye LO, Meyer F, Enax J. Comparison of hydroxyapatite and fluoride oral care gels for remineralization of initial caries: a pH-cycling study. *BDJ Open.* 2020; 6: 9.
- [26] Tschooppe P, Zandim DL, Martus P, Kielbassa AM. Enamel and dentine remineralization by nano-hydroxyapatite toothpastes. *J Dent.* 2011; 39: 430–437.
- [27] Ekambaram M, Itthagaran A, King NM. Ingestion of fluoride from dentifrices by young children and fluorosis of the teeth-a literature review. *J Clin Pediatr Dent.* 2011; 36: 111–122.
- [28] Green R, Lanphear B, Hornung R et al. Association Between Maternal Fluoride Exposure During Pregnancy and IQ Scores in Offspring in Canada. *JAMA Pediatr.* 2019; 173: 940–948.
- [29] Farmus L, Till C, Green R et al. Critical windows of fluoride neurotoxicity in Canadian children. *Environ Res.* 2021; 200: 111315.

- [30] Fabritius-Vilpoux K, Enax J, Herbig M, Raabe D, Fabritius H-O. Quantitative affinity parameters of synthetic hydroxyapatite and enamel surfaces in vitro. *Bioinspired Biomim Nanobiomaterials* 2019; 8: 141–153.
- [31] Roveri N, Battistella E, Bianchi CL et al. Surface Enamel Remineralization: Biomimetic Apatite Nanocrystals and Fluoride Ions Different Effects. *J Nanomater*. 2009; 2009. doi:10.1155/2009/746383.
- [32] Paszynska E, Pawinska M, Gawrolek M et al. Impact of a toothpaste with microcrystalline hydroxyapatite on the occurrence of early childhood caries: a 1-year randomized clinical trial. *Sci Rep*. 2021; 11: 2650.
- [33] Hu M-L, Zheng G, Lin H, Yang M, Zhang Y-D, Han J-M. Network meta-analysis on the effect of desensitizing toothpastes on dentine hypersensitivity. *J Dent*. 2019; 88: 103170.
- [34] Amaechi BT, Lemke KC, Saha S, Luong MN, Gelfond J. Clinical efficacy of nanohydroxyapatite-containing toothpaste at relieving dentin hypersensitivity: an 8 weeks randomized control trial. *BDJ Open*. 2021; 7: 1–8.
- [35] Kensche A, Holder C, Basche S, Tahan N, Hannig C, Hannig M. Efficacy of a mouthrinse based on hydroxyapatite to reduce initial bacterial colonisation in situ. *Arch Oral Biol*. 2017; 80: 18–26.
- [36] Meyer F, Enax J. Hydroxyapatite in Oral Biofilm Management. *Eur J Dent*. 2019; 13: 287–290.
- [37] Fabritius-Vilpoux K, Enax J, Mayweg D et al. Ultrastructural changes of bovine tooth surfaces under erosion in presence of biomimetic hydroxyapatite. *Bioinspired Biomim Nanobiomaterials* 2021; 10: 132–145.
- [38] Lelli M, Putignano A, Marchetti M et al. Remineralization and repair of enamel surface by biomimetic Zn-carbonate hydroxyapatite containing toothpaste: a comparative in vivo study. *Front Physiol*. 2014; 5: 333.
- [39] Epple M, Meyer F, Enax J. A critical review of modern concepts for teeth whitening. *Dent J*. 2019; 7: 79.
- [40] Shang R, Kaisarly D, Kunzelmann K-H. Tooth whitening with an experimental toothpaste containing hydroxyapatite nanoparticles. *BMC Oral Health* 2022; 22: 331.
- [41] Cieplik F, Rupp CM, Hirsch S et al. Ca²⁺ release and buffering effects of synthetic hydroxyapatite following bacterial acid challenge. *BMC Oral Health* 2020; 20: 1–8.
- [42] Enax J, Fabritius H-O, Fabritius-Vilpoux K, Amaechi BT, Meyer F. Modes of action and clinical efficacy of particulate hydroxyapatite in preventive oral health care- state of the art. *Open Dent J*. 2019; 13: 274–287.
- [43] Enax J, Fabritius H-O, Meyer F, Amaechi BT. Preventing oral diseases with biomimetic hydroxyapatite. *J Multidiscip Care Decis Dent*. 2022; 8: 9–14.
- [44] Epple M. Review of potential health risks associated with nanoscopic calcium phosphate. *Acta Biomater*. 2018; 77: 1–14.
- [45] Meyer F, Enax J, Amaechi BT et al. Hydroxyapatite as remineralization agent for children's dental care. *Front Dent Med*. 2022; 3: 1-10.

- [46] Limeback H, Enax J, Meyer F. Biomimetic hydroxyapatite and caries prevention: a systematic review and meta-analysis. *Can J Dent Hyg.* 2021; 55: 148.
- [47] Kirk RE. Practical Significance: A Concept Whose Time Has Come. *Educ Psychol Meas.* 1996; 56: 746–759.
- [48] Steyn HS. Practical significance of the difference in means. *SA J Ind Psychol.* 2000; 26: 1–3.
- [49] Schmitz JE, Teepe JD, Hu Y, Smith CE, Fajardo RJ, Chun Y-HP. Estimating Mineral Changes in Enamel Formation by Ashing/BSE and MicroCT. *J Dent Res.* 2014; 93: 256–262.
- [50] Sreebny LM, Valdini A. Xerostomia. A neglected symptom. *Arch Intern Med.* 1987; 147: 1333–1337.
- [51] Elhennawy K, Manton DJ, Crambie F et al. Structural, mechanical and chemical evaluation of molar-incisor hypomineralisation-affected enamel: A systematic review. *Arch Oral Biol.* 2017; 83: 272–281.
- [52] Tenuta LMA, Cury JA. Fluoride: its role in dentistry. *Braz Oral Res.* 2010; 24: 9–17.
- [53] Zohoori FV, Maguire A. Are there good reasons for fluoride labelling of food and drink? *Br Dent J.* 2018; 224: 215–217.
- [54] Zero DT. In Situ Caries Models. *Adv Dent Res.* 1995; 9: 214–230.
- [55] Ajaj MT, Al-Khateeb SN, Al-Batayneh OB. Effect of different acid etchants on the remineralization process of white-spot lesions: An in vitro study. *Am J Dent.* 2020; 33: 43–47.
- [56] Peariasamy K, Anderson P, Brook A h. A quantitative study of the effect of pumicing and etching on the remineralisation of enamel opacities. *Int J Paediatr Dent.* 2001; 11: 193–200.
- [57] Crambie FA, Manton DJ, Palamara JE, Zalizniak I, Cochrane NJ, Reynolds EC. Characterisation of developmentally hypomineralized human enamel. *J Dent.* 2013; 41: 611–618.
- [58] Farah RA, Monk BC, Swain MV, Drummond BK. Protein content of molar–incisor hypomineralisation enamel. *J Dent.* 2010; 38: 591–596.
- [59] Elhennawy K, Schwendicke F. Managing molar-incisor hypomineralisation: A systematic review. *J Dent.* 2016; 55: 16–24.
- [60] Gevert MV, Soares R, Wambier LM et al. How is the quality of the available evidence on molar-incisor hypomineralisation treatment? An overview of systematic reviews. *Clin Oral Investig.* 2022; 26 (10): 5989–6002.
- [61] Schlagenhauf U, Kunzelmann K-H, Hannig C et al. Impact of a non-fluoridated microcrystalline hydroxyapatite dentifrice on enamel caries progression in highly caries-susceptible orthodontic patients: A randomized, controlled 6-month trial. *J Investig Clin Dent.* 2019; 10: e12399.
- [62] Amaechi, B.T., Farah, R., Liu, J.A., Phillips, T.S., Perozo, B.I., Kataoka, Y., Meyer, F., Enax, J. Remineralization of molar incisor hypomineralisation (MIH) with a hydroxyapatite toothpaste: an in-situ study, *BDJ Open.* 2022; 8 (1), 33.