

- [1] <https://www.tummytimemethod.com/professional-training.html>; besucht am 31.08.2019.
- [2] Ingram J, et al. The development of a tongue assessment tool to assist with tongue-tie identification. Arch Dis Child Fetal Neonatal Ed. 2015; 100: F344-F348.
- [3] Ingram J, Copeland M, Johnsson D, Emond A. The development and evaluation of a picture tongue assessment tool for tongue-tie in breastfed babies. Int Breastfeed J. 2019; 14 (39).
- [4] Frenotomy Decision Tool for Breastfeeding Dyads © 2018 Carole Dobrich, based on Srinivasan A, Dobrich C, et al. Ankyloglossia in breastfeeding infants: the effect of frenotomy on maternal pain and latch. Breastfeed Med. 2006; 1 (4): 216-224.
- [5] Amir LH, James JP, Donath SM. Reliability of the Hazelbaker assessment tool for lingual frenulum function. Int Breastfeed J. 2006; 1 (1): 3.
- [6] Martinelli RLC, Queiroz Marchesan I, Berretin-Felix G. Posterior lingual frenulum in infants: occurrence and maneuver for visual inspection Rev. CEFAC. 2018; 20 (4): 478-483.
- [7] Elad et al. Biomechanics of milk extraction during breast-feeding. Proc Natl Acad Sci U S A. 2014; 8; 111 (14): 5230- 5.
- [8] Baxter R, et al. Tongue-tied. Alabama Tongue-Tie Center; 1. Auflage, 2018.
- [9] Guóth-Gumberger M. Gewichtsverlauf und Stillen – Dokumentieren, Beurteilen, Begleiten. Mabuse-Verlag, Frankfurt am Main, 2011, 2. überarbeitete Auflage, 2017.
- [10] Guóth-Gumberger M, Karall D. Das zu kurze Zungenband. Beurteilung und Begleitung. Laktation und Stillen 2/2016.
- [11] Kotlov L. SOS 4TOTS Tethered oral tissues. 2. Auflage, 2017.
- [12] Ghaheri BA, Cole M, Mace JC. Revision Lingual Frenotomy Improves Patient-Reported Breastfeeding Outcomes: A Prospective Cohort Study. J Hum Lact. 2018; 34 (3): 566-574.
- [13] Moghtader D. Schmerzfrei stillen – die frei bewegliche Zunge, Vor- und Nachsorge der Frenotomie. Die Hebamme. 2018; 31 (6): 393–399.
- [14] Billington J, Yardley I, Upadhyaya M. Long-term efficacy of a tongue tie service in improving breast feeding rates: A prospective study. J Pediatr Surg. 2018; 53 (2): 286-288.