

Tumordiagnostik mittels DVT

Dr. Jörg Mudrak

ZMK 10 (33) 2017, S. 706-714

[1] Dr J. Mudrak, Ein neuer 3D-Volumentomograph mit drei verschiedenen Gesichtsfeldern und integriertem Panorama-Sensor Implantologie Zeitung 2008

[2] R Spin-Neto*, J Mudrak, LH Matzen, J Christensen, E Gotfredsen and A Wenzel: Cone beam CT image artefacts related to head motion simulated by a robot skull: visual characteristics and impact on image quality. Dentomaxillofacial Radiology (2013) 42, The British Institute of Radiology

[2] Dr Dr Dennis Rottke, Digitale Volumentomographie: Was man wissen muss

[3] Dr Daniel Kärcher, Der Stellenwert der DVT Technologie im Bereich der Tumordiagnostik und Therapie, White Paper

[4] Patel, R.S., et al., The prognostic impact of extent of bone invasion and extent of bone resection in oral carcinoma. The Laryngoscope, 2008. 118(5): p. 780-785.

[5] Uribe, S., L.A. Rojas, and C.F. Rosas, Accuracy of imaging methods for detection of bone tissue invasion in patients with oral squamous cell carcinoma. Dento maxillo facial radiology, 2013. 42(6): p. 20120346.

[6] Handschel, J., et al., CT-scan is a valuable tool to detect mandibular involvement in oral cancer patients. Oral oncology, 2012. 48(4): p. 361-366.

[7] Andrie, J., et al., Initial staging examinations for head and neck squamous cell carcinoma: are they appropriate? The Journal of laryngology and otology, 2009. 123(8): p. 885-888.

[8] Lenz, M., et al., Oropharynx, oral cavity, floor of the mouth: CT and MRI. European Journal of Radiology, 2000. 33(3): p. 203-215.

[9] Campbell, R.S., et al., MRI T staging of squamous cell carcinoma of the oral cavity: radiological-pathological correlation. Clinical radiology, 1995. 50(8): p. 533-540.

[10] Kramer IRH, Pindborg JJ, Shear M (1992) Histologic typing of odontogenic tumours, 2nd ed. Springer, Berlin

[11] Reichart PA, Philipsen HP (2003) Revision of the 1992 edition of the WHO histological typing of odontogenic tumors. A suggestion Mund Kiefer Gesichtschir. 2003 Mar;7(2):88-93

[12] https://de.wikipedia.org/wiki/Medizinische_Leitlinie

[13] Hakim, S.G., et al., Imaging of mandible invasion by oral squamous cell carcinoma using computed tomography, cone-beam computed tomography and bone scintigraphy with SPECT. Clinical oral investigations, 2014. 18(3): p. 961-967.

[14] Advanced investigation on rapid prototyping techniques in maxillofacial surgery and implanting preparation. Journal for Technology of Plasticity, Vol. 39 (2014), Number 1

<http://www.dpm.ftn.uns.ac.rs/jtp/download/2014/1/Article2.pdf>

[15] M. Slijivica, M. Stanojevica, D. Djurdjevicb, N. Grujovicc, A. Pavlovicd: Investigation on Appllicatio of FE simulation and rapid prototyping in osteotomy surgery planning.

[https://www.researchgate.net/publication/265601001 Investigation on Application of FE Simulation and Rapid Prototyping in Osteotomy Surgery Planning](https://www.researchgate.net/publication/265601001)