

**Bruxismus – die S3-Leitlinie zur Diagnostik und Therapie**

- [1] Al-Wayli H: Treatment of chronic pain associated with nocturnal bruxism with botulinum toxin. A prospective and randomized clinical study. *J Clin Exp Dent* 9, e112–e117 (2017).
- [2] Alfano CA, Bower JL, Meers JM: Polysomnography-detected bruxism in children is associated with somatic complaints but not anxiety. *J Clin Sleep Med* 14, 23–29 (2018).
- [3] Amorim CSM, Espírito Santo AS, Sommer M, Marques AP: Effect of physical therapy in bruxism treatment: A systematic review. *J Manipulative Physiol Ther* 41, 389–404 (2018).
- [4] Bader G, Lavigne G: Sleep bruxism; an overview of an oromandibular sleep movement disorder. *Sleep Med Rev* 4, 27–43 (2000).
- [5] Bernhardt O, Imhoff B, Lange M, Ottl P: Bruxismus: Ätiologie, Diagnostik, Therapie. *Dtsch Zahnärztl Z* 69, 46–48 (2014).
- [6] Bertazzo-Silveira E, Kruger CM, Porto De Toledo I, Porporatti AL, Dick B, Flores-Mir C, De Luca Canto G: Association between sleep bruxism and alcohol, caffeine, tobacco, and drug abuse: A systematic review. *J Am Dent Assoc* 147, 859–866 e4 (2016).
- [7] Bertazzo-Silveira E, Stuginski-Barbosa J, Porporatti AL, Dick B, Flores-Mir C, Manfredini D, De Luca Canto G: Association between signs and symptoms of bruxism and presence of tori: a systematic review. *Clin Oral Investig* 21, 2789–2799 (2017).
- [8] Blanco Aguilera A, Gonzalez Lopez L, Blanco Aguilera E, De la Hoz Aizpurua JL, Rodriguez Torronteras A, Segura Saint-Gerons R, Blanco Hungria A: Relationship between self-reported sleep bruxism and pain in patients with temporomandibular disorders. *J Oral Rehabil* 41, 564–572 (2014).
- [9] Borie L, Langbour N, Guehl D, Burbaud P, Ella B: Bruxism in craniocervical dystonia: a prospective study. *Cranio* 34, 1–5 (2016).
- [10] Carlsson GE, Egermark I, Magnusson T: Predictors of signs and symptoms of temporomandibular disorders: a 20-year follow-up study from childhood to adulthood. *Acta Odontol Scand* 60, 180–185 (2002).

- [11] Carlsson GE, Egermark I, Magnusson T: Predictors of bruxism, other oral parafunctions, and tooth wear over a 20-year follow-up period. *J Orofac Pain* 17, 50–57 (2003).
- [12] Casett E, Reus JC, Stuginski-Barbosa J, Porporatti AL, Carra MC, Peres MA, de Luca Canto G, Manfredini D: Validity of different tools to assess sleep bruxism: a meta-analysis. *J Oral Rehabil* 44, 722–734 (2017).
- [13] Castrillon EE, Ou KL, Wang K, Zhang J, Zhou X, Svensson P: Sleep bruxism: an updated review of an old problem. *Acta Odontol Scand* 74, 328–334 (2016).
- [14] Castroflorio T, Bargellini A, Rossini G, Cugliari G, Rainoldi A, Deregiibus A: Risk factors related to sleep bruxism in children: A systematic literature review. *Arch Oral Biol* 60, 1618–1624 (2015).
- [15] Cioffi I, Landino D, Donnarumma V, Castroflorio T, Lobbezoo F, Michelotti A: Frequency of daytime tooth clenching episodes in individuals affected by masticatory muscle pain and pain-free controls during standardized ability tasks. *Clin Oral Investig* 21, 1139–1148 (2017).
- [16] De la Hoz-Aizpurua J-L, Díaz-Alonso E, LaTouche-Arbizu R, Mesa-Jiménez J: Sleep bruxism. Conceptual review and update. *Med Oral Patol Oral Cir Bucal* 16, e231–238 (2011).
- [17] De Luca Canto G, Singh V, Bigal ME, Major PW, Flores-Mir C: Association between tension-type headache and migraine with sleep bruxism: a systematic review. *Headache* 54, 1460–1469 (2014).
- [18] De Mello Sposito MM, Feres Teixeira SA: Botulinum Toxin A for bruxism; a systematic review. *Acta Fisiatr.* 21, 201–204 (2014).
- [19] Dharmadhikari S, Romito LM, Dzemidzic M, Dydak U, Xu J, Bodkin CL, Manchanda S, Byrd KE: GABA and glutamate levels in occlusal splint-wearing males with possible bruxism. *Arch Oral Biol* 60, 1021–1029 (2015).
- [20] Ella B, Ghorayeb I, Burbaud P, Gueh D: Bruxism in movement disorders: A comprehensive review. *J Prosthodont* 26, 599–605 (2016).
- [21] Ferreira NMR, Dos Santos JFJ, Dos Santos MBF, Marchini L: Sleep bruxism associated with obstructive sleep apnea syndrome in children. *Cranio* 33, 251–255 (2015).
- [22] Feu D, Catharino F, Quintão CCA, Almeida MAdO: A systematic review of etiological and risk factors associated with bruxism. *JO* 40, 163–171 (2013).

- [23] Garrett AR, Hawley JS: SSRI-associated bruxism: A systematic review of published case reports. *Neurol Clin Pract* 8, 135–141 (2018).
- [24] Gastaldo E, Quatrale R, Graziani A, Eleopra R, Tognoli V, Tola MR, Granieri E: The excitability of the trigeminal motor system in sleep bruxism: a transcranial magnetic stimulation and brainstem reflex study. *J Orofac Pain* 20, 145–155 (2006).
- [25] Ghanizadeh A, Zare S: A preliminary randomised double-blind placebo-controlled clinical trial of hydroxyzine for treating sleep bruxism in children. *J Oral Rehabil* 40, 413–417 (2013).
- [26] Gu W, Yang J, Zhang F, Yin X, Wei X, Wang C: Efficacy of biofeedback therapy via a mini wireless device on sleep bruxism contrasted with occlusal splint: a pilot study. *J Biomed Res* 29, 160–168 (2015).
- [27] Guaita M, Hogl B: Current treatments of bruxism. *Curr Treat Options Neurol* 18, (2016).
- [28] Hesselbacher S, Subramanian S, Rao S, Casturi L, Surani S: Self-reported sleep bruxism and nocturnal gastroesophageal reflux disease in patients with obstructive sleep apnea: relationship to gender and ethnicity. *Open Respir Med J* 8, 34–40 (2014).
- [29] Huang H, Song YH, Wang JJ, Guo Q, Liu WC.: Excitability of the central masticatory pathways in patients with sleep bruxism. *Neurosci Lett* 558, 82–86 (2014).
- [30] Hugger A, Lange M, Schindler HJ, Türp JC: Begriffsbestimmungen: Funktionsstörung, Dysfunktion, craniomandibuläre Dysfunktion (CMD), Myoarthropathie des Kausystems (MAP). *Dtsch Zahnärztl Z* 71, (2016).
- [31] Huynh NT, Rompré PH, Montplaisir JY, Manzini C, Okura K, Lavigne GJ: Comparison of various treatments for sleep bruxism using determinants of number needed to treat and effect size. *Int J Prosthodont* 19, 435–441 (2006).
- [32] Inano S, Mizumori T, Kobayashi Y, Sumiya M, Yatani H: Identification of sleep bruxism with an ambulatory wireless recording system. *Int J Prosthodont* 26, 527–535 (2013).
- [33] Insana SP, Gozal D, McNeil DW, Montgomery-Downs HE: Community based study of sleep bruxism during early childhood. *Sleep Med* 14, 183–188 (2013).
- [34] Ispirgil EP, Erdogan SB, Akin A, Sakar O: The hemodynamic effects of occlusal splint therapy on the masseter muscle of patients with myofascial pain accompanied by bruxism. *Cranio* 1–10 (2018).

- [35] Jiménez-Silva A, Peña-Durán C, Tobar-Reyes J, Frugone-Zambrano R: Sleep and awake bruxism in adults and its relationship with temporomandibular disorders: A systematic review from 2003 to 2014. *Acta Odontol Scand* 875, 36–58 (2016).
- [36] Jokubauskas L, Baltrusaitė A: Efficacy of biofeedback therapy on sleep bruxism: A systematic review and meta-analysis. *J Oral Rehabil* 45, 485–495 (2018).
- [37] Jokubauskas L, Baltrusaitė A, Pileickiene G: Oral appliances for managing sleep bruxism in adults: a systematic review from 2007 to 2017. *J Oral Rehabil* 45, 81–95 (2018).
- [38] Kuhn M, Türp JC: Risikofaktoren für Bruxismus – Eine Literaturübersicht von 2007 bis 2016. *Swiss Dent J* 128, 125–129 (2018).
- [39] Lange M, Bernhardt O: Der Bruxismusstatus – Arbeitsanleitung zur strukturierten Untersuchung. *Journal of Craniomandibular Function* 9, 57–69 (2017).
- [40] Lavigne GJ, Rompré PH, Montplaisir JY.: Sleep bruxism: validity of clinical research diagnostic criteria in a controlled polysomnographic study. *J Dent Res* 75, 546–552 (1996).
- [41] Lavigne GL, Lobbezoo F, Rompré PH, Nielsen TA, Montplaisir J: Cigarette smoking as a risk factor or an exacerbating factor for restless legs syndrome and sleep bruxism. *Sleep* 20, 290–293 (1997).
- [42] Lobbezoo F, Ahlberg J, Manfredini D, Winocur E: Are bruxism and the bite causally related? *J Oral Rehabil* 39, 489–501 (2012).
- [43] Lobbezoo F, Ahlberg J, Raphael KG, Wetselaar P, Glaros AG, Kato R, Santiagom V, Winocur E, De Laat A, De Leeuw R, Koyano K, Lavigne GJ, Svensson P, Manfredini D: International consensus on the assessment of bruxism: Report of a work in progress. *J Oral Rehabil* 45, 1–8 (2018).
- [44] Lobbezoo F, Naeije M: Bruxism is mainly regulated centrally, not peripherally. *J Oral Rehabil* 28, 1085–1091 (2001).
- [45] Lobbezoo F, van der Zaag J, van Selms MK, Hamburger HL, Naeije M: Principles for the management of bruxism. *J Oral Rehabil* 35, 509–523 (2008).
- [46] Macedo CR, Macedo EC, Torloni MR, Silva AB, Prado GF: Pharmacotherapy for sleep bruxism. *Cochrane Database Syst Rev* 1–51 (2014).
- [47] Macedo CR, Silva AB, Machado MA, Saconato H, Prado GF: Occlusal splints for treating sleep bruxism (tooth grinding). *Cochrane Database Syst Rev* 1–29 (2007).
- [48] Machado E, Dal-Fabbro C, Cunali PA, Kaizer OB: Prevalence of sleep bruxism in children; a systematic review. *Dental Press J Orthod* 19, 54–61 (2014).

- [49] Manfredini D, Ahlberg J, Castroflorio T, Poggio CE, Guarda-Nardini L, Lobbezoo F: Diagnostic accuracy of portable instrumental devices to measure sleep bruxism: a systematic literature review of polysomnographic studies. *J Oral Rehabil* 41, 836–842 (2014).
- [50] Manfredini D, Ahlberg J, Winocur E, Lobbezoo F: Management of sleep bruxism in adults: a qualitative systematic literature review. *J Oral Rehabil* 42, 862–874 (2015).
- [51] Manfredini D, Arreghini A, Lombardo L, Visentin A, Cerea S, Castroflorio T, Siciliani G: Assessment of anxiety and coping features in bruxers: A portable electromyographic and electrocardiographic study. *J Oral Facial Pain Headache* 30, 249–254 (2016).
- [52] Manfredini D, Bracci A, Djukic G: BruxApp: the ecological momentary assessment of awake bruxism. *Minerva Stomatol* 65, 252–255 (2016).
- [53] Manfredini D, Fabbri A, Peretta R, Guarda-Nardini L, Lobbezoo F: Influence of psychological symptoms on home-recorded sleep-time masticatory muscle activity in healthy subjects. *J Oral Rehabil* 38, 902–911 (2011).
- [54] Manfredini D, Lobbezoo F: Role of psychosocial factors in the etiology of bruxism. *J Orofac. Pain* 23, 153–166 (2009).
- [55] Manfredini D, Lobbezoo F: Relationship between bruxism and temporomandibular disorders: a systematic review of literature from 1998 to 2008. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 109, e26–50 (2010).
- [56] Manfredini D, Restrepo C, Diaz-Serrano K, Winocur E, Lobbezoo F: Prevalence of sleep bruxism in children: a systematic review of the literature. *J Oral Rehabil* 40, 631–642 (2013).
- [57] Manfredini D, Winocur E, Guarda-Nardini L, Paesani D, Lobbezoo F: Epidemiology of bruxism in adults: a systematic review of the literature. *J Orofac Pain* 27, 99–110 (2013).
- [58] Melo G, Dutra KL, Rodrigues Filho R, Ortega AOL, Porporatti AL, Dick B, Flores-Mir C, De Luca Canto G: Association between psychotropic medications and presence of sleep bruxism: A systematic review. *J Oral Rehabil* 45, 545–554 (2018).
- [59] Mengatto CM, Dalberto Cda S, Scheeren B, Barros SG: Association between sleep bruxism and gastroesophageal reflux disease. *J Prosthet Dent* 110, 349–355 (2013).

- [60] Miettinen T, Myllymaa K, Muraja-Murro A, Westeren-Punnonen S, Hukkanen T, Töyräs J, Lappalainen R, Mervaala E, Sipila K, Myllymaa S: Screen-printed ambulatory electrode set enables accurate diagnostics of sleep bruxism. *J Sleep Res* 27, 103–112 (2018).
- [61] Minakuchi H, Sogawa C, Hara ES, Miki H, Maekawa K, Sogawa N, Kitayama S, Matsuka Y, Clark GT, Kuboki T: Comparison of platelet serotonin transporter activity in subjects with severe sleep bruxism and control. *J Prosthodont Res* 58, 217–222 (2014).
- [62] Minakuchi H, Sogawa C, Miki H, Hara ES, Maekawa K, Sogawa N, Kitayama S, Matsuka Y, Clark GT, Kuboki T: Sleep bruxism frequency and platelet serotonin transporter activities in young adult subjects. *Sleep Breath* 20, 271–276 (2016).
- [63] Ohmure H, Kanematsu-Hashimoto K, Nagayama K, Taguchi H, Ido A, Tominaga K, Arakawa T, Miyawaki S: Evaluation of a proton pump inhibitor for sleep bruxism: A randomized clinical trial. *J Dent Res* 95, 1479–1486 (2016).
- [64] Ommerborn MA, Girak M, Schneider C, Schäfer R, Gotter A, Franz M, Raab W H-M: Diagnosis and quantification of sleep bruxism: New analysis method for the Bruxcore Bruxism. *Cranio Mandib Func* 7, 135–150 (2015).
- [65] Palinkas M, De Luca Canto G, Rodrigues LAM, Bataglion C, Siéssere S, Semprini M, Regalo SCH: Comparative capabilities of clinical assessment, diagnostic criteria, and polysomnography in detecting sleep bruxism. *J. Clin. Sleep Med.* 11, 1319–1325 (2015).
- [66] Peskersoy C, Peker S, Kaya A, Unalp A, Gokay N: Evaluation of the relationship between migraine disorder and oral comorbidities: multicenter randomized clinical trial. *Turk J Med Sci* 46, 712–718 (2016).
- [67] Raphael KG, Janal MN, Sirois DA, Dubrovsky B, Klausner JJ, Krieger AC, Lavigne GJ.: Validity of self-reported sleep bruxism among myofascial temporomandibular disorder patients and controls. *J Oral Rehabil* 42, 751–758 (2015).
- [68] Restrepo CC, Alvarez E, Jaramillo C, Vélez C, Valencia I: Effects of psychological techniques on bruxism in children with primary teeth. *J Oral Rehabil* 28, 354–360 (2001).
- [69] Rompré PH, Daigle-Landry D, Guitard F, Montplaisir JY, Lavigne GJ: Identification of a sleep bruxism subgroup with a higher risk of pain. *J Dent Res* 86, 837–842 (2007).

- [70] Schiffman E, Ohrbach R, Truelove E, Look J, Anderson G, Goulet JP, List T, Svensson P, Gonzalez Y, Lobbezoo F, Michelotti A, Brooks SL, Ceusters W, Drangsholt M, Ettlin D, Gaul C, Goldberg LJ, Haythornthwaite JA, Hollender L, Jensen R, John MT, De Laat A, de Leeuw R, Maixner W, van der Meulen M, Murray GM, Nixdorf DR, Palla S, Petersson A, Pionchon P, Smith B, Visscher CM, Zakrzewska J, Dworkin SF: Diagnostic criteria for temporomandibular disorders (DC/TMD) for clinical and research applications: recommendations of the International RDC/TMD Consortium Network\* and Orofacial Pain Special Interest Group. *J Oral Facial Pain Headache* 28, 6–27 (2014).
- [71] Serra-Negra JM, Paiva SM, Seabra AP, Dorella C, Lemos BF, Pordeus IA: Prevalence of sleep bruxism in a group of Brazilian schoolchildren. *Eur Arch Paediatr Dent* 11, 192–195 (2010).
- [72] Shetty S, Pitti V, Satish Babu CL, Surendra Kumar GP, Deepthi BC: Bruxism: a literature review. *J Indian Prosthodont Soc* 10, 141–148 (2010).
- [73] Sierwald I, John MT, Schierz O, Hirsch C, Sagheri D, Jost-Brinkmann PG, Reissmann DR: Association of temporomandibular disorder pain with awake and sleep bruxism in adults. *J Orofac Orthop* 76, 305–317 (2015).
- [74] Singh PK, Alvi HA, Singh BP, Singh RD, Kant S, Jurel S, Singh K, Arya D, Dubey A: Evaluation of various treatment modalities in sleep bruxism. *J Prosthet Dent* 114, 426–431 (2015).
- [75] Stapelmann H, Türp JC: The NTI-tss device for the therapy of bruxism, temporomandibular disorders, and headache – where do we stand? A qualitative systematic review of the literature. *BMC Oral Health* 8, 1–23 (2008).
- [76] Stuginski-Barbosa J, Porporatti AL, Costa YM, Svensson P, Conti PC: Diagnostic validity of the use of a portable single-channel electromyography device for sleep bruxism. *Sleep Breath* 20, 695–702 (2016).
- [77] Tahara Y, Sakurai K, Ando T: Influence of chewing and clenching on salivary cortisol levels as an indicator of stress. *J Prosthodont* 16, 129–135 (2007).
- [78] Treacy K: Awareness/relaxation training and transcutaneous electrical neural stimulation in the treatment of bruxism. *J Oral Rehabil* 26, 280–287 (1999).
- [79] Trindade M, Orestes-Cardoso S, de Siqueira TC: Interdisciplinary treatment of bruxism with an occlusal splint and cognitive behavioral therapy. *Gen Dent* 63, e1–4 (2015).

- [80] Valiente Lope M, van Selms MK, van der Zaag J, Hamburger HL, Lobbezoo F: Do sleep hygiene measures and progressive muscle relaxation influence sleep bruxism? Report of a randomised controlled trial. *J Oral Rehabil* 42, 259–265 (2015).
- [81] Versiani Gonçalves LP, Ayrton de Toledo O, Barreto Bezerra AC, Coelho Leal S: Variables associated with bruxism in children and adolescents. *ConScientiae Saúde* 8, 397–403 (2009).
- [82] Watanabe A, Kanemura K, Tanabe N, Fujisawa M: Effect of electromyogram biofeedback on daytime clenching behavior in subjects with masticatory muscle pain. *J Prosthodont Res* 55, 75–81 (2011).
- [83] Wetselaar P, Lobbezoo F, Koutris M, Visscher CM, Naeije M: Reliability of an occlusal and nonocclusal tooth wear grading system: clinical use versus dental cast assessment. *Int J Prosthodont* 22, 388–390 (2009).
- [84] Winocur E, Gavish A, Volfin G, Halachmi M, Gazit E: Oral motor parafunctions among heavy drug addicts and their effects on signs and symptoms of temporomandibular disorders. *J Orofac Pain* 15, 56–63 (2001).