

1. Deutsche Gesellschaft für Ernährung. Ernährung im hohen Alter. 3. Bonn; 2010.
2. World Health Organization. Ageing and Life Course [Internet]. [zitiert 28. Januar 2020]. Verfügbar unter: <https://www.who.int/healthinfo/survey/ageingdefnolder/en/>
3. Statistisches Bundesamt. Statistisches Jahrbuch für die Bundesrepublik Deutschland. Wiesbaden; 2006.
4. Reissmann DR, Lamprecht R. Zahn- und Mundgesundheit im Alter. 1. Aufl. Berlin: de Gruyter; 2017. (Praxiswissen Gerontologie und Geriatrie kompakt; Bd. 9).
5. Xu F, Laguna L, Sarkar A. Aging-related changes in quantity and quality of saliva: Where do we stand in our understanding? J Texture Stud. Februar 2019;50(1):27–35.
6. Ogawa T, Uota M, Ikebe K, Arai Y, Kamide K, Gondo Y, et al. Longitudinal study of factors affecting taste sense decline in old-old individuals. J Oral Rehabil. Januar 2017;44(1):22–9.
7. Volkert D. Ernährung im Alter. Berlin/Boston: de Gruyter; 2015. (Praxiswissen Gerontologie und Geriatrie Kompakt; Bd. 4).
8. Zglinicki T. Alter und Altern. In: Physiologie des Menschen; Brandes, R, Lang, F, Schmidt, R F (Hrsg). 32. Aufl. Berlin, Heidelberg: Springer; 2019. S. 988–1003.
9. Dommisch H, Kepschull M, Jepsen S. Allgemeine Gesundheit und Parodontitis. Zahnärztl Mitt. 2017;(23–24).
10. Jordan R, Micheelis W. Fünfte Deutsche Mundgesundheitsstudie (DMS V). Deutscher Ärzte-Verlag; 2016. (Materialienreihe; Bd. 35).
11. Schüler I. Die Fähigkeit zur Zahn- und Prothesenreinigung von geriatrischen Patienten schnell und einfach testen. Gesundheitswesen. 2019;81(3):258 (Abstr.).
12. Both T, Dalm VASH, van Hagen PM, van Daele PLA. Reviewing primary Sjögren's syndrome: beyond the dryness - From pathophysiology to diagnosis and treatment. Int J Med Sci. 2017;14(3):191–200.
13. López-Pintor RM, Casañas E, González-Serrano J, Serrano J, Ramírez L, de Arriba L, et al. Xerostomia, Hyposalivation, and Salivary Flow in Diabetes Patients. J Diabetes Res. 2016;2016:4372852.
14. Hahnel S. Mundtrockenheit - Ursache, Diagnose, Therapie. Balingen: Spitta; 2012.

15. Delli K, Spijkervet FKL, Kroese FGM, Bootsma H, Vissink A. Xerostomia. *Monogr Oral Sci.* 2014;24:109–25.
16. Nederfors T, Isaksson R, Mörnstad H, Dahlöf C. Prevalence of perceived symptoms of dry mouth in an adult Swedish population – relation to age, sex and pharmacotherapy. *Community Dent Oral Epidemiol.* Juni 1997;25(3):211–6.
17. Kho HS, Lee SW, Chung SC, Kim YK. Oral manifestations and salivary flow rate, pH, and buffer capacity in patients with end-stage renal disease undergoing hemodialysis. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* September 1999;88(3):316–9.
18. Nguyen CT, Lin S, Clark H, Hovan A, Wu J. Salivary flow rate after conventional and intensity-modulated radiation therapy. *J Am Dent Assoc.* Juni 2018;149(6):432–41.
19. Kiche MS, Fayle SA, Curzon ME. A clinical trial comparing the effectiveness of a three-headed versus a conventional toothbrush for oral hygiene in children. *Eur J Paediatr Dent.* März 2002;3(1):33–8.
20. Winterfeld T, Schlueter N, Harnacke D, Illig J, Margraf-Stiksrud J, Deinzer R, et al. Toothbrushing and flossing behaviour in young adults – a video observation. *Clin Oral Investig.* 2015;19:851–8.
21. Ganss C, Duran R, Winterfeld T, Schlueter N. Tooth brushing motion patterns with manual and powered toothbrushes – a randomised video observation study. *Clin Oral Investig.* 2018;22(2):715–20.
22. Wainwright J, Sheiham A. An analysis of methods of toothbrushing recommended by dental associations, toothpaste and toothbrush companies and in dental texts. *Br Dent J.* August 2014;217:E5-.
23. Worthington HV, MacDonald L, Poklepovic Pericic T, Sambunjak D, Johnson TM, Imai P, u. a. Home use of interdental cleaning devices, in addition to toothbrushing, for preventing and controlling periodontal diseases and dental caries. *Cochrane Database Syst Rev.* 10. April 2019;4(4):CD012018.
24. Abouassi T, Woelber JP, Holst K, Stampf S, Doerfer CE, Hellwig E, u. a. Clinical efficacy and patients' acceptance of a rubber interdental bristle. A randomized controlled trial. *Clin Oral Investig.* September 2014;18(7):1873–80.
25. Stauff I, Derman S, Barbe AG, Hoefler KC, Bizhang M, Zimmer S, u. a. Efficacy and acceptance of a high-velocity microdroplet device for interdental cleaning in gingivitis patients – a monitored, randomized controlled trial. *Int J Dent Hyg.* 2018;16(2):e31–7.
26. Marinho VCC, Chong LY, Worthington HV, Walsh T. Fluoride mouthrinses for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev.* 29. Juli 2016;7:CD002284.
27. Marinho VCC, Worthington HV, Walsh T, Chong LY. Fluoride gels for preventing dental caries in children and adolescents. *Cochrane Database Syst Rev.* 15. Juni 2015;2015(6):CD002280.

28. Walsh T, Worthington HV, Glenny A-M, Marinho VC, Jeroncic A. Fluoride toothpastes of different concentrations for preventing dental caries. *Cochrane Database Syst Rev.* 4. März 2019;3(3):CD007868.
29. Meyer-Lueckel H, Machiulskiene V, Giacaman RA. How to Intervene in the Root Caries Process? Systematic Review and Meta-Analyses. *Caries Res.* 2019;53(6):599–608.
30. Ekstrand KR. High Fluoride Dentifrices for Elderly and Vulnerable Adults: Does It Work and if So, Then Why? *Caries Res.* 2016;50 Suppl 1:15–21.
31. Urquhart O, Tampi MP, Pilcher L, Slayton RL, Araujo MWB, Fontana M, et al. Nonrestorative Treatments for Caries: Systematic Review and Network Meta-analysis. *J Dent Res.* Januar 2019;98(1):14–26.
32. Heijnsbroek M, Paraskevas S, Van der Weijden GA. Fluoride interventions for root caries: a review. *Oral Health Prev Dent.* 2007;5(2):145–52.
33. Van Nieuw Amerongen A, Bolscher JGM, Veerman ECI. Salivary proteins: protective and diagnostic value in cariology? *Caries Res.* Juni 2004;38(3):247–53.
34. Deng J, Jackson L, Epstein JB, Migliorati CA, Murphy BA. Dental demineralization and caries in patients with head and neck cancer. *Oral Oncol.* September 2015;51(9):824–31.
35. Papas A, Russell D, Singh M, Stack K, Kent R, Triol C, et al. Double blind clinical trial of a remineralizing dentifrice in the prevention of caries in a radiation therapy population. *Gerodontology.* Juli 1999;16(1):2–10.
36. Singh ML, Papas AS. Long-term clinical observation of dental caries in salivary hypofunction patients using a supersaturated calcium-phosphate remineralizing rinse. *J Clin Dent.* 2009;20(3):87–92.
37. Ganss C, Neutard L, von Hinckeldey J, Klimek J, Schlueter N. Efficacy of a tin/fluoride rinse: a randomized in situ trial on erosion. *J Dent Res.* 2010;89:1214–8.
38. Pini NIP, Schlueter N, Sundfeld D, Semper Hogg W, Santos-Silva AR, Lopes MA, et al. Efficacy of Stannous Ions on Enamel Demineralization under Normal and Hyposalivatory Conditions: A Controlled Randomized in situ Pilot Trial. *Caries Res.* 2018;51(6):543–53.
39. van Loveren C. Sugar Restriction for Caries Prevention: Amount and Frequency. Which Is More Important? *Caries Res.* 2019;53(2):168–75.
40. Woelber JP, Bremer K, Vach K, König D, Hellwig E, Ratka-Krüger P, u. a. An oral health optimized diet can reduce gingival and periodontal inflammation in humans – a randomized controlled pilot study. *BMC Oral Health.* 26 2016;17(1):28.

41. Ellefsen B, Holm-Pedersen P, Morse DE, Schroll M, Andersen BB, Waldemar G. Caries prevalence in older persons with and without dementia. *J Am Geriatr Soc*. Januar 2008;56(1):59–67.