

Bringt uns das Angebot an Zirkonoxid noch um?

- [1] Stawarczyk B, Keul C, Eichberger M, Figge D, Edelhoff D, Lümkemann N: Werkstoffkunde-Update: Zirkonoxid und seine Generationen – von verblendet bis monolithisch. *Quintessenz Zahntech* 42, 740–765 (2016).
- [2] Stawarczyk B, Keul C, Eichberger M, Figge D, Edelhoff D, Lumkemann N: Three generations of zirconia: From veneered to monolithic. Part I. *Quintessence Int* 48, 369–380 (2017).
- [3] Stawarczyk B, Keul C, Eichberger M, Figge D, Edelhoff D, Lümkemann N: Three generations of zirconia: From veneered to monolithic. Part II. *Quintessence Int* 48, 441–450 (2017).
- [4] Stawarczyk B, Emslander A, Roos M, Sener B, Noack F, Keul C: Zirconia ceramics, their contrast ratio and grain size depending on sintering parameters. *Dental Materials Journal* 33, 591–598 (2014).
- [5] Carrabba M, Keeling AJ, Aziz A, Vichi A, Fabian Fonzar R, Wood D, Ferrari M: Translucent zirconia in the ceramic scenario for monolithic restorations: A flexural strength and translucency comparison test. *J Dent* 60, 70–76 (2017).
- [6] Zhang F, Inokoshi M, Batuk M, Hadermann J, Naert I, Van Meerbeek B, Vleugels J: Strength, toughness and aging stability of highly-translucent Y-TZP ceramics for dental restorations. *Dent Mater* 32, e327–e337 (2016).
- [7] Sulaiman TA, Abdulmajeed AA, Shahramian K, Lassila L: Effect of different treatments on the flexural strength of fully versus partially stabilized monolithic zirconia. *J Prosthet Dent* (2017). [Epup ahead of print]
- [8] Scherrer SS, Lohbauer U, Della Bona A, Vichi A, Tholey MJ, Kelly JR, van Noort R, Cesar PF: ADM guidance-Ceramics: guidance to the use of fractography in failure analysis of brittle materials. *Dent Mater* 33, 599–620 (2017).
- [9] Cesar PF, Della Bona A, Scherrer SS, Tholey M, van Noort R, Vichi A, Kelly R, Lohbauer U: ADM guidance-Ceramics: Fracture toughness testing and method selection. *Dent Mater* 33, 575–584 (2017).
- [10] Liu H, Zhao W, Ji Y, Cui J, Chu Y, Rao P: Determination of fracture toughness of zirconia ceramics with different yttria concentrations by SEVNB method. *Ceramics International* 43, 10572–10575 (2017).
- [11] Scherrer SS, Denry IL, Wiskott HA: Comparison of three fracture toughness testing techniques using a dental glass and a dental ceramic. *Dental Materials* 14, 246–255 (1998).
- [12] Inokoshi M, Zhang F, Vanmeensel K, De Munck J, Minakuchi S, Naert I, Vleugels J, Van Meerbeek B: Residual compressive surface stress increases the bending strength of dental zirconia. *Dent Mater* 33, e147–e154 (2017).
- [13] Loganathan A, Gandhi AS: Effect of phase transformations on the fracture toughness of t' yttria stabilized zirconia. *Materials Science and Engineering: A* 556, 927–935 (2012).
- [14] Kailer A, Stephan M: On the feasibility of the Chevron Notch Beam method to measure fracture toughness of fine-grained zirconia ceramics. *Dent Mater* 32, 1256–1262 (2016).