

ZMK 7-8/2020 (36)

Prof. Dr. Dr. Christian Walter

Allgemeine Risikofaktoren für die Entwicklung einer Periimplantitis

- [1] Alasqah MN, Alrabiah M, Al-Aali KA, Mokeem SA, Binmahfooz AM, ArRejaie AS, Abduljabbar T: Peri-implant soft tissue status and crestal bone levels around adjacent implants placed in patients with and without type-2 diabetes mellitus: 6 years follow-up results. *Clin Implant Dent Relat Res* 20 (4), 562–568 (2018).
- [2] Albrektsson T, Zarb G, Worthington P, Eriksson AR: The long-term efficacy of currently used dental implants: a review and proposed criteria of success. *Int J Oral Maxillofac Implants* 1 (1), 11–25 (1986).
- [3] Berglundh T, Armitage G, Araujo MG, Avila-Ortiz G, Blanco J, Camargo PM, Chen S, Cochran D, Derks J, Figuero E, Hammerle CHF, Heitz-Mayfield LJA, Huynh-Ba G, Iacono V, Koo KT, Lambert F, McCauley L, Quirynen M, Renvert S, Salvi GE, Schwarz F, Tarnow D, Tomasi C, Wang HL, Zitzmann N: Peri-implant diseases and conditions: Consensus report of workgroup 4 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *J Periodontol* 89 (Suppl 1), S313–S318 (2018).
- [4] Buser D, Weber HP, Lang NP: Tissue integration of non-submerged implants. 1-year results of a prospective study with 100 ITI hollow-cylinder and hollow-screw implants. *Clin Oral Implants Res* 1 (1), 33–40 (1990).
- [5] Costa FO, Takenaka-Martinez S, Cota LO, Ferreira SD, Silva GL, Costa JE: Peri-implant disease in subjects with and without preventive maintenance: a 5-year follow-up. *J Clin Periodontol* 39 (2), 173–181 (2012).
- [6] Derks J, Tomasi C: Peri-implant health and disease. A systematic review of current epidemiology. *J Clin Periodontol* 42 (Suppl 16), S158–171 (2015).
- [7] Fuchs J, Scheidt-Nave C, Kuhnert R: Robert Koch-Institut Fact Sheet. 12-Monats-Prävalenz von Osteoporose in Deutschland. *Journal of Health Monitoring* 2 (3), 61–65 (2017).
- [8] Hagelauer N, Pabst AM, Ziebart T, Ulbrich H, Walter C: In vitro effects of bisphosphonates on chemotaxis, phagocytosis, and oxidative burst of neutrophil granulocytes. *Clin Oral Investig* 19 (1), 139–148 (2015).
- [9] Herold G: *Innere Medizin*. Köln: Eigenverlag (2019).
- [10] Institut RK: Nationale Diabetes-Surveillance am Robert Koch-Institut (2019) Diabetes in Deutschland – Bericht der Nationalen Diabetes-Surveillance 2019. Berlin: Robert Koch-Institut (2019).
- [11] Jackowski J, Schmitz-Bortz E, Terheyden H: Zur Problematik oraler Implantate bei rheumatischen Erkrankungen. *Implantologie* 20 (4), 411–425 (2012).

[12] Jacobi-Gresser E: Titanüberempfindlichkeit oder Titanunverträglichkeit. *Quintessenz* 68 (12), 1413–1420 (2017).

[13] Jepsen S, Caton JG, Albandar JM, Bissada NF, Bouchard P, Cortellini P, Demirel K, de Sanctis M, Ercoli C, Fan J, Geurs NC, Hughes FJ, Jin L, Kantarci A, Lalla E, Madianos PN, Matthews D, McGuire MK, Mills MP, Preshaw PM, Reynolds MA, Sculean A, Susin C, West NX, Yamazaki K: Periodontal manifestations of systemic diseases and developmental and acquired conditions: Consensus report of workgroup 3 of the 2017 World Workshop on the Classification of Periodontal and Peri-Implant Diseases and Conditions. *J Periodontol* 89 (Suppl 1), S237–S248 (2018).

[14] Jung RE, Al-Nawas B, Araujo M, Avila-Ortiz G, Barter S, Brodala N, Chappuis V, Chen B, De Souza A, Almeida RF, Fickl S, Finelle G, Ganeles J, Gholami H, Hammerle C, Jensen S, Jokstad A, Katsuyama H, Kleinheinz J, Kunavisarut C, Mardas N, Monje A, Papaspyridakos P, Payer M, Schiegnitz E, Smeets R, Stefanini M, Ten Bruggenkate C, Vazouras K, Weber HP, Weingart D, Windisch P: Group 1 ITI Consensus Report: The influence of implant length and design and medications on clinical and patient-reported outcomes. *Clin Oral Implants Res* 29 (Suppl 16), 69–77 (2018).

[15] Krennmair G, Seemann R, Piehslinger E: Dental implants in patients with rheumatoid arthritis: clinical outcome and peri-implant findings. *J Clin Periodontol* 37 (10), 928–936 (2010).

[16] Lekholm U, Zarb GA: Patient selection and preparation. *Tissue integrated prostheses: osseointegration in clinical dentistry*. Chicago: Quintessence (1985).

[17] Levin L, Ofec R, Grossmann Y, Anner R: Periodontal disease as a risk for dental implant failure over time: a long-term historical cohort study. *J Clin Periodontol* 38 (8), 732–737 (2011).

[18] Merheb J, Temmerman A, Rasmusson L, Kubler A, Thor A, Quirynen M: Influence of skeletal and local bone density on dental implant stability in patients with osteoporosis. *Clin Implant Dent Relat Res* 18 (2), 253–260 (2016).

[19] Misch CE, Perel ML, Wang HL, Sammartino G, Galindo-Moreno P, Trisi P, Steigmann M, Rebaudi A, Palti A, Pikos MA, Schwartz-Arad D, Choukroun J, Gutierrez-Perez JL, Marenzi G, Valavanis DK: Implant success, survival, and failure: the International Congress of Oral Implantologists (ICOI) Pisa Consensus Conference. *Implant Dent* 17 (1), 5–15 (2008).

[20] Moraschini V, Poubel LA, Ferreira VF, Barboza Edos S: Evaluation of survival and success rates of dental implants reported in longitudinal studies with a follow-up period of at least 10 years: a systematic review. *Int J Oral Maxillofac Surg* 44 (3), 377–388 (2015).

[21] Naseri R, Yaghini J, Feizi A: Levels of smoking and dental implants failure: A systematic review and meta-analysis. *J Clin Periodontol* 47 (4), 518–528 (2020).

- [22] Naujokat H, Bormann KH, Jakobs W, Wiegner JU, Wiltfang J (LL-Koordinator) PDDJrW, Bormann DHNfhAdLPDK-H, Jakobs DDW, Wiegner DJr-U: S3 Leitlinie Zahnimplantate bei Diabetes mellitus. AWMF (2016).
- [23] Polak D, Shapira L: An update on the evidence for pathogenic mechanisms that may link periodontitis and diabetes. *J Clin Periodontol* 45 (2), 150–166 (2018).
- [24] Rahimi-Nedjat RK, Sagheb K, Pabst A, Foersch M, Jacobs C, Vollandt L, Al-Nawas B, Walter C: Diabetes and hyperglycemia as risk factors for postoperative outcome in maxillofacial surgery. *J Surg Res* 217, 170–176 (2017).
- [25] Rahimi-Nedjat RK, Sagheb K, Pabst A, Olk L, Walter C: Diabetes mellitus and its association to the occurrence of medication-related osteonecrosis of the jaw. *Dent J (Basel)* 4 (2) (2016).
- [26] Rakic M, Galindo-Moreno P, Monje A, Radovanovic S, Wang HL, Cochran D, Sculean A, Canullo L: How frequent does peri-implantitis occur? A systematic review and meta-analysis. *Clin Oral Investig* 22 (4), 1805–1816 (2018).
- [27] Schimmel M, Muller F, Suter V, Buser D: Implants for elderly patients. *Periodontol* 2000 73 (1), 228–240 (2017).
- [28] Shibli JA, Grande PA, d'Avila S, Iezzi G, Piattelli A: Evaluation of human bone around a dental implant retrieved from a subject with osteoporosis. *Gen Dent* 56 (1), 64–67 (2008).
- [29] Smith DE, Zarb GA: Criteria for success of osseointegrated endosseous implants. *J Prosthet Dent* 62 (5), 567–572 (1989).
- [30] Walter C: Bohrprotokollmodifikationen – Bohrprotokolle für die sichere Planung in der Implantologie. *Zeitschrift für Zahnärztliche Implantologie* 34 (02), 92–98 (2018).
- [31] Walter C, Al-Nawas B: Implantatverlust unter dem Aspekt des Cluster-Failure. *Quintessenz* 64 (12), 1497–1501 (2013).
- [32] Walter C, Al-Nawas B, Haßfeld S, Sader R, Ullner M, Grötz KA: S3 Leitlinie Zahnimplantate bei medikamentöser Behandlung mit Knochenantiresorptiva (inkl. Bisphosphonate). AWMF (2016).