

- [1] Absi EG, Addy M, Adams D: Dentine hypersensitivity – the effect of toothbrushing and dietary compounds on dentine in vitro: an SEM study. *J Oral Rehabil* 19, 101–110 (1992).
- [2] Al-Omiri MK, Lamey PJ, Clifford T: Impact of tooth wear on daily living. *Int J Prosthodont* 19, 601–605 (2006).
- [3] Arowojolu MO: Erosion of tooth enamel surfaces among battery chargers and automobile mechanics in Ibadan: a comparative study. *Afr J Med Med Sci* 30, 5–8 (2001).
- [4] Attin T, Buchalla W, Putz B: In vitro evaluation of different remineralization periods in improving the resistance of previously eroded bovine dentine against tooth-brushing abrasion. *Arch Oral Biol* 46, 871–874 (2001).
- [5] Attin T, Deifuss H, Hellwig E: Influence of acidified fluoride gel on abrasion resistance of eroded enamel. *Caries Res* 33, 135–139 (1999).
- [6] Attin T, Koidl U, Buchalla W, Schaller HG, Kielbassa AM, Hellwig E: Correlation of microhardness and wear in differently eroded bovine dental enamel. *Arch Oral Biol* 42, 243–250 (1997).
- [7] Attin T, Weiss K, Becker K, Buchalla W, Wiegand A: Impact of modified acidic soft drinks on enamel erosion. *Oral Dis* 11, 7–12 (2005).
- [8] Bartlett DW: Retrospective long term monitoring of tooth wear using study models. *Br Dent J* 194, 211–213; discussion 204 (2003).
- [9] Bartlett DW: The role of erosion in tooth wear: aetiology, prevention and management. *Int Dent J* 55, 277–284 (2005).
- [10] Bartlett DW, Blunt L, Smith BG: Measurement of tooth wear in patients with palatal erosion. *Br Dent J* 182, 179–184 (1997).
- [11] Bartlett DW, Evans DF, Anggiansah A, Smith BG: A study of the association between gastro-oesophageal reflux and palatal dental erosion. *Br Dent J* 181, 125–131 (1996).
- [12] Bartlett DW, Evans DF, Smith BG: The relationship between gastro-oesophageal reflux disease and dental erosion. *J Oral Rehabil* 23, 289–297 (1996).
- [13] Bizhang M, Riemer K, Arnold WH, Domin J, Zimmer S: Influence of bristle stiffness of manual toothbrushes on eroded and sound human dentin – an in vitro study. *PLoS One* 11, e0153250 (2016).
- [14] Björn H, Lindhe J: Abrasion of dentine by toothbrush and dentifrice. A methodological study. *Odontol Revy* 17, 17–27 (1966).
- [15] Brannstrom M, Linden LA, Astrom A: The hydrodynamics of the dental tubule and of pulp fluid. A discussion of its significance in relation to dentinal sensitivity. *Caries Res* 1, 310–317 (1967).
- [16] Centerwall BS, Armstrong CW, Funkhouser LS, Elzay RP: Erosion of dental enamel among competitive swimmers at a gas-chlorinated swimming pool. *Am J Epidemiol* 123, 641–647 (1986).
- [17] Dagli Ü, Kalkan İH: Treatment of reflux disease during pregnancy and lactation. *Turk J Gastroenterol* 28, S53–S56 (2017).

- [18] Farahmand F, Sabbaghian M, Ghodousi S, Seddighoraei N, Abbasi M: Gastroesophageal reflux disease and tooth erosion: a cross-sectional observational study. *Gut Liver* 7, 278–281 (2013).
- [19] Ganss C: Is erosive tooth wear an oral disease? *Monogr Oral Sci* 25, 16–21 (2014).
- [20] Ganss C, Klimek J, Schlueter N: Erosion/abrasion-preventing potential of NaF and F/Sn/chitosan toothpastes in dentine and impact of the organic matrix. *Caries Res* 48, 163–169 (2014).
- [21] Ganss C, Lussi A, Schlueter N: The histological features and physical properties of eroded dental hard tissues. *Monogr Oral Sci* 25, 99–107 (2014).
- [22] Gonzalez-Cabezas C, Hara AT, Hefferren J, Lippert F: Abrasivity testing of dentifrices – challenges and current state of the art. *Monogr Oral Sci* 23, 100–107 (2013).
- [23] Grippo JO: Abfractions: a new classification of hard tissue lesions of teeth. *J Esthet Dent* 3, 14–19 (1991).
- [24] Hausen H, Seppa L, Poutanen R, Niinimaa A, Lahti S, Kärkkäinen S, Pietilä I: Noninvasive control of dental caries in children with active initial lesions. A randomized clinical trial. *Caries Res* 41, 384–391 (2007).
- [25] Heasman PA, Holliday R, Bryant A, Preshaw PM: Evidence for the occurrence of gingival recession and non-carious cervical lesions as a consequence of traumatic toothbrushing. *J Clin Periodontol* 42 Suppl 16, S237–255 (2015).
- [26] Hellwig E, Lussi A: Oral hygiene products, medications and drugs – hidden aetiological factors for dental erosion. *Monogr Oral Sci* 25, 155–162 (2014).
- [27] Hermont AP, Pordeus IA, Paiva SM, Abreu MH, Auad SM: Eating disorder risk behavior and dental implications among adolescents. *Int J Eat Disord* 46, 677–683 (2013).
- [28] Hunt JN: The composition of gastric juice. *J Physiol* 113, 419–424 (1951).
- [29] Johansson AK, Norring C, Unell L, Johansson A: Eating disorders and oral health: a matched case-control study. *Eur J Oral Sci* 120, 61–68 (2012).
- [30] Kaidonis JA: Tooth wear: the view of the anthropologist. *Clin Oral Investig* 12 (Suppl 1), S21–26 (2008).
- [31] Kaifu Y, Kasai K, Townsend GC, Richards LC: Tooth wear and the “design” of the human dentition: a perspective from evolutionary medicine. *Am J Phys Anthropol* Suppl 37, 47–61 (2003).
- [32] Kanzow P, Wegehaupt FJ, Attin T, Wiegand A: Ätiologie und Pathogenese erosiver Zahnhartsubstanzdefekte. *Quintessence* 66, 1013–1017 (2015).
- [33] Kanzow P, Wegehaupt FJ, Attin T, Wiegand A: Etiology and pathogenesis of dental erosion. *Quintessence Int* 47, 275–278 (2016).
- [34] Larsen MJ: Chemical events during tooth dissolution. *J Dent Res* 69 (Spec No), 575–580; discussion 634 (1990).
- [35] Levitch LC, Bader JD, Shugars DA, Heymann HO: Non-carious cervical lesions. *J Dent* 22, 195–207 (1994).
- [36] Lussi A, Jäggi T, Schärer S: The influence of different factors on in vitro enamel erosion. *Caries Res* 27, 387–393 (1993).
- [37] Lussi A, João-Souza SH, Megert B, Carvalho TS, Baumann T: The erosive potential of different drinks, foodstuffs and medicines – a vade mecum. *Swiss Dent J* 129, 479–487 (2019).
- [38] Lussi A, Schaffner M, Hotz P, Suter P: Dental erosion in a population of Swiss adults. *Community Dent Oral Epidemiol* 19, 286–290 (1991).

- [39] Lussi A, Schlueter N, Rakhmatullina E, Ganss C: Dental erosion – an overview with emphasis on chemical and histopathological aspects. *Caries Res* 45 (Suppl 1), 2–12 (2011).
- [40] Manly RS, Wiren J, Manly PJ, Keene RC: A method for measurement of abrasion of dentine by toothbrush and dentifrice. *J Dent Res* 44, 533–540 (1965).
- [41] Mehl A, Koch R, Zaruba M, Ender A: 3D monitoring and quality control using intraoral optical camera systems. *Int J Comput Dent* 16, 23–36 (2013).
- [42] Mulic A, Tveit AB, Songe D, Sivertsen H, Skaare AB: Dental erosive wear and salivary flow rate in physically active young adults. *BMC Oral Health* 12, 8 (2012).
- [43] Ohrn R, Enzell K, Angmar-Månsson B: Oral status of 81 subjects with eating disorders. *Eur J Oral Sci* 107, 157–163 (1999).
- [44] Orr WC: Sleep and gastroesophageal reflux: what are the risks. *Am J Med* 115 (Suppl 3A), 109S–113S (2003).
- [45] Orr WC: Therapeutic options in the treatment of nighttime gastroesophageal reflux. *Digestion* 72, 229–238 (2005).
- [46] Pace F, Pallotta S, Tonini M, Vakil N, Bianchi Porro G: Systematic review: gastro-oesophageal reflux disease and dental lesions. *Aliment Pharmacol Ther* 27, 1179–1186 (2008).
- [47] Ranjitkar S, Rodriguez JM, Kaidonis JA, Richards LC, Townsend GC, Bartlett DW: The effect of casein phosphopeptide-amorphous calcium phosphate on erosive enamel and dentine wear by toothbrush abrasion. *J Dent* 37, 250–254 (2009).
- [48] Roberts MW, Tylenda CA: Dental aspects of anorexia and bulimia nervosa. *Pediatrician* 16, 178–184 (1989).
- [49] Sangnes G: Traumatization of teeth and gingiva related to habitual tooth cleaning procedures. *J Clin Periodontol* 3, 94–103 (1976).
- [50] Schlueter N, Ganss C, De Sanctis S, Klimek J: Evaluation of a profilometrical method for monitoring erosive tooth wear. *Eur J Oral Sci* 113, 505–511 (2005).
- [51] Schlueter N, Hardt M, Lussi A, Engelmann F, Klimek J, Ganss C: Tin-containing fluoride solutions as anti-erosive agents in enamel: an in vitro tin-uptake, tissue-loss, and scanning electron micrograph study. *Eur J Oral Sci* 117, 427–434 (2009).
- [52] Schlueter N, Klimek J, Ganss C: Efficacy of an experimental tin-F-containing solution in erosive tissue loss in enamel and dentine in situ. *Caries Res* 43, 415–421 (2009).
- [53] Schlueter N, Klimek J, Ganss C: Effect of stannous and fluoride concentration in a mouth rinse on erosive tissue loss in enamel in vitro. *Arch Oral Biol* 54, 432–436 (2009).
- [54] Schlueter N, Tveit AB: Prevalence of erosive tooth wear in risk groups. *Monogr Oral Sci* 25, 74–98 (2014).
- [55] Shellis RP, Addy M: The interactions between attrition, abrasion and erosion in tooth wear. *Monogr Oral Sci* 25, 32–45 (2014).
- [56] Silva NRFA, Silveira RR, Ferencz JL, Silva GC: Patientenmonitoring mithilfe von 3-D-Technik. *Quintessenz Zahntechnik* 45, 1224–1233 (2019).
- [57] Sivasithamparam K, Harbrow D, Vinczer E, Young WG: Endodontic sequelae of dental erosion. *Aust Dent J* 48, 97–101 (2003).
- [58] Sundaram G, Wilson R, Watson TF, Bartlett D: Clinical measurement of palatal tooth wear following coating by a resin sealing system. *Oper Dent* 32, 539–543 (2007).
- [59] Tantbirojn D, Pintado MR, Versluis A, Dunn C, Delong R: Quantitative analysis of tooth surface loss associated with gastroesophageal reflux disease: a longitudinal clinical study. *J Am Dent Assoc* 143, 278–285 (2012).
- [60] ten Bruggen Cate HJ: Dental erosion in industry. *Br J Ind Med* 25, 249–266 (1968).

- [61] Tschammler C, Müller-Pflanz C, Attin T, Müller J, Wiegand A: Prevalence and risk factors of erosive tooth wear in 3–6 year old German kindergarten children – A comparison between 2004/05 and 2014/15. *J Dent* 52, 45–49 (2016).
- [62] Wang X, Lussi A: Assessment and management of dental erosion. *Dent Clin North Am* 54, 565–578 (2010).
- [63] Wegehaupt FJ, Attin T: Tooth erosions associated with gastroesophageal reflux: cause, prevention and restorative therapy. *Praxis (Bern 1994)* 108, 307–313 (2019).
- [64] Wegehaupt FJ, Kanzow P, Wiegand A, Attin T: Eignung von Oberflächenversiegeln und Dentinadhäsiven zum Schutz vor erosivem Zahnhartsubstanzverlust. *Quintessenz* 66, 1051–1054 (2015).
- [65] Wegehaupt FJ, Sener B, Attin T, Schmidlin PR: Anti-erosive potential of amine fluoride, cerium chloride and laser irradiation application on dentine. *Arch Oral Biol* 56, 1541–1547 (2011).
- [66] Wegehaupt FJ, Taubock TT, Attin T: Influence of prophylaxis paste treatment on the abrasive wear of surface sealants. *Acta Odontol Scand* 71, 744–750 (2013).
- [67] Wegehaupt FJ, Taubock TT, Attin T: Durability of the anti-erosive effect of surfaces sealants under erosive abrasive conditions. *Acta Odontol Scand* 71, 1188–1194 (2013).
- [68] Wiegand A, Attin T: Occupational dental erosion from exposure to acids: a review. *Occup Med (Lond)* 57, 169–176 (2007).
- [69] Wiegand A, Attin T: Design of erosion/abrasion studies – insights and rational concepts. *Caries Res* 45 (Suppl 1), 53–59 (2011).
- [70] Wiegand A, Attin T: Randomised in situ trial on the effect of milk and CPP-ACP on dental erosion. *J Dent* 42, 1210–1215 (2014).
- [71] Wiegand A, Burkhard JP, Eggmann F, Attin T: Brushing force of manual and sonic toothbrushes affects dental hard tissue abrasion. *Clin Oral Investig* 17, 815–822 (2013).
- [72] Wiegand A, Egert S, Attin T: Toothbrushing before or after an acidic challenge to minimize tooth wear? An in situ/ex vivo study. *Am J Dent* 21, 13–16 (2008).
- [73] Wiegand A, Kuhn M, Sener B, Roos M, Attin T: Abrasion of eroded dentin caused by toothpaste slurries of different abrasivity and toothbrushes of different filament diameter. *J Dent* 37, 480–484 (2009).
- [74] Wiegand A, Magalhaes AC, Attin T: Is titanium tetrafluoride (TiF₄) effective to prevent carious and erosive lesions? A review of the literature. *Oral Health Prev Dent* 8, 159–164 (2010).
- [75] Wiegand A, Müller J, Werner C, Attin T: Prevalence of erosive tooth wear and associated risk factors in 2–7-year-old German kindergarten children. *Oral Dis* 12, 117–124 (2006).
- [76] Wiegand A, Schwerzmann M, Sener B, Magalhaes AC, Roos M, Ziebolz D, Imfeld T, Attin T: Impact of toothpaste slurry abrasivity and toothbrush filament stiffness on abrasion of eroded enamel – an in vitro study. *Acta Odontol Scand* 66, 231–235 (2008).
- [77] Wiktorsson AM, Zimmerman M, Angmar-Månsson B: Erosive tooth wear: prevalence and severity in Swedish winetasters. *Eur J Oral Sci* 105, 544–550 (1997).
- [78] Wood ID, Kassir AS, Brunton PA: Effect of lateral excursive movements on the progression of abfraction lesions. *Oper Dent* 34, 273–279 (2009).
- [79] Zaruba M, Ender A, Mehl A: New applications for three-dimensional follow-up and quality control using optical impression systems and OraCheck. *Int J Comput Dent* 17, 53–64 (2014).

[80] Zipkin I, McClure FJ: Salivary citrate and dental erosion; procedure for determining citric acid in saliva; dental erosion and citric acid in saliva. *J Dent Res* 28, 613–626 (1949).