

Glaskeramik und Universaladhäsiv – gesucht, gefunden?

Julia Detzer, Anja Liebermann, Prof. Dr. Bogna Stawarczyk

ZMK 33 (12) 2017, S. 878-893

- [1] Haller B, Merz A: Neue Adhäsive - neue Möglichkeiten? BZB (7), 48-57 (2016).
- [2] Kern M, Beuer F, Frankenberger RAK: Vollkeramik auf einen Blick. Ettlingen: Eigenverlag Arbeitsgemeinschaft für Keramik in der Zahnheilkunde e.V.; 2015. 190 S. : p.
- [3] Liu P-R: A panorama of dental CAD/CAM restorative systems. Compendium 26 (7),507-13 (2005).
- [4] Stawarczyk B, Wimmer T: Die Teilkrone- materialwissenschaftliche Aspekte. teamwork 2, 128-37 (2016).
- [5] Höland W, Rheinberger V, Apel E, van 't Hoen C, Höland M, Dommann A, et al: Clinical applications of glass-ceramics in dentistry. Journal of Materials Science: Materials in Medicine 17 (11), 1037-42 (2006).
- [6] Frankenberger R, Blunck U: Adhäsive Zahnheilkunde. Köln: Dt. Zahnärzte-Verl.; 2013. XV, 370 S. : p.
- [7] Spies BC, Patzelt SB, Vach K, Kohal RJ: Monolithic lithium-disilicate single crowns supported by zirconia oral implants: three-year results of a prospective cohort study. Clinical oral implants research 27 (9),1160-8 (2016).
- [8] Bär G: Meisterkönnen für Zahntechniker. München: Verl. Neuer Merkur; 2004. 399 S. : p.
- [9] Fradeani M, Redemagni M: An 11-year clinical evaluation of leucite-reinforced glass-ceramic crowns: a retrospective study. Quintessence international (Berlin, Germany : 1985) 33 (7), 503-10 (2002).
- [10] Gehrt M, Wolfart S, Rafai N, Reich S, Edelhoff D: Clinical results of lithium-disilicate crowns after up to 9 years of service. Clinical oral investigations 17 (1), 275-84 (2013).
- [11] Reich S, Schierz O: Chair-side generated posterior lithium disilicate crowns after 4 years. Clinical oral investigations 17 (7), 1765-72 (2013).
- [12] Verfasser O. [Available from: <https://de.wikipedia.org/wiki/Monolith>.
- [13] Edelhoff D, Stawarczyk B: Transluzentes monolithisches Zirkonoxid. Quintessence Zahntechnik 39 (2),115-6 (2013).
- [14] Rinke S, Rodiger M, Ziebolz D, Schmidt AK: Fabrication of Zirconia-Reinforced Lithium Silicate Ceramic Restorations Using a Complete Digital Workflow. Case reports in dentistry 2015, 162-178 (2015).
- [15] Rinke S: Monolithische Restaurationen im Seitenzahnbereich: Ein Update zur klinischen Bewährung und Anwendung. ZWR-Das Deutsche Zahnärzteblatt 125 (04), 150-7 (2016).
- [16] Awad D, Stawarczyk B, Liebermann A, Ilie N: Translucency of esthetic dental restorative CAD/CAM materials and composite resins with respect to thickness and surface roughness. J Prosthet Dent 113 (6). 534-40 (2015).
- [17] Dietschi D, Maeder M, Meyer JM, Holz J: In vitro resistance to fracture of porcelain inlays bonded to tooth. Quintessence international (Berlin, Germany : 1985) 21 (10), 823-31 (1990).
- [18] Rosenstiel SF, Gupta PK, Van der Sluys RA, Zimmerman MH: Strength of a dental glass-ceramic after surface coating. Dental materials : official publication of the Academy of Dental Materials 9 (4), 274-9 (1993).
- [19] Borges GA, Caldas D, Taskonak B, Yan J, Sobrinho LC, de Oliveira WJ: Fracture loads of all-ceramic crowns under wet and dry fatigue conditions. Journal of prosthodontics : official journal of the American College of Prosthodontists 18 (8), 649-55 (2009).

- [20] Attia A, Abdelaziz KM, Freitag S, Kern M: Fracture load of composite resin and feldspathic all-ceramic CAD/CAM crowns. *J Prosthet Dent* 95 (2), 117-23 (2006).
- [21] Ernst C-P: Die korrekte Vorbehandlung indirekter Restaurationen zur adhäsiven Befestigung. *ZMK* 33 (3), 98-110 (2017).
- [22] Verfasser O: [Available from: <http://www.ivoclarvivadent.ch/zoolu-website/media/document/30596/Monobond+Etch+%26+Prime>].
- [23] El-Damanhoury HM, Gaintantzopoulou MD: Self-etching ceramic primer versus hydrofluoric acid etching: Etching efficacy and bonding performance. *Journal of prosthodontic research* (2017).
- [24] Roman-Rodriguez JL, Perez-Barquero JA, Gonzalez-Angulo E, Fons-Font A, Bustos-Salvador JL: Bonding to silicate ceramics: Conventional technique compared with a simplified technique. *Journal of clinical and experimental dentistry* 9 (3), e384-e6 (2017).
- [25] Siqueira FS, Alessi RS, Cardenas AF, Kose C, Souza Pinto SC, Bandeca MC, et al: New Single-bottle Ceramic Primer: 6-month Case Report and Laboratory Performance. *The journal of contemporary dental practice* 17 (12), 1033-9 (2016).
- [26] Verfasser O: [Available from: <https://tokuyama-dental.de/de/universal-bond/>].
- [27] Bischof C, Wulff P, Valentin PL: [Available from: <https://de.wikipedia.org/wiki/Adh%C3%A4sion>].
- [28] Buonocore MG: A simple method of increasing the adhesion of acrylic filling materials to enamel surfaces. *Journal of dental research* 34 (6), 849-53 (1955).
- [29] Lehmann KM, Hellwig E, Wenz H-J: Zahnärztliche Propädeutik: Einführung in die Zahnheilkunde; mit 32 Tabellen: Deutscher Ärzteverlag (2012).
- [30] Nakabayashi N, Nakamura M, Yasuda N. Hybrid layer as a dentin-bonding mechanism. *Journal of esthetic dentistry* 3 (4), 133-8 (1991).
- [31] Frankenberger R: Adhäsiv-Fibel. Balingen: Spitta; 2013. 258 S. : p.
- [32] Tay FR, Pashley DH: Aggressiveness of contemporary self-etching systems. *Dental Materials* 17 (4), 296-308 (2001).
- [33] Rosa WLdOd, Piva E, Silva AFd: Bond strength of universal adhesives: A systematic review and meta-analysis. *Journal of Dentistry* 43 (7), 765-76 (2015).
- [34] Suzuki T, Takamizawa T, Barkmeier WW, Tsujimoto A, Endo H, Erickson RL, et al: Influence of Etching Mode on Enamel Bond Durability of Universal Adhesive Systems. *Oper Dent* 41 (5), 520-30 (2016).
- [35] Wagner A, Wendler M, Petschelt A, Belli R, Lohbauer U: Bonding performance of universal adhesives in different etching modes. *Journal of Dentistry* 42 (7), 800-7 (2014).
- [36] Behr M, Rosentritt M, Fischer L: Was kostet die Befestigung einer Krone? *Deutsche Zahnärztliche Zeitschrift* 72 (3), 198-201 (2017).
- [37] Zhang ZY, Tian FC, Niu LN, Ochala K, Chen C, Fu BP, et al: Defying ageing: An expectation for dentine bonding with universal adhesives? *J Dent* 45, 43-52 (2016).
- [38] Lohbauer U, Rosentritt M, Ilie N: Universaladhäsive – hält der Name was er verspricht? *ZWR-Das Deutsche Zahnärzteblatt* 125 (11), 546-70 (2016).
- [39] Ohne V. [Available from: <http://kuraraydental.com/key-technologies-innovations/mdp-monomer>].
- [40] Yoshida Y, Yoshihara K, Nagaoka N, Hayakawa S, Torii Y, Ogawa T, et al: Self-assembled Nano-layering at the Adhesive interface. *Journal of dental research* 91 (4), 376-81 (2012).
- [41] Yoshihara K, Nagaoka N, Okihara T, Kuroboshi M, Hayakawa S, Maruo Y, et al: Functional monomer impurity affects adhesive performance. *Dental materials : official publication of the Academy of Dental Materials* 31 (12), 1493-501 (2015).

- [42] Tian T, Tsoi JK-H, Matinlinna JP, Burrow MF: Aspects of bonding between resin luting cements and glass ceramic materials. *Dental materials* 30 (7), e147-e62 (2014).
- [43] Kalavacharla VK, Lawson NC, Ramp LC, Burgess JO: Influence of Etching Protocol and Silane Treatment with a Universal Adhesive on Lithium Disilicate Bond Strength. *Oper Dent* 40 (4), 372-8 (2015).
- [44] Venturini AB, Prochnow C, May LG, Bottino MC, Valandro LF: Influence of hydrofluoric acid concentration on the flexural strength of a feldspathic ceramic. *Journal of the mechanical behavior of biomedical materials* 48, 241-8 (2015).
- [45] Yoshihara K, Nagaoka N, Sonoda A, Maruo Y, Makita Y, Okihara T, et al: Effectiveness and stability of silane coupling agent incorporated in 'universal' adhesives. *Dental materials : official publication of the Academy of Dental Materials* 32 (10), 1218-25 (2016).
- [46] Lung CYK, Matinlinna JP: Aspects of silane coupling agents and surface conditioning in dentistry: An overview. *Dental Materials* 28 (5), 467-77 (2012).
- [47] Passia N, Lehmann F, Freitag-Wolf S, Kern M: Tensile bond strength of different universal adhesive systems to lithium disilicate ceramic. *The Journal of the American Dental Association* 146 (10), 729-34 (2015).
- [48] Yoshida F, Tsujimoto A, Ishii R, Nojiri K, Takamizawa T, Miyazaki M, et al: Influence of surface treatment of contaminated lithium disilicate and leucite glass ceramics on surface free energy and bond strength of universal adhesives. *Dental materials journal* 34 (6), 855-62 (2015).
- [49] Haller B, Merz A: Standortbestimmung Universaladhäsive Teil 2. Der Einfluss der Komposithärtung und die Haftung an Werkstücken. *zm online* 107 (6), 66-83 (2017).
- [50] Kim RJ-Y, Woo J-S, Lee I-B, Yi Y-A, Hwang J-Y, Seo D-G: Performance of universal adhesives on bonding to leucite-reinforced ceramic. *Biomaterials Research* 19 (1), 11 (2015).
- [51] Elsayed A, Younes F, Lehmann F, Kern M: Tensile Bond Strength of So-called Universal Primers and Universal Multimode Adhesives to Zirconia and Lithium Disilicate Ceramics. *The journal of adhesive dentistry* 19 (3), 221-8 (2017).
- [52] Chen L, Shen H, Suh BI: Effect of incorporating BisGMA resin on the bonding properties of silane and zirconia primers. *J Prosthet Dent* 110, 402-7 (2013).
- [53] Schittly E, Bouter D, Le Goff S, Degrange M, Attal JP: Compatibility of five self-etching adhesive systems with two resin luting cements. *The journal of adhesive dentistry* 12 (2), 137-42 (2010).
- [54] Ernst C-P: Universaladhäsive - universelle Problemlöser für alles? *ZMK* 31 (10), 620-9 (2015).