

## **ZMK 34 (1–2) 2018**

**Prof. Dr. Jürgen Manhart**

### **Seitenzahnrestauration mitOrmoceren – ein klinischer Fallbericht**

- [1] Kunzelmann KH: Komposite – komplexe Wunder moderner Dentaltechnologie. Teil 1: Füllkörpertechnologie. *Ästhetische Zahnmedizin* 10 (3), 14–24 (2007).
- [2] Kunzelmann KH: Komposite – komplexe Wunder moderner Dentaltechnologie. Teil 2: Matrixchemie. *Ästhetische Zahnmedizin* 11 (1), 22–35 (2008).
- [3] Ferracane JL: Resin composite – state of the art. *Dent Mater* 27 (1), 29–38 (2011).
- [4] Manhart J: Charakterisierung direkter zahnärztlicher Füllungsmaterialien für den Seitenzahnbereich. *Alternativen zum Amalgam? Quintessenz* 57 (5), 465–481 (2006).
- [5] Vanini L: Light and color in anterior composite restorations. *Pract Periodontics Aesthet Dent* 8 (7), 673–682 (1996).
- [6] Ardu S, et al.: Influence of water sorption on resin composite color and color variation amongst various composite brands with identical shade code: an in vitro evaluation. *J Dent* 39 Suppl 1, e37–44 (2011).
- [7] Manhart J: Direkte Restaurationen im Frontzahnbereich (Teil 1) – Möglichkeiten moderner Kompositsysteme. *Zahnärzteblatt Baden-Württemberg* 44 (7), 8–14 (2016).
- [8] Manhart J, Hickel R: „Bulk Fill“-Komposite. Neuartige Einsatztechnik von Kompositen im Seitenzahnbereich. *Swiss Dental Journal* 124 (1), 19–28 (2014).
- [9] Manhart J: Bulk-fill composites for posterior restorations. *Inside Dentistry* 11 (3), 58–65 (2015).
- [10] Lenhard M: Bulk-Fill-Komposite – der schnelle Weg zur Restauration? *Quintessenz* 66 (8), 879–895 (2015).
- [11] Manhart J: Muss es immer Kaviar sein? – Die Frage nach dem Aufwand für Komposite im Seitenzahnbereich. *ZMK 27 (Sonderausgabe März 2011)*, 10–15 (2011).
- [12] Christensen GJ: Advantages and challenges of bulk-fill resins. *Clinicians Report* 5 (1), 1–2 (2012).
- [13] Noack MJ: Wirtschaftliche Füllungstechnik. Warum und womit? *ZWR Das Deutsche Zahnärzteblatt* 122 (3), 86–94 (2013).
- [14] Margeas RC: Bulk-fill materials: simplify restorations, reduce chairtime. *cCompend Contin Educ Dent* 36 (1), e1–e4 (2015).
- [15] Ilie N, Stawarczyk B: Bulk-Fill-Komposite: neue Entwicklungen oder doch herkömmliche Komposite? *ZMK 30 (3)*, 90–97 (2014).
- [16] Tauböck TT: Bulk-Fill-Komposite. Wird die Füllungstherapie einfacher, schneller und erfolgreicher? *teamwork J Cont Dent Educ* 16 (4), 318–323 (2013).
- [17] Ferracane JL, Greener EH: The effect of resin formulation on the degree of conversion and mechanical properties of dental restorative resins. *J Biomed Mater Res* 20 (1), 121–131 (1986).
- [18] Caughman WF, et al.: Correlation of cytotoxicity, filler loading and curing time of dental composites. *Biomaterials* 12 (8), 737–740 (1991).
- [19] Feilzer AJ, de Gee AJ, Davidson CL: Setting stress in composite resin in relation to configuration of the restoration. *J Dent Res* 66, 1636–1639 (1987).
- [20] Federlin M, et al.: Kompositrestaurationen im Seitenzahnbereich. S1-Handlungsempfehlung (Langversion). AWMF-Registernummer: 083–028; Stand: Oktober 2016; gültig bis: Oktober 2021. *Deutsche Zahnärztliche Zeitschrift* 72 (1), 75–82 (2017).

- [21] Margeas R: New bulk-fill material simplifies restorations to one step. *Inside Dentistry* 10 (10), 86–90 (2014).
- [22] Burtscher P: Von geschichteten Inkrementen zur Vier-Millimeter-Bulk-Fill-Technik – Anforderungen an Komposit und Lichthärtung. *DZW Die Zahnarzt Woche* 39, 6–8 (2011).
- [23] Czasch P, Ilie N: In vitro comparison of mechanical properties and degree of cure of bulk fill composites. *Clin Oral Investig* 17 (1), 227–235 (2013).
- [24] Finan L, et al.: The influence of irradiation potential on the degree of conversion and mechanical properties of two bulk-fill flowable RBC base materials. *Dent Mater* 29 (8), 906–12 (2013).
- [25] Manhart J: Neues Konzept zum Ersatz von Dentin in der kompositbasierten Seitenzahnversorgung. *ZWR Das Deutsche Zahnärzteblatt* 119 (3), 118–125 (2010).
- [26] Fleming GJ, et al.: The potential of a resin-composite to be cured to a 4mm depth. *Dental Materials* 24 (4), 522–529 (2008).
- [27] Ilie N, Kessler A, Durner J: Influence of various irradiation processes on the mechanical properties and polymerisation kinetics of bulk-fill resin based composites. *J Dent* 41 (8), 695–702 (2013).
- [28] Ferracane J, Alex G, Margeas R: Question: Are bulk-fill composites a good idea? *Inside Dentistry* 10 (10), 42–44 (2014).
- [29] Hickel R: Neueste Komposite – viele Behauptungen. *BZB Bayerisches Zahnärzteblatt* 49 (9), 50–53 (2012).
- [30] Ilie N, Bucuta S, Draenert M: Bulk-fill resin-based composites: an in vitro assessment of their mechanical performance. *Oper Dent* 38 (6), 618–625 (2013).
- [31] Condon JR, Ferracane JL: Evaluation of composite wear with a new multi-mode oral wear simulator. *Dent Mater* 12 (4), 218–226 (1996).
- [32] Condon JR, Ferracane JL: In vitro wear of composite with varied cure, filler level, and filler treatment. *J Dent Res* 76 (7), 1405–1411 (1997).
- [33] Poggio C, et al.: Surface roughness of flowable resin composites eroded by acidic and alcoholic drinks. *J Conserv Dent* 15 (2), 137–140 (2012).
- [34] Frankenberger R, Garcia-Godoy F, Kramer N: Clinical performance of viscous glass ionomer cement in posterior cavities over two years. *Int J Dent*, p. Article-ID: 781462 (2009).
- [35] Lohbauer U: Dental glass ionomer cements as permanent filling materials? – Properties, limitations and future trends. *Materials* 3 (1), 76–96 (2010).
- [36] Hickel R, et al.: Direkte Kompositrestaurationen im Seitenzahnbereich – Indikation und Lebensdauer. Gemeinsame Stellungnahme der Deutschen Gesellschaft für Zahnerhaltung (DGZ) und der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde (DGZMK) aus dem Jahr 2005. *Deutsche Zahnärztliche Zeitschrift* 60 (10), 543–545 (2005).
- [37] Burke FJ, Lucarotti PS: Re-intervention in glass ionomer restorations: what comes next? *J Dent* 37 (1), 39–43 (2009).
- [38] Scholtanus JD, Huysmans MC: Clinical failure of class-II restorations of a highly viscous glass-ionomer material over a 6-year period: a retrospective study. *J Dent* 35 (2), 156–162 (2007).
- [39] Klink T, et al.: Clinical performance during 48 months of two current glass ionomer restorative systems with coatings: a randomized clinical trial in the field. *Trials* 17 (1), 239 (2016).
- [40] Frankenberger R, et al.: Bulk-Fill-Komposite: Mit dicken Schichten einfacher zum Erfolg? *Quintessenz* 65 (5), 579–584 (2012).
- [41] Frankenberger R, et al.: Die richtige Basisversorgung – Expertenzirkel. *Dental Magazin* 30 (1), 12–24 (2012).

- [42] Peutzfeldt A: Resin composites in dentistry: the monomer systems. *Eur J Oral Sci* 105 (2), 97–116 (1997).
- [43] Guggenberger R, Weinmann W: Exploring beyond methacrylates. *American Journal of Dentistry* 13 (Special Issue), 82–84 (2000).
- [44] Weinmann W, Thalacker C, Guggenberger R: Siloranes in dental composites. *Dent Mater* 21 (1), 68–74 (2005).
- [45] Lien W, Vandewalle KS: Physical properties of a new silorane-based restorative system. *Dent Mater* 26 (4), 337–344 (2010).
- [46] Ilie N, Hickel R: Silorane-based dental composite: behavior and abilities. *Dent Mater J* 25 (3), 445–454 (2006).
- [47] Ilie N, Hickel R: Macro-, micro- and nano-mechanical investigations on silorane and methacrylate-based composites. *Dent Mater* 25 (6), 810–819 (2009).
- [48] Zimmerli B, et al.: Composite materials: composition, properties and clinical applications. A literature review. *Schweiz Monatsschr Zahnmed* 120 (11), 972–986 (2010).
- [49] Manhart J, et al.: Randqualität von Ormocer- und Kompositfüllungen in Klasse-II-Kavitäten nach künstlicher Alterung. *Deutsche Zahnärztliche Zeitschrift* 54, 89–95 (1999).
- [50] Wolter H, Storch W: Neuartige Silanklasse – Werkstoffe für Formkörper. *ISC-Tätigkeitsbericht 1992*, 61–72 (1992).
- [51] Wolter H, Storch W, Ott H: Dental filling materials (posterior composites) based on inorganic/organic copolymers (ORMOCERs). *MACRO AKRON (35th IUPAC, International Symposium on Macromolecules, Ohio, Proceedings)*, 503 (1994).
- [52] Wolter H, Storch W, Ott H: New inorganic/organic copolymers (ORMOCERs) for dental applications. *Materials Research Society Symposia Proceedings* 346, 143–149 (1994).
- [53] Wolter H: Kompakte Ormocere und Ormocer-Komposite. *Fraunhofer-Institut für Silikatforschung (ISC) – Tätigkeitsbericht 1995*, 56–63 (1995).
- [54] Wolter H, et al.: Neue biokompatible Dentalwerkstoffe auf Ormocer-Basis. In: Planck H, Stallforth H (Eds.); *Tagungsband Werkstoffwoche 1998, Band 4, Symposium 4: Werkstoffe für die Medizintechnik*. Wiley VCH: Weinheim. 245–248 (1998).
- [55] Manhart J, et al.: Mechanical properties and wear behavior of light-cured packable composite resins. *Dental Materials* 16, 33–40 (2000).
- [56] Hickel R, et al.: New direct restorative materials. *FDI Commission Project. Int Dent J* 48 (1), 3–16 (1998).
- [57] Greiwe K, Schottner G: ORMOCERe: Eine neue Werkstoffklasse. *FhG-Berichte* 2, 64–67 (1990).
- [58] Moszner N, et al.: Sol-Gel Materials, 1. Synthesis and hydrolytic condensation of new cross-linking alkoxysilane methacrylates and light-curing composites based upon the condensates. *Macromol Mater Eng* 287 (5), 339–347 (2002).
- [59] Moszner N, et al.: Sol-gel materials 2. Light-curing dental composites based on ormocers of cross-linking alkoxysilane methacrylates and further nano-components. *Dent Mater* 24 (6), 851–856 (2008).
- [60] Wolter H: Werkstoffe mit Biss. Teil I: Ormocere. *DZW Die Zahnarzt Woche* 11/15, 10–11 (2015).
- [61] Ilie N, Hickel R: Resin composite restorative materials. *Aust Dent J* 56 (Suppl 1), 59–66 (2011).
- [62] de Goes MF, Shinohara MS, Freitas MS: Performance of a new one-step multi-mode adhesive on etched vs non-etched enamel on bond strength and interfacial morphology. *J Adhes Dent* 16 (3), 243–250 (2014).
- [63] Hanabusa M, et al.: Bonding effectiveness of a new 'multi-mode' adhesive to enamel and dentine. *J Dent* 40 (6), 475–84 (2012).

- [64] McLean DE, et al.: Enamel bond strength of new universal adhesive bonding agents. *Oper Dent* 40 (4), 410–417 (2015).
- [65] Takamizawa T, et al.: Influence of different etching modes on bond strength and fatigue strength to dentin using universal adhesive systems. *Dent Mater* 32 (2), e9–21 (2016).
- [66] Wagner A, et al.: Bonding performance of universal adhesives in different etching modes. *J Dent* 42 (7), 800–807 (2014).
- [67] Lenzi TL, et al.: Bonding performance of a multimode adhesive to artificially-induced caries-affected primary dentin. *J Adhes Dent* 17 (2), 125–131 (2015).
- [68] Loguercio AD, et al.: A new universal simplified adhesive: 36-Month randomized double-blind clinical trial. *J Dent* 43 (9), 1083–1092 (2015).
- [69] Munoz MA, et al.: In vitro longevity of bonding properties of universal adhesives to dentin. *Oper Dent* 40 (3), 282–292 (2015).
- [70] Da Rosa Rodolpho PA, et al.: 22-year clinical evaluation of the performance of two posterior composites with different filler characteristics. *Dent Mater* 27 (10), 955–963 (2011).
- [71] van de Sande FH, et al.: 18-year survival of posterior composite resin restorations with and without glass ionomer cement as base. *Dent Mater* 31 (6), 669–675 (2015).
- [72] Manhart J, et al.: Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition. *Oper Dent* 29 (5), 481–508 (2004).
- [73] Heintze SD, Rousson V: Clinical effectiveness of direct class II restorations – a meta-analysis. *J Adhes Dent* 14 (5), 407–431 (2012).
- [74] Opdam NJ, et al.: Longevity of posterior composite restorations: a systematic review and meta-analysis. *J Dent Res* 93 (10), 943–949 (2014).
- [75] Opdam NJ, et al.: 12-year survival of composite vs. amalgam restorations. *J Dent Res* 89 (10), 1063–1067 (2010).
- [76] Pallesen U, van Dijken JW: A randomized controlled 30 years follow up of three conventional resin composites in Class II restorations. *Dent Mater* 31 (10), 1232–1244 (2015).
- [77] Pallesen U, van Dijken JW: A randomized controlled 27 years follow up of three resin composites in Class II restorations. *J Dent* 43 (12), 1547–1558 (2015).