

1. AKBAY OBA, A., DULGERGIL, C. T. & SONMEZ, I. S. 2009. Prevalence of dental anxiety in 7- to 11-year-old children and its relationship to dental caries. *Med Princ Pract*, 18, 453-7.
2. KANTOVITZ, K. R., PUPPIN-RONTANI, R. M. & GAVIAO, M. B. 2007. Sedative effect of oral diazepam and chloral hydrate in the dental treatment of children. *J Indian Soc Pedod Prev Dent*, 25, 69-75.
3. ALLEN, S. C., BERNAT, J. E. & PERINPANAYAGAM, M. K. 2006. Survey of sedation techniques used Among pediatric dentists in New York State. *N Y State Dent J*, 72, 53-5.
4. BRYAN, R. A. 2002. The success of inhalation sedation for comprehensive dental care within the Community Dental Service. *Int J Paediatr Dent*, 12, 410-4
5. BERGE, T. I. 1999. Acceptance and side effects of nitrous oxide oxygen sedation for oral surgical procedures. *Acta Odontol Scand*, 57, 201-6.
6. SIMPSON, C. M., KEIJZERS, G. B. & LIND, J. F. 2009. A survey of drug-dose calculation skills of Australian tertiary hospital doctors. *Med J Aust*, 190, 117-20.
7. COTE, C. J., KARL, H. W., NOTTERMAN, D. A., WEINBERG, J. A. & MCCLOSKEY, C. 2000. Adverse sedation events in pediatrics: analysis of medications used for sedation. *Pediatrics*, 106, 633-44.
8. DAY, P. F., POWER, A. M., HIBBERT, S. A. & PATERSON, S. A. 2006. Effectiveness of oral midazolam for paediatric dental care: a retrospective study in two specialist centres. *Eur Arch Paediatr Dent*, 7, 228-35.
9. WOOLLEY, S. M., HINGSTON, E. J., SHAH, J. & CHADWICK, B. L. 2009. Paediatric conscious sedation: views and experience of specialists in paediatric dentistry. *Br Dent J*, 207, E11; discussion 280-1.
10. VANGSNES, K. T. & RAADAL, M. 1991. [Five years evaluation of nitrous oxide sedation in dentistry]. *Nor Tannlaegeforen Tid*, 101, 2-8.
11. MOORE, P. A., FINDER, R. L. & JACKSON, D. L. 1997. Multidrug intravenous sedation: determinants of the sedative dose of midazolam. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 84, 5-10.

12. Rademaker AM, McGlothlin JD, Moenning JE, Bagnoli M, Carlson G, Griffin C: Evaluation of two nitrous oxide scavenging systems using infrared thermography to visualize and control emissions. *J Am Dent Assoc.* 2009 Feb;140(2):190-9; quiz 248-9
13. Dunn-Russell T, Adair SM, Sams DR, Russell CM, Barenie JT: Oxygen saturation and diffusion hypoxia in children following nitrous oxide sedation. *Pediatr Dent.* 1993 Mar-Apr;15(2):88-92
14. Chapman WR, Arrowood JG, Beecher HK: The analgesic effects of low concentrations of nitrous oxide compared in man with morphine sulfate. *J Clin Invest* 22:871, 1943
15. Berkowitz BA, Finck AD, Hgai SH: Nitrous oxide analgesia: Reversal by naloxone and development of tolerance. *J Pharmcol Exp Ther* 203:539-547, 1977
16. Emmanouil DE, Quock RM: Advances in understanding the actions of nitrous oxide. *Anesth Prog.* 2007 Spring;54(1):9-18
17. Barber J et al : The relationship between nitrous oxide conscious sedation and hypnotic state. *J Am Dent Assoc* 99:624-626, 1979
18. Everett GB, Allen GD: Simultaneous evaluation of cardiorespiratory and analgesic effects of nitrous oxide-oxygen inhalation analgesia. *J Am Dent Assoc* 83:129, 1971
19. American Academy of Pediatric Dentistry (AAPD). Clinical guideline on appropriate use of nitrous oxide for pediatric dental patients.
20. Chicago (IL): American Academy of Pediatric Dentistry (AAPD); 2005. 4 p
21. Yacoub O, et al: Depression of hypoxic ventilatory response by nitrous oxide. *Anesthesiology*45:385-389, 1976
22. Amess JAL, et al: Megaloblastic haemopoiesis in patients receiving nitrous oxide. *Lancet* 2:339-342, 1978
23. Sahenk Z, et al: Polyneuropathy from inhalation of nitrous oxide cartridges through a whipped cream dispenser. *Neurology*28:485-487, 1978
24. Greenfield W: Preface to trace inhalation anesthetics in the dental office. *J Am Dent Assoc* 95:750, 1977
25. Whitcher CE, et al: Control of occupational exposure to nitrous oxide in the dental operatory. *J Am Dent Assoc* 95:763-776, 1977
26. American Academy on Pediatric Dentistry Clinical Affairs Committee; American Academy on Pediatric Dentistry Council on Clinical Affairs. Policy on minimizing occupational health hazards associated with nitrous oxide. *Pediatr Dent.* 2008-2009;30(7 Suppl):64-5

27. Moore PA: Psychomotor impairment due to nitrous oxide exposure. Anesth Prog 30:72-75, 1983
28. Moyers D, Cleaton-Jones P, Lelliot J: Evaluation of driving skills after brief exposure to nitrous oxide. S Afr Med J 1000-1002, 1979
29. Hering LD,MilamSB, Jones DL: Time course of recovery following nitrous oxide administration. Anesth Prog 31:133-135, 1984
30. Packer ME, Joarder C, Lall BA: The use of relative analgesia in the prosthetic treatment of the ,gagging‘ patient. Dent Update. 2005 Nov;32(9):544-6, 548-50
31. GOUMANS, C., VEERKAMP, J. S. & AARTMAN, I. H. 2004. Dental anxiety and behavioural problems: what is thei influence on the treatmant plan? Eur J Paediatr Dent, 5, 15-8.