

Studienergebnisse zu Glasionomerzementen und EQUIA

1. Basso M, Teeth restoration using a high-viscosity glass ionomer cement: the Equia[®] system, J Minim Interv Dent, Vol. 4, No. 3. (May 2011), pp. 74-76.
2. Basso M et al., (2011), 2 years clinical evaluation of EQUIA, IADR San Diego, Abstract 2494.
3. Burke FJ, Siddons C, Cripps S, Bardha J, Crisp RJ, Dopheide B., Clinical performance of reinforced glass ionomer restorations placed in UK dental practices, Br Dent J. 2007 Jul 14;203(1):E2; discussion 40-1. Epub 2007 Jun 1.
4. Friedl K, Hiller KA, Friedl KH: Clinical performance of a new glass ionomer based restoration system: A retrospective cohort study. Dent Mat (2011), 12. August [Online-Veröffentlichung vor Druck].
5. Gurgan S et al., (2011), 12-Month Clinical Performance of a New Glass-Ionomer Restorative System, IADR San Diego, Abstract 3246.
6. Lohbauer U, Krämer N, Siedschlag G, Schubert EW, Laufer B, Müller FA, Petschelt A, Ebert J, Strength and wear resistance of a dental glass-ionomer cement with a novel nanofilled resin coating, American Journal of Dentistry, Vol. 24, No. 2 (April 2011).
7. Magni E, Zhang L, Hickel R, Bossù M, Polimeni A, Ferrari M. SEM and microleakage evaluation of the marginal integrity of two types of class V restorations with or without the use of a light-curable coating material and of polishing. J Dent 2008; 36: 885-91.
8. Mazzaoui SA, Burrow MF, Tyas MJ. Fluoride release from glass ionomer cements and resin composites coated with a dentin adhesive. Dent Mater 2000; 16: 166-71.
9. Mickenautsch S, Yengopal V, Banerjee A. Atraumatic restorative treatment versus amalgam restoration longevity: a systematic review. Clin Oral Investig 2010; 14: 233-40.
10. Mickenautsch S, Yengopal V. Absence of carious lesions at margins of glass-ionomer cement and amalgam restorations: An update of systematic review evidence. BMC Res Notes 2011; 4: 58.
11. Oliveira LB, Bönecker M, Mickenautsch S. Glass ionomer cement and compomers - fluoride release. J Minim Interv Dent 2010; 3: 23-abstract 023.
12. Wilson AD, Kent BE. A new translucent cement for dentistry. A glass ionomer cement. Br Dent J. 1972 Feb 15;132(4):133-5.