

Dr. Uwe Pompl

Optionen der definitiven Befestigung von CAD/CAM gefertigten

Vollkeramikrestaurationen

1. Kinnen, B., Spiekermann, H., Edelhoff, D.: Five year clinical evaluation of crowns and bridges made of IPS Empress 2. *J Dent Res* (2006); 85 (Spec Iss B): Abstract No 78813.
2. Wolfart S, Eschbach S, Scherrer S, Kern M.: Clinical outcome of three-unit lithium-disilicate glass-ceramic fixed dental prostheses: up to 8 years results. *Dent Mater.* 2009 Sep;25(9).
3. Zumstein TA, Strub , J.R: Zementhaftung, Schweiz. Mschr. Zahnheilk. 1981, 91 (4), 196-205.
4. Marolf, R: Glasionomerzemente – Materialeigenschaften und klinische Anwendung. Eine Literaturübersicht. *Schweiz Monatsschr Zahnheilk* 1984, 94: 117.
5. Mitra, S. B.: Adhesion to dentin and physical properties of a lightcured glass-ionomer liner/base. *J Dent Res* 1991;70: 72.
6. Thornton, J. B., Retief, D. H., Bradley, E. L.: Fluoride release from and tensile bond strength of Ketac Fil and Ketac Silver to enamel and dentin. *Dent Mater* 1986;2: 241.
7. Pospiech P. All-ceramic crowns: bonding or cementing? *Clin Oral Invest* 2002;6:189-197.
8. Frankenberger R, Reinelt C, Petschelt A, Krämer N.: Operator vs. material influence on clinical outcome of bonded ceramic inlays. *Dent Mater.* 2009 Aug;25(8):960-8.
9. Besek M, Mörmann WH, et al: The curing of composites under Cerec inlays. *Schweiz Monatsschr Zahnmed* 105:1123-8, 1995.
10. F&E Ivoclar Vivadent AG, Schaan, Liechtenstein. Wissenschaftliche Dokumentation 2005: Variolink II. F&E Ivoclar Vivadent AG, Schaan, Liechtenstein.
11. Peters, M: Einfluß verschiedener Parameter auf die Polymerisation von Befestigungskompositen. Dissertation. 2004.
12. Jung H, Friedl KH, Hiller KA, Furch H, Bernhart S, Schmalz G.: Polymerization efficiency of different photocuring units through ceramic discs. *Oper Dent.* 2006 Jan-Feb;31(1):68-77.
13. Schmalz G, Federlin M, Reich E.: Effect of dimension of luting space and luting composite on marginal adaptation of a class II ceramic inlay. *J Prosthet Dent.* 1995 Apr;73(4):392-9.

14. Leite, FP, Özcan, M, Valandro, LF, Kimpara, ET, Amaral, R, Bottino, MA: Effect of etching time and ultrasonic cleaning of precipitates of hydrofluoric acid on the bond strength between feldspathic ceramic and resin cement.
15. Canay S, Hersek N, Ertan A.: Effect of different acid treatments on a porcelain surface. *J Oral Rehabil.* 2001 Jan;28(1):95-101.
16. Magne P, Cascione D.: Influence of post-etching cleaning and connecting porcelain on the microtensile bond strength of composite resin to feldspathic porcelain. *J Prosthet Dent.* 2006 Nov;96(5):354-61.