

**Bestimmung der tatsächlichen Lichtdosis bei der Polymerisation einer Klasse-I-Restoration**

- [1] 3M-ESPE Filtek Supreme Plus Instructions. 3M Center Dental, St. Paul, MN; 2005.
- [2] Schattenberg A, Lichtenberg D, Stender E, Willershausen B, Ernst CP. Minimal exposure time of different LED-curing devices. Dent Mater 2008; 24 (8): 1043–1049.
- [3] El-Mowafy O, El-Badrawy W, Lewis DW, Shokati B, Soliman O, Kermalli J et al. Efficacy of halogen photopolymerization units in private dental offices in Toronto. J Can Dent Assoc 2005; 71 (8): 587.
- [4] Vandewalle KS, Roberts HW, Rueggeberg FA. Power distribution across the face of different light guides and its effect on composite surface microhardness. J Esthet Restor Dent 2008; 20 (2): 108–117; discussion 118.
- [5] Ivoclar-Vivadent Tetric Evoceram: Instructions for Use. Ivoclar Vivadent AG, Schaan/Liechtenstein 2008.
- [6] BISCO AEelite LS Posterior Instructions for Use. BISCO Inc., Schaumburg, ILL 2008.
- [7] Fan PL, Schumacher RM, Azzolin K, Geary R, Eichmiller FC. Curing-light intensity and depth of cure of resin-based composites tested according to international standards. J Am Dent Assoc 2002; 133 (4): 429–434; quiz 491–423.
- [8] Yap AU, Seneviratne C. Influence of light energy density on effectiveness of composite cure. Oper Dent 2001; 26 (5): 460–466.
- [9] Caldas DB, de Almeida JB, Correr-Sobrinho L, Sinhoreti MA, Consani S. Influence of curing tip distance on resin composite knoop hardness number, using three different light curing units. Oper Dent 2003; 28 (3): 315–320.
- [10] Correr AB, Sinhoreti MA, Correr Sobrinho L, Tango RN, Schneider LF, Consani S. Effect of the increase of energy density on knoop hardness of dental composites light-cured by conventional QTH, LED and xenon plasma arc. Braz Dent J 2005; 16 (3): 218–224.
- [11] Harris JS, Jacobsen PH, O'Doherty DM. The effect of curing light intensity and test temperature on the dynamic mechanical properties of two polymer composites. J Oral Rehabil 1999; 26 (8): 635–639.
- [12] Lohbauer U, Rahiotis C, Kramer N, Petschelt A, Eliades G. The effect of different light-curing units on fatigue behavior and degree of conversion of a resin composite. Dent Mater 2005; 21 (7): 608–615.
- [13] Xu X, Sandras DA, Burgess JO. Shear bond strength with increasing light-guide distance from dentin. J Esthet Restor Dent 2006; 18 (1): 19–27; discussion 28.
- [14] Kim SY, Lee IB, Cho BH, Son HH, Um CM. Curing effectiveness of a light emitting diode on dentin bonding agents. J Biomed Mater Res B Appl Biomater 2006; 77 (1): 164–170.
- [15] Staudt CB, Krejci I, Mavropoulos A. Bracket bond strength dependence on light power density. J Dent 2006; 34 (7): 498–502.
- [16] Ferracane JL, Mitchem JC, Condon JR, Todd R. Wear and marginal breakdown of composites with various degrees of cure. J Dent Res 1997; 76 (8): 1508–1516.
- [17] St-Georges AJ, Swift EJ, Jr., Thompson JY, Heymann HO. Curing light intensity effects on wear resistance of two resin composites. Oper Dent 2002; 27 (4): 410–417.
- [18] Vandewalle KS, Ferracane JL, Hilton TJ, Erickson RL, Sakaguchi RL. Effect of energy density on properties and marginal integrity of posterior resin composite restorations. Dent Mater 2004; 20 (1): 96–106.
- [19] Moin Jan C, Nomura Y, Urabe H, Okazaki M, Shintani H. The relationship between leachability of polymerization initiator and degree of conversion of visible light-cured resin. J Biomed Mater Res 2001; 58 (1): 42–46.

- [20] de Souza Costa CA, Hebling J, Hanks CT. Effects of light-curing time on the cytotoxicity of a restorative resin composite applied to an immortalized odontoblast-cell line. *Oper Dent* 2003; 28 (4): 365–370.
- [21] Franz A, Konig F, Anglmayer M, Rausch-Fan X, Gille G, Rausch WD, et al. Cytotoxic effects of packable and nonpackable dental composites. *Dent Mater* 2003; 19 (5): 382–392.
- [22] Knezevic A, Zeljezic D, Kopjar N, Tarle Z. Cytotoxicity of composite materials polymerized with LED curing units. *Oper Dent* 2008; 33 (1): 23–30.
- [23] Price RB, Dérand T, Sedarous M, Andreou P, Loney RW. Effect of distance on the power density from two light guides. *J Esthet Dent* 2000; 12 (6): 320–327.
- [24] Felix CA, Price RB. The effect of distance from light source on light intensity from curing lights. *J Adhes Dent* 2003; 5 (4): 283–291.
- [25] Shortall AC, Harrington E. Relative merits of narrow versus standard diameter light guides. *Eur J Prosthodont Restor Dent* 2001; 9 (1): 19–23.
- [26] Prati C, Chersoni S, Montebugnoli L, Montanari G. Effect of air, dentin and resin-based composite thickness on light intensity reduction. *Am J Dent* 1999; 12 (5): 231–234.
- [27] Price RB, Felix CA, Andreou P. Third-generation vs a second-generation LED curing light: effect on Knoop microhardness. *Compend Contin Educ Dent* 2006; 27 (9): 490–496; quiz 497, 518.
- [28] Price RB, Felix CA. Effect of delivering light in specific narrow bandwidths from 394 to 515nm on the micro-hardness of resin composites. *Dent Mater* 2009; 25 (7): 899–908.
- [29] Nomoto R. Effect of light wavelength on polymerization of light-cured resins. *Dent Mater* 1997; 16 (1): 60–73.
- [30] Nitta K. Effect of light guide tip diameter of LED-light curing unit on polymerization of light-cured composites. *Dent Mater* 2005; 21 (3): 217–223.