

Ligosan Slow[®] Release – Taschen wirksam minimieren

- [1] Bikowski JB, Skinmed. 2003 Jul–Aug; 2 (4): 234–45: Subantimicrobial dose doxycycline for acne and rosacea.
- [2] Metzger Z et al., Int Endod J. 2008 Apr; 41 (4): 303–9: Low-dose doxycycline inhibits bone resorption associated with apical periodontitis.
- [3] Preshaw PM et al., J Clin Periodontol. 2004 Sept;31 (9): 697–707: Subantimicrobial dose doxycycline as adjunctive treatment for periodontitis. A review.
- [4] Eickholz P et al., J Clin Periodontol 2002; 108–117: Non-surgical periodontal therapy with adjunctive topical doxycycline: a double-blind randomized controlled multicenter study.
- [5] Ratka-Krüger P, Schacher B, Bürklin T, Boddinhaus B, Holle R, Renggli HH, Eickholz P, Kim TS: Non-surgical periodontal therapy with adjunctive topical doxycycline: a double-masked, randomized, controlled multicenter study. II. Microbiological results. J Periodontol. 2005/1,76: 66–74.
- [6] Leyer et al.: 2186 - Adjunctive Topical Application of 14 % Doxycycline-Gel: An Observational Study. IADR, Seattle, 2013 (Poster).