

Dr. Bernd Quantius

Neue Konzepte der Sofortversorgung

- [1] Zampelis A, Rangert B, Heijl L: Tilting of splinted implants for improved prosthodontic support: a two-dimensional finite element analysis. *J Prosthet Dent* 97, 35–43 (2007).
- [2] Fazi G, Tellini S, Vangi D, Branchi R: Three-dimensional finite element analysis of different implant configurations for a mandibular fixed prosthesis. *Int J Oral Maxillofac Implants* 26, 752–759 (2011).
- [3] Cehreli MC, Iplikcioglu H: In vitro strain gauge analysis of axial and off-axial loading on implant supported fixed partial dentures. *Implant Dent* 11, 286–292 (2002).
- [4] Begg T, Geerts GA, Gryzgoridis J: Stress patterns around distal angled implants in the all-on-four concept configuration. *Int J Oral Maxillofac Implants* 24, 663–671 (2009).
- [5] Krekmanov L, Kahn M, Rangert B, Lindstrom H: Tilting of posterior mandibular and maxillary implants for improved prosthesis support. *Int J Oral Maxillofac Implants* 15, 405–414 (2000).
- [6] Aparicio C, Perales P, Rangert B: Tilted implants as an alternative to maxillary sinus grafting: a clinical, radiologic, and periotest study. *Clin Implant Dent Relat Res* 3, 39–49 (2001).
- [7] Aparicio C, Rangert B, Sennerby L: Immediate/early loading of dental implants: a report from the Sociedad Espanola de Implantes World Congress consensus meeting in Barcelona, Spain, 2002. *Clin Implant Dent Relat Res* 5, 57–60 (2003).
- [8] Calandriello R, Tomatis M: Simplified treatment of the atrophic posterior maxilla via immediate/early function and tilted implants: a prospective 1-year clinical study. *Clin Implant Dent Relat Res* 7 (1), 1–12 (2005).
- [9] Capelli M, Zuffetti F, Del Fabbro M, Testori T: Immediate rehabilitation of the completely edentulous jaw with fixed prostheses supported by either upright or tilted implants: a multicenter clinical study. *Int J Oral Maxillofac Implants* 22, 639–644 (2007).
- [10] Brown SD, Payne AG: Immediately restored single implants in the aesthetic zone of the maxilla using a novel design: 1-year report. *Clin Oral Implants Res* 22, 445–454 (2011).
- [11] Vandeweghe S, Cosyn J, Thevissen E, Van den Berghe L, De Bruyn H: A 1-year prospective study on Co-Axis implants immediately loaded with a full ceramic crown. *Clin Implant Dent Relat Res* 14 (1e), 126–138 (2012).