

1. Schropp, L., Wenzel, A., Kostopoulos, L., Karring, T.: Bone healing changes and soft tissue contour changes following single-tooth extraction: A clinical and radiographic 12-month prospective study. *Int J Periodontics and Restorative Dent* 23, 313–323 (2003)
2. Araujo, M. G., Sukekava, F., Wennström, J.L., Lindhe, J.:Ridge alterations following implant placement in fresh extraction sockets: An experimental study in dog. *J Clin Periodontol* 32, 645–652 (2005)
3. Amler, M. H.: The time sequence of tissue regeneration in human extraction wounds. *J Oral Pathol Med* 27, 309 – 318 (1969)
4. Nevins, M., Camelo, M., De Paoli, S., Simion, M., Tini, C., Wagenberg, B.: A study of the fate of the buccal wall of extraction sockets of teeth with prominent roots. *Int J Periodontics and Restorative Dent* 26, 19–29 (2006)
5. Smukler, H., Landi, L., Setayesh, R.: Histomorphometric evaluation of extraction sockets and deficient alveolar ridges treated with allograft and barrier membrane: a pilot study. *Int J Oral Max Impl* 14, 407–416 (1999)
6. Amler, M.H., Johnson, P.L., Salaman, I.: Histological and histochemical investigation of human alveolar socket healingin undisturbed extraction wounds. *J Am Dent Assoc* 61, 32–44 (1960)
7. Araújo, M., Lindhe, J.:Dimensional ridge alterations following tooth extraction: an experimental study in the dog. *J Clin Periodontol* 32, 212–218 (2005)
8. Araújo, M., Sukekava, F., Wennström, J.L., Lindhe, J.: Ridge alterations following implant placement in fresh extraction sockets: an experimental study in the dog. *J Clin Periodontol* 32, 645–652 (2005)
9. Lindhe, J., Karring, T., Araújo, M.: Anatomy of the Periodontium. In: Lindhe, J., Karring, T., Lang, N.P. (Hrsg.). *Clinical Periodontology and Implant Dentistry*, 4th edition. Copenhagen: Munksgaard (2003)
10. Nevins, M., Camelo, M., de Paoli, S., Friedland, B., Schenk, R.K., Parma-Benfenati, S., Simion, M., Tinti, C., Wagenberg, B.: A study on the fate of the buccal wall of extraction sockets of teeth with prominent roots. *Int J Periodontics Restorative Dent* 26, 19–29 (2006)
11. Adriaens, P.A.: Preservation of bone sites. In: Lang, N.P., Karring, T., Lindhe, J. (Hrsg.) *Proceedings of the 3rd European Federation of Periodontology: Implant Dentistry*. Chicago: Quint 266–280 (1999)
12. Brkovic, B.M., Prasad, H.S., Rohrer, M.D., Konandreas, G., Agrogiannis G., Antunovic, D., Sandor, G.K.: Beta-tricalcium phosphate/type I collagen with or without a barrier membrane in human extraction socket healing: clinical, histologic, histomorphometric, and immunohistochemical evaluation. *Clin Oral Investig* [Epub ahead of print] (2011)
13. Becker, W., Urist, M., Becker, B.: Clinical and histologic observations of sites implanted with intraoral autologous bone formation in human extraction sockets. *J Periodontol* 65, 1025–1033 (1996)
14. Iasella, J.M., Greenwell, H., Miller, R.L.: Ridge preservation with freeze-dried bone allograft and a collagen membrane compared to extraction alone for implant site development: A clinical and histologic study in humans. *J Periodontol* 74, 990–999 (2003)
15. Dies, F., Etienne, D., Bou, Abboud, N., Ouhayoun, J.P.: Bone regeneration in extraction sites after immediate placement of an e-PTFE membrane with or without a biomaterial. *Clin Oral Implants Res* 7, 277–285 (1996)

16. Burgnami, F., Then, P., Moroi, H., Leone, C.: Histological evaluation of human extraction sockets treated with demineralised freeze-dried bone allograft (DFDBA) and cell occlusive membrane. *J Periodontol* 67, 821–825 (1996)
17. Babbush, C.: Histologic evaluation of human biopsies after dental augmentation with a demineralised bone matrix putty. *Implant Dent* 12, 325–332 (2003)
18. Froum, S., Cho, S., Elian, N., Rosenberg, E., Rohrer, M., Tarnow, D.: Extraction sockets and implantation of hydroxyapatites with membranes barriers: A histologic study. *Implant Dent* 13, 153–164 (2004)
19. Norton, M., Odell, E., Thompson, I., Cook, R.: Efficacy of bovine bone mineral for alveolar augmentation: A human histologic study. *Clin Oral Implants Res* 14, 775–783 (2003)
20. Molly, L., Vandromme, H., Quirynen, M., Schepers, E., Adams, J.L., van Steenberghe, D.: Bone formation following implantation of bone biomaterials into extraction sites. *J Periodontol* 79, 1108–1115 (2008)
21. Pinho, M.N. Roriz, V.L., Novaes, A.B.: Titanium membranes in prevention of alveolar collapse after tooth extraction. *Implant Dent* 15, 53–61 (2006)
22. Norton, M., Wilson, J.: Dental implant placed in extraction sites implanted with bioactive glass: Human histology and clinical outcome. *Int J Oral Maxillofac Implants* 17, 249–257 (2002)
23. Becker, W., Becker, B.E., Caffesse, R.: A comparison of demineralised freeze-dried bone and autologous bone to induce bone formation in human extraction sockets. *J Periodontol* 65, 1128–1133 (1994)
24. Froum, S., Cho, S.C., Rosenberg, E., Rohrer, M., Tornow, D.: Histological comparison of healing extraction sockets implanted with bioactive glass or demineralised freeze-dried bone allograft: A pilot study. *J Periodontol* 73, 94–102 (2002)
25. Tal, H.: Autogenous masticatory mucosal grafts in extraction socket seal procedures: A comparison between sockets grafted with demineralised freeze-dried bone and deproteinized bovine bone mineral. *Clin Oral Implants Res* 10, 289–296 (1999)
26. Vasilic, N., Henderson, R., Jorgenson, T., Sutherland, E., Carson, R.: The use of bovine bone mineral in combination with collagen membrane or autologous fibitinogen/fibronectin system for ridge preservation following tooth extraction. *J Okla Dent Assoc* 93, 33–38 (2003)
27. Artzi, Z., Tal, H., Dayan, D.: Porous bovine bone mineral in healing of human extraction sockets. Part 1: Histomorphometric evaluations at 9 months. *J Periodontol* 71: 1015–1023 (2000)
28. Yilmaz, S., Efeoglu, E., Kilic, A.R.: Alveolar ridge reconstruction and/or preservation using foot form bioglass cones. *J Clin Periodontol* 25, 832–839 (1998)
29. Nemcovsky, C.E., Serfaty, V.: Alveolar ridge preservation following extraction of maxillary teeth. Report on 23 consecutive cases. *J Periodontol* 67, 390–395 (1996)
30. Guarnieri, R., Pecora, G., Fini, M.: Medical garde calcium sulphate hemihydrate in healing of human extraction sockets: Clinical and histological observations at 3 months. *J Periodontol* 75, 902–908 (2004)
31. Sandor, G.K., Kainulainen, V.T., Queiroz, J.O., Carmichael, R.P., Oikarinen, K.S.: Preservation of ride dimensions following grafting with coral granules of 48 post-traumatic and post-extraction dento-alveolar defects. *Dent Traumatol* 19, 221–227 (2003)
32. Carmagonola, D., Adriaens, P., Berglundh, T.: Healing of human extraction sockets filled with Bio-Oss. *Clin Oral Implants Res* 14, 137–143 (2003)
33. Lekovic, V., Kenney, E.B., Weilaender, M.: A bone regenerative approach to alveolar ridge maintenance following tooth extraction. Report of 10 cases: *J Periodontol* 68, 563–570 (1997)
34. Kfir, E., Kfir, V., Kaluski, E.: Immediate bone augmentation after infected tooth extraction using titanium membranes. *J Oral Implantol* 33, 133–138 (2007)

35. Camargo, P.M., Lekovic, V., Weinlaender, M.: Influence of bioactive glass changes in alveolar process dimensions after exodontias. *Oral Surg Oral Med Oral Pathol Oral Endod* 90, 581–586 (2000)
36. Serino, G., Biancu, S., Iezzi, G., Piattelli A.: Ridge preservation following tooth extraction using a polylactide and polyglycolide sponge as space filler: A clinical and histological study in humans. *Clin Oral Implants Res* 14, 651–658 (2003)
37. Serino, G., Roa, W., Iezzi, G., Piattelli A.: Polylactide and polyglucolide sponge used in human extraction sockets: Bone formation following 3 months after its application. *Clin Oral Implants Res* 19, 26–31 (2008)
38. Fiorellini, J., Howell, T., Cochran, D.: Randomised study evaluating recombinant human bone morphogenetic protein-2 for socket augmentation. *J Periodontol* 76, 605–613 (2005)
39. Howell, T.H. Fiorellini, J., Jones, A.: A feasibility study evaluating rhBMP-2/absorbable collagen sponge device for local alveolar ridge preservation or augmentation. *Int J Periodontics Restorative Dent* 17, 124–139 (1997)
40. Luczyszyn, S., Papalexiou, V., Novaes, A. Grisi, M., Souza, S., Taba, M.: Acellular dermal matrix and hydroxyapatite in preservation of ridge deformities after tooth extraction. *Implant Dent* 14, 176–184 (2005)
41. Ten Heggeler, J.M.A.G., Slot, D.E., Van der Weijden G.A.: Effect of socket preservation therapies following tooth extraction in non-molar regions in humans: a systematic review. *Clin Oral Investig [Epub ahead of print]* (2011)
42. Garg, A. R.: Bone – biology, harvesting, grafting for dental implants. Carol Stream, IL, USA: Quintessence Publishing Co. Inc. (2004)
43. Sclar, A.: Ridge preservation for optimum esthetics and function. The Bio-Col technique. *Postgrad Dent* 6, 3–11 (1999)
44. Lekovic, V., Camargo, P.M., Klokkoevold, P.: Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. *J Periodontol* 69, 1044–1049 (1998)
45. Fiorelli, J., Howell, T., Cochran, D.: Randomized study evaluating recombinant human bone morphogenetic protein-2 for extraction socket augmentation. *J Periodontol* 76, 605–613 (2005)
46. Buser, D., Chen, S.T., Weber, H. P., Belser, U.C.: Early implant placement following single tooth extraction in the esthetic zone: biological rationale and surgical procedures. *Int J Periodontics Restorative Dent* 28, 441–451 (2008)
47. Olsson, M., Lindhe, J.: Periodontal characteristics in individuals with varying form of the upper central incisors. *J Clin Periodontol* 18, 78-82 (1991)
48. Olsson, M., Lindhe, J., Marinello, C.P.: On the relationship between crown form and clinical features of the gingival in adolescents. *J Clin Periodontol* 20, 570-577 (1993)