

- [1] Bartold, P.M.: Platelet-derived Growth Factor Stimulates Hyaluronate but not Proteoglycan Synthesis by Human Gingival Fibroblasts in vitro. *J Dent Res* 72, 1473–1480 (1993).
- [2] Bartold, P.M., Wiebkin, O.W., Thonard, J.C.: Behavior of hyaluronic acid from gingival epithelium and connective tissue on the analytical ultracentrifuge. *Connect Tissue Res* 12, 257–264 (1984).
- [3] Bartold, P.M., Wiebkin, O.W., Thonard, J.C.: Glycosaminoglycans of human gingival epithelium and connective tissue. *Connect Tissue Res* 9, 99–106 (1981).
- [4] Bartold, P.M., Wiebkin, O.W., Thonard, J.C.: Molecular weight estimation of sulfated glycosaminoglycans in human gingivae. *Connect Tissue Res* 9, 165–172 (1982).
- [5] Brecht, M., Mayer, U., Schlosser, E., Prehm, P.: Increased hyaluronate synthesis is required for fibroblast detachment and mitosis. *Biochem J* 15, 445–450 (1986).
- [6] Carlson, G.A., Dragoo, J.L., Samimi, B., Bruckner, D.A., Bernard, G.W., Hedrick, M., Benhaim, P.: Bacteriostatic properties of biomatrices against common orthopaedic pathogens. *Biochem Biophys Res Commun* 321, 472–478 (2004).
- [7] Comper, W.D., Laurent, T.C.: Physiological Function of Connective Tissue Polysaccharides. *Physiol Rev* 58, 255–315 (1978).
- [8] Cortivo, R., De Galateo, A., Haddad, M., Caberlotto, M., Abatangelo, G.: Glycosaminoglycans in human normal gingiva and in periodontosis: biochemical and histological observations. *G Stomatol Ortognatodonzia* 5, 69–72 (1986).
- [9] Cugini, M.A., Haffajee, A.D., Smith, C., Kent, Jr. R.L., Socransky, S.S.: The effect of scaling and root planing on the clinical and microbiological parameters of periodontal diseases: 12-month results. *J Clin Periodontol* 27, 30–36 (2000).
- [10] Feinberg, A.P., Vogelstein, B., Droller, M.J., Baylin, S.B., Nelkin, B.D.: Hyaluronate in Vasculogenesis. *Science* 220, 1177–1179 (1983).
- [11] Fitzgerald, T.J., Miller, J.N., Repesh, L.A., Rice, M., Urquhart, A.: Binding of glycosaminoglycans to the surface of *Treponema pallidum* and subsequent effects on complement interactions between antigen and antibody. *Genitourin Med* 61, 13–20 (1985).
- [12] Fraser, J.R., Laurent, T.C.: Turnover and metabolism of hyaluronan. *Ciba Found Symp* 143, 41–53; discussion 53–9, 281–5 (1989).
- [13] Giannobile, W.V., Riviere, G.R., Gorski, J.P., Tira, D.E., Cobb, C.M.: Glycosaminoglycans and periodontal disease: analysis of GCF by safranin O. *J Periodontol* 64, 186–190 (1993).
- [14] Grenier, D., Michaud, J.: Evidence for the Absence of Hyaluronidase Activity in *Porphyromonas gingivalis*. *J Clin Microbiol* 31, 1913–1915 (1993).
- [15] Haapasalo, M., Hannam, P., McBride, B.C., Uitto, V.J.: Hyaluronan, a possible ligand mediating *Treponema denticola* binding to periodontal tissue. *Oral Microbiol Immunol* 11, 156–160 (1996).
- [16] Haffajee, A.D., Cugini, M.A., Dibart, S., Smith, C., Kent, Jr. R.L., Socransky, S.S.: The effect of SRP on the clinical and microbiological parameters of periodontal diseases. *J Clin Periodontol* 24, 324–334 (1997).
- [17] Haffajee, A.D., Socransky, S.S.: Microbial etiological agents of destructive periodontal diseases. *Periodontol 2000* 5, 78–111 (1994).
- [18] Hodge-Dufour, J., Noble, P.W., Horton, M.R., Bao, C., Wysoka, M., Burdick, M.D., Strieter, R.M., Trinchieri, G., Pure, E.: Induction of IL-12 and chemokines by hyaluronan requires adhesion-dependent priming of resident but not elicited macrophages. *J Immunol* 159, 2492–2500 (1997).
- [19] Huskisson, E., Donnelly, S.: Is hyaluronic acid effective in patients with osteoarthritis of the knee? *West J Med* 173, 252 (2000).

- [20] Ichikawa, T., Takayama, S., Yamashita, M., Nakajima, M., Shimabukuro, Y., Murakami, S.: 2301 Effects of Topically-Applied Hyaluronan on Periodontal Wound Healing. *J Dent Res* 81 (Spec Iss A) 649-660 (2002).
- [21] Iwata, Y., Yoshizaki, A., Komura, K., Shimizu, K., Ogawa, F., Hara, T., Muroi, E., Bae, S., Takenaka, M., Yukami, T., Hasegawa, M., Fujimoto, M., Tomita, Y., Tedder, T.F., Sato, S.: CD19, a response regulator of B lymphocyte, regulates wound healing through hyaluronan-induced TLR4 signaling. *Am J Pathol* 175 (2009).
- [22] Jentsch, H., Pomowski, R., Kundt, G., Göcke, R.: Treatment of gingivitis with hyaluronan. *J Clin Periodontol* 30, 159–164 (2003).
- [23] Johannsen, A., Tellefsen, M., Wiksjö, U., Johannsen, G.: Local Delivery of Hyaluronan as an Adjunct to Scaling and Root Planing in the Treatment of Chronic Periodontitis. *J Periodontol* 80, 1493-1497 (2009).
- [24] Kennett, E.C., Davies, M.J.: Glycosaminoglycans are fragmented by hydroxyl, carbonate, and nitrogen dioxide radicals in a site-selective manner: implications for peroxynitrite-mediated damage at sites of inflammation. *Free Radic Biol Med* 47, 389-400 (2009).
- [25] Last, K.S., Embrey, G.: Hyaluronic acid and hyaluronidase activity in gingival exudate from sites of acute ulcerative gingivitis in man. *Archs oral Biol* 32, 811-815 (1987).
- [26] Laurent, T.C., Laurent, U.B.G., Fraser, J.R.E.: Functions of hyaluronan. *Ann Rheum Dis* 54, 429-432 (1992).
- [27] Liguori, V., Guillemin, C., Pesce, G.F., Mirimanoff, R.O., Bernier, J.: Double-blind, randomized clinical study comparing hyaluronic acid cream to placebo in patients treated with radiotherapy. *Radiother Oncol* 42, 155-161 (1997).
- [28] Longaker, M.T., Chiu, E.S., Adzick, N.S., Stern, M., Harrison, M.R., Stern, R.: Studies in Fetal Wound Healing. V. A Prolonged Presence of Hyaluronic Acid Characterizes Fetal Wound Fluid. *Ann Surg* 213, 292-296 (1991).
- [29] McKee, C.M., Penno, M.B., Cowman, M., Burdick, M.D., Strieter, R.M., Bao, C.: Hyaluronan (HA) Fragments Induce Chemokine Gene Expression in Alveolar Macrophages. The Role of HA Size and CD44. *J Clin Invest* 98, 2403-2413 (1996).
- [30] Moseley, R., Waddington, R.J., Embrey, G.: Hyaluronan and its Potential Role in Periodontal Healing. *Dent Update* 29, 144-148 (2002).
- [31] Ohno, S., Ijuin, C., Doi, T., Yoneno, K., Tanne, K.: Expression and Activity of Hyaluronidase in Human Periodontal Ligament Fibroblasts. *J Periodontol* 73, 1331-1337 (2002).
- [32] Pagnacco, A., Vangelisti, R., Erra, C., Poma, A.: Double-blind clinical trial vs. Placebo of a new sodium-hyaluronate-based gingival gel. *Attualità Terapeutica Internazionale* 15, 1-7 (1997).
- [33] Parker, N.P., Bailey, S.S., Walner, D.L.: Effects of basic fibroblasts growth factor-2 and hyaluronic acid on tracheal wound healing. *Laryngoscope* 119, 734-739 (2009).
- [34] Patterson, R.L., Peterson, D.A., Deinhardt, F., Howard, F.: Rubella and rheumatoid arthritis: hyaluronic acid and susceptibility of cultured rheumatoid synovial cells to viruses. *Proc Soc Exp Biol Med* 149, 594-598 (1975).
- [35] Pilloni, A., Bernard, G.W.: The effect of hyaluronan on mouse intramembranous osteogenesis in vitro. *Cell Tissue Res* 294, 323-333 (1998).
- [36] Pirnazar, P., Wolinsky, L., Nachnani, S., Haake, S., Pilloni, A., Bernard, G.W.: Bacteriostatic Effects of Hyaluronic Acid. *J Periodontol* 70, 370-374 (1999).
- [37] Pistorius, A., Martin, M., Willershausen, B., Rockmann, P.: The clinical application of hyaluronic acid in gingivitis therapy. *Quintessence Int* 36, 531-538 (2005).
- [38] Presti, D., Scott, J.E.: Hyaluronan-mediated protective effect against cell damage caused by enzymatically produced hydroxyl (OH.) radicals is dependent on hyaluronan molecular mass. *Cell Biochem Funct* 12, 281-288 (1994).
- [39] Quirynen M., De Soete, M., Dierickx, K., van Steenberghe, D.: The intra-oral translocation of periodontopathogens jeopardises the outcome of periodontal therapy. A review of the literature. *J Clin Periodontol* 28, 499–507 (2001).

- [40] Quirynen, M., Teughels, W., Soete, M.D., van Steenberghe, D.: Topical antiseptics and antibiotics in the initial therapy of chronic adult periodontitis: microbiological aspects. *Periodontol 2000* 28, 72–90 (2002).
- [41] Rispoli, L., De Luca, M., Pilloni, A.: Tolerability and efficacy of an hyaluronic acid-based periodontal biogel. *J Dent Res, Spec. Iss A*, 2385 (2005).
- [42] Ruffell, B., Johnson, P.: Hyaluronan Induces Cell Death in Activated T Cells through CD44. *J Immunol* 181, 7044–7054 (2008).
- [43] Salvi, G.E., Brown, C.E., Fujihashi, K., Kiyono, H., Smith, F.W., Beck, J.D., Offenbacher, S.: Inflammatory mediators of the terminal dentition in adult and early onset periodontitis. *J Periodont Res* 33, 212–225 (1998).
- [44] Sasaki, T., Watanabe, C.: 2: Stimulation of osteoinduction in bone wound healing by high-molecular hyaluronic acid. *Bone* 16, 9–15 (1995).
- [45] Schultz-Haudt, S.D., From, S.H., Nordboe, H.: Histochemical staining properties of isolated polysaccharide components of human gingiva. *Arch Oral Biol* 16, 17–26 (1964).
- [46] Scott, D., Siboo, I.R., Chan, E.C.S., Siboo, R.: An extracellular enzyme with hyaluronidase and chondroitinase activities from some oral anaerobic spirochaetes. *Microbiology* 142, 2567–2576 (1996).
- [47] Scott, J.E., Heatley, F., Hull, W.E.: Secondary structure of hyaluronate in solution. A 1H-n.m.r. investigation at 300 and 500 MHz in [2H6]dimethyl sulphoxide solution. *Biochem J* 15, 197–205 (1984).
- [48] Scott, J.E.: Secondary and tertiary structures of hyaluronan in aqueous solution. Some biological consequences. <http://www.glycoforum.gr.jp/science/hyaluronan/HA02/HA02E.html> Copyright Glycoforum (1998).
- [49] Scott, J.E.: Supramolecular organization of extracellular matrix glycosaminoglycans, in vitro and in the tissues. *FASEB J* 6, 2639–2645 (1992).
- [50] Shimabukuro, Y., Ichikawa, T., Takayama, S., Yamada, S., Takedachi, M., Terakura, M., Hashikawa, T., Murakami, S.: Fibroblast Growth Factor-2 Regulates the Synthesis of Hyaluronan by Human Periodontal Ligament Cells. *J Cell Physiol* 203, 557–563 (2005).
- [51] Slots, J., Ting, M.: Systemic antibiotics in the treatment of periodontal disease. *Periodontol 2000* 28, 106–176 (2002).
- [52] Stamenkovic, I., Aruffo, A.: Hyaluronic acid receptors. *Methods Enzymol* 245, 195–216 (1994).
- [53] Sukumar, S., Drizhal, I.: Hyaluronic acid and periodontitis. *Acta Medica* 50, 225–228 (2007).
- [54] Tammi, R., Tammi, M., Häkkinen, L., Larjava, H.: Histochemical localization of hyaluronate in human oral epithelium using a specific hyaluronate-binding probe. *Archs oral Biol* 35, 219–224 (1990).
- [55] Thomas, L., Byers, H.R., Vink, J., Stamenkovic, I.: CD44H regulates tumor cell migration on hyaluronate-coated substrate. *J Cell Biol* 118, 971–977 (1992).
- [56] Toole, B.P., Gross, J.: The Extracellular Matrix of the Regenerating Newt Limb: Synthesis and Removal of Hyaluronate prior to Differentiation. *Dev Biol* 25, 57–77 (1971).
- [57] Toole, B.P.: Hyaluronan and its binding proteins, the hyaladherins. *Curr Opin Cell Biol* 2, 839–844 (1990).
- [58] Toole, B.P.: Hyaluronan in morphogenesis. *J Intern Med* 242, 35–40 (1997).
- [59] Turley, E.A., Belch, A.J., Poppema, S., Pilarski, L.M.: Expression and function of a receptor for hyaluronan-mediated motility on normal and malignant B lymphocytes. *Blood* 81, 446–453 (1993).
- [60] Weigel, P.H., Fuller, G.M., LeBoeuf, R.D.: A model for the role of hyaluronic acid and fibrin in the early events during the inflammatory response and wound healing. *J Theor Biol* 119, 219–234 (1986).
- [61] West, D.C., Kumar, S.: Hyaluronan and angiogenesis. *Ciba Found Symp* 143, 187–201; discussion 201–7, 281–5 (1989).

- [62] Wisniewski, H.G., Vilcek, J.: TSG-6: An IL-1 /TNF-Inducible Protein with Anti-Inflammatory Activity. *Cytokine Growth Factor Rev* 8, 143–156 (1997).
- [63] Wu, J.J., Shih, L.Y., Hsu, H.C., Chen, T.H.: The double-blind test of sodium hyaluronate (ARTZ) on osteoarthritis knee. *Chinese Medical Journal (Taipei)* 59, 99–106 (1997).
- [64] Xu, Y., Höfling K., Fimmers, R., Frentzen, M., Jervøe –Storm P.M.: Clinical and Microbiological Effects by Topical Subgingival Application of Hyaluronic Acid Gel Adjunctive to Scaling and Root Planing in the Treatment of Chronic Periodontitis. *J Periodontol* 75, 1114–1118 (2004).
- [65] Yamalik, N., Kilinc, K., Caglayan, F., Eratalay, K., Caglayan, G.: Molecular size distribution analysis of human gingival proteoglycans and glycosaminoglycans in specific periodontal diseases. *J Clin Peridontol* 25, 145–152 (1998).