

DVT-Diagnostik in der Implantologie: Grundlagen – Fallstricke

1. Ludlow, J B und Ivanovic, M.: Comparative dosimetry of dental CBCT devices and 64-slice CT for oral and maxillofacial radiology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 106; 930–938 (2008).
2. Ludlow, J B, Davies-Ludlow, L E, White, S C.: Patient risk related to common dental radiographic examinations: the impact of 2007 International Commission on Radiological Protection recommendations regarding dose calculation. *J Am Dent Ass* 139; 1237–1243 (2008).
3. Loubele, M, Bogaerts, R, Van Dijck, E, Pauwels, R, Vanheusden, S, Suetens, P, Marchal, G, Sanderink, G, Jacobs, R.: Comparison between effective radiation dose of CBCT and MSCT scanners for dentomaxillofacial applications. *Eur J Radiol*, 16. July 2008:Epub ahead of print.
4. Horner, K, Rusthon, V, Walker, A, Tsiklakis, K, Hirschmann, P N, van der Stelt,P. F., Glenny, A M, Velders, X L, Pavitt, S.: European guidelines on radiation protection in dental radiology. The safe use of radiographs in dental practice (2004).
5. Schulze, R, Hassfeld, S, Schulze, D, Ahlers, O, Freesmeyer, W B, Ackermann, K L, Frank, E, Terheyden, H, Hirschfelder, U, Hassfeld, S, Wagner, W, Kunkel, M, Eickholz, P, Edelhoff, D, Geurtzen, W and Reichert, T. *Dentale Volumentomographie (DVT). – S1-Empfehlung.* Deutsche Zahnärztl Z 64; 490–496 (2009).
6. Deutsche Gesellschaft für Implantologie. Indikation für die radiologische 3D Diagnostik und navigierte Implantatinsertion. S2k-Leitlinie, in Fertigstellung.
7. Kalender, W A and Kyriakou, Y. Flat-detector computed tomography (FD-CT). *Eur Radiol* 17; 2767–2779 (2007).
8. Schulze, R K W, Berndt, D and d'Hoedt, B. On Cone-Beam Computed Tomography artifacts induced by titanium implants. *Clin Oral Impl Res* 21; 100–107 (2010).