

Die Molaren-Inzisiven-Hypermineralisation: ein evidenzgeleitetes Behandlungskonzept

- [1] Alaluusua S: Aetiology of molar-incisor hypomineralisation: a systematic review. *Eur Arch Paediatr Dent* 11, 53–58 (2010).
- [2] Baroni C, Marchionni S: MIH supplementation strategies: prospective clinical and laboratory trial. *J Dent Res* 90, 371–376 (2011).
- [3] Borges AB, Canepele TM, Masterson D, Maia LC: Is resin infiltration an effective esthetic treatment for enamel development defects and white spot lesions? A systematic review. *J Dent* 2017 Jan; 56: 11–18., Oct. 25.
- [4] Chawla N, Messer LB, Silva M: Clinical studies on molar-incisor-hypomineralisation part 1: distribution and putative associations. *Eur Arch Paediatr Dent* 9, 180–190 (2008).
- [5] Croll TP: Restorative options for malformed permanent molars in children. *Compend Contin Educ Dent* 21, 676–678, 680, 682 (2000).
- [6] Crombie F, Manton D, Kilpatrick N: Aetiology of molar-incisor hypomineralization: a critical review. *Int J Paediatr Dent* 19, 73–83 (2009).
- [7] Crombie F, Manton D, Palamara J, Reynolds E: Resin infiltration of developmentally hypomineralised enamel. *Int J Paediatr Dent* 24, 51–55 (2014).
- [8] Crombie FA, Cochrane NJ, Manton DJ, Palamara JE, Reynolds EC: Mineralisation of developmentally hypomineralised human enamel in vitro. *Caries Res* 47, 259–263 (2013).
- [9] Eichenberger M, Erb J, Zwahlen M, Schatzle M: The timing of extraction of non-restorable first permanent molars: a systematic review. *Eur J Paediatr Dent* 16, 272–278 (2015).
- [10] Elfrink ME, ten Cate JM, Jaddoe VW, Hofman A, Moll HA, Veerkamp JS: Deciduous molar hypomineralization and molar incisor hypomineralization. *J Dent Res* 91, 551–555 (2012).
- [11] Elhennawy K, Schwendicke F: Managing molar-incisor hypomineralization: a systematic review. *J Dent* 2016 Dec; 55:16–24.
- [12] Fagrell TG, Dietz W, Jalevik B, Noren JG: Chemical, mechanical and morphological properties of hypomineralized enamel of permanent first molars. *Acta Odontol Scand* 68, 215–222 (2010).
- [13] Fagrell TG, Lingstrom P, Olsson S, Steiniger F, Noren JG: Bacterial invasion of dentinal tubules beneath apparently intact but hypomineralized enamel in molar teeth with molar incisor hypomineralization. *Int J Paediatr Dent* 18, 333–340 (2008).
- [14] Fagrell TG, Ludvigsson J, Ullbro C, Lundin SA, Koch G: Aetiology of severe demarcated enamel opacities – an evaluation based on prospective medical and social data from 17,000 children. *Swed Dent J* 35, 57–67 (2011).
- [15] Farah RA, Monk BC, Swain MV, Drummond BK: Protein content of molar-incisor hypomineralisation enamel. *J Dent* 38, 591–596 (2010).
- [16] Farah RA, Swain MV, Drummond BK, Cook R, Atieh M: Mineral density of hypomineralised enamel. *J Dent* 38, 50–58 (2010).
- [17] Fayle SA: Molar incisor hypomineralisation: restorative management. *Eur J Paediatr Dent* 4, 121–126 (2003).
- [18] Fearne J, Anderson P, Davis GR: 3D X-ray microscopic study of the extent of variations in enamel density in first permanent molars with idiopathic enamel hypomineralisation. *Br Dent J* 196, 634–638; discussion 625 (2004).
- [19] Gaardmand E, Poulsen S, Haubek D: Pilot study of minimally invasive cast adhesive copings for early restoration of hypomineralised first permanent molars with post-eruptive breakdown. *Eur Arch Paediatr Dent* 14, 35–39 (2013).

- [20] Gandhi S, Crawford P, Shellis P: The use of a 'bleach-etch-seal' deproteinization technique on MIH affected enamel. *Int J Paediatr Dent* 22, 427–434 (2012).
- [21] Garcia-Margarit M, Catala-Pizarro M, Montiel-Company JM, Almerich-Silla JM: Epidemiologic study of molar-incisor hypomineralization in 8-year-old Spanish children. *Int J Paediatr Dent* 24, 14–22 (2014).
- [22] Jalevik B: Prevalence and diagnosis of molar-incisor-hypomineralisation (MIH): a systematic review. *Eur Arch Paediatr Dent* 11, 59–64 (2010).
- [23] Jalevik B, Dietz W, Noren JG: Scanning electron micrograph analysis of hypomineralized enamel in permanent first molars. *Int J Paediatr Dent* 15, 233–240 (2005).
- [24] Jalevik B, Klingberg G: Treatment outcomes and dental anxiety in 18-year-olds with MIH, comparisons with healthy controls – a longitudinal study. *Int J Paediatr Dent* 22, 85–91 (2012).
- [25] Jalevik B, Klingberg GA: Dental treatment, dental fear and behaviour management problems in children with severe enamel hypomineralization of their permanent first molars. *Int J Paediatr Dent* 12, 24–32 (2002).
- [26] Jalevik B, Moller M: Evaluation of spontaneous space closure and development of permanent dentition after extraction of hypomineralized permanent first molars. *Int J Paediatr Dent* 17, 328–335 (2007).
- [27] Koch MJ, Garcia-Godoy F: The clinical performance of laboratory-fabricated crowns placed on first permanent molars with developmental defects. *J Am Dent Assoc* 131, 1285–1290 (2000).
- [28] Kotsanos N, Kaklamanos EG, Arapostathis K: Treatment management of first permanent molars in children with molar-incisor hypomineralisation. *Eur J Paediatr Dent* 6, 179–184 (2005).
- [29] Kukleva MP, Petrova SG, Kondeva VK, Nihtyanova TI: Molar incisor hypomineralisation in 7-to-14-year old children in Plovdiv, Bulgaria – an epidemiologic study. *Folia Med (Plovdiv)* 50, 71–75 (2008).
- [30] Leppaniemi A, Lukinmaa PL, Alaluusua S: Nonfluoride hypomineralizations in the permanent first molars and their impact on the treatment need. *Caries Res* 35, 36–40 (2001).
- [31] Lygidakis NA: Treatment modalities in children with teeth affected by molar-incisor enamel hypomineralisation (MIH): a systematic review. *Eur Arch Paediatr Dent* 11, 65–74 (2010).
- [32] Lygidakis NA, Dimou G, Marinou D: Molar-incisor-hypomineralisation (MIH). A retrospective clinical study in Greek children. II. Possible medical aetiological factors. *Eur Arch Paediatr Dent* 9, 207–217 (2008).
- [33] Lygidakis NA, Dimou G, Stamatakis E: Retention of fissure sealants using two different methods of application in teeth with hypomineralised molars (MIH): a 4 year clinical study. *Eur Arch Paediatr Dent* 10, 223–226 (2009).
- [34] Lygidakis NA, Wong F, Jalevik B, Vierrou AM, Alaluusua S, Espelid I: Best Clinical Practice Guidance for clinicians dealing with children presenting with molar-incisor-hypomineralisation (MIH): an EAPD policy document. *Eur Arch Paediatr Dent* 11, 75–81 (2010).
- [35] Mahoney EK, Rohanizadeh R, Ismail FS, Kilpatrick NM, Swain MV: Mechanical properties and microstructure of hypomineralised enamel of permanent teeth. *Biomaterials* 25, 5091–5100 (2004).
- [36] Mejare I, Bergman E, Grinfeld M: Hypomineralized molars and incisors of unknown origin: treatment outcome at age 18 years. *Int J Paediatr Dent* 15, 20–28 (2005).
- [37] Ozgul BM, Saat S, Sonmez H, Oz FT: Clinical evaluation of desensitizing treatment for incisor teeth affected by molar-incisor hypomineralization. *J Clin Pediatr Dent* 38, 101–105 (2013).
- [38] Peariasamy K, Anderson P, Brook AH: A quantitative study of the effect of pumicing and etching on the remineralisation of enamel opacities. *Int J Paediatr Dent* 11, 193–200 (2001).

- [39] Rodd HD, Morgan CR, Day PF, Boissonade FM: Pulpal expression of TRPV1 in molar incisor hypomineralisation. *Eur Arch Paediatr Dent* 8, 184–188 (2007).
- [40] Sapir S, Shapira J: Clinical solutions for developmental defects of enamel and dentin in children. *Pediatr Dent* 29, 330–336 (2007).
- [41] Silva MJ, Scurrell KJ, Craig JM, Manton DJ, Kilpatrick N: Etiology of molar incisor hypomineralization – a systematic review. *Community Dent Oral Epidemiol* 44, 342–353 (2016).
- [42] Suckling GW, Nelson DG, Patel MJ: Macroscopic and scanning electron microscopic appearance and hardness values of developmental defects in human permanent tooth enamel. *Adv Dent Res* 3, 219–233 (1989).
- [43] Sundfeld RH, Croll TP, Briso AL, de Alexandre RS, Sundfeld Neto D: Considerations about enamel microabrasion after 18 years. *Am J Dent* 20, 67–72 (2007).
- [44] Sundfeld RH, Sundfeld-Neto D, Machado LS, Franco LM, Fagundes TC, Briso AL: Microabrasion in tooth enamel discolouration defects: three cases with long-term follow-ups. *J Appl Oral Sci* 22, 347–354 (2014).
- [45] Weerheijm KL: Molar incisor hypomineralization (MIH): clinical presentation, aetiology and management. *Dent Update* 31, 9–12 (2004).
- [46] Weerheijm KL, Duggal M, Mejare I, et al: Judgement criteria for molar incisor hypomineralisation (MIH) in epidemiologic studies: a summary of the European meeting on MIH held in Athens, 2003. *Eur J Paediatr Dent* 4, 110–113 (2003).
- [47] Weerheijm KL, Jalevik B, Alaluusua S: Molar-incisor hypomineralisation. *Caries Res* 35, 390–391 (2001).
- [48] William V, Burrow MF, Palamara JE, Messer LB: Microshear bond strength of resin composite to teeth affected by molar hypomineralization using 2 adhesive systems. *Pediatr Dent* 28, 233–241 (2006).
- [49] William V, Messer LB, Burrow MF: Molar incisor hypomineralization: review and recommendations for clinical management. *Pediatr Dent* 28, 224–232 (2006).
- [50] Wong FS, Winter GB: Effectiveness of microabrasion technique for improvement of dental aesthetics. *Br Dent J* 193, 155–158 (2002).
- [51] Wright JT: The etch-bleach-seal technique for managing stained enamel defects in young permanent incisors. *Pediatr Dent* 24, 249–252 (2002).
- [52] Xie Z, Kilpatrick NM, Swain MV, Munroe PR, Hoffman M: Transmission electron microscope characterisation of molar-incisor-hypomineralisation. *J Mater Sci Mater Med* 19, 3187–3192 (2008).
- [53] Zagdwon AM, Fayle SA, Pollard MA: A prospective clinical trial comparing preformed metal crowns and cast restorations for defective first permanent molars. *Eur J Paediatr Dent* 4, 138–142 (2003).
- [54] Bekes K., Steffen R.: Das Würzburger MIH-Konzept Teil 1. Der MIH-Treatment Need Index (MIH-TNI). Ein neuer Index zur Befunderhebung und Therapieplanung bei Patienten mit Molaren-Inzisiven-Hypomineralisation (MIH). *Oralprophylaxe Kinderzahnheilkd* 2016; 38: 165–170.
- [55] Bekes K, Krämer N, van Waes H, Steffen R: Das Würzburger MIH-Konzept Teil 2. Der Therapieplan. *Oralprophylaxe Kinderzahnheilkd* 2016; 38: 171–175).
- [56] Bekes, K., Heinzelmann, K., Lettner,S., Schaller, H.G.: Efficacy of desensitizing products containing 8 % arginine and calcium carbonate for hypersensitivity relief in MIH-affected molars: an 8-week clinical study, *Clin Oral Investig.* (2016).
- [57] Steffen R, van Waes H: Therapie der Molaren-Inzisiven-Hypomineralisation in einem schwierigen Umfeld. Eine Herausforderung bei der Schmerzkontrolle und Verhaltenssteuerung. *Quintessenz* 2011; 62: 1585–1592.