

Osteokonduktive und –inductive Knochenersatzmaterialien

1. Abshagen K, Schrodi I, Gerber T, Vollmar B.: In vivo analysis of biocompatibility and vascularization of the synthetic bone grafting substitute NanoBone. *J Biomed Mater Res A*. 2009 Nov;91(2):557-66.
2. [AEBI, M., ZUBER, K., MARCHESI, D.](#): Treatment of cervical spine injuries with anterior plating. Indications, techniques, and results. *Spine*. 1991 Mar;16 (3 Suppl): S. 38-45.
3. Asti A, Visai L, Dorati R, Conti B, Saino E, Sbarra S, Gastaldi G, Benazzo F.: Improved cell growth by Bio-Oss/PLA scaffolds for use as a bone substitute. *Technol Health Care*. 2008; 16(6):401-13.
4. Barber, F. A.: Orthopedic Special Edition, 4 (1998), 1111-1117.
5. Barth H.: Histologische Untersuchungen über Knochen Transplantation. *Beitr Pathol Anat Allg Pathol* (1895) 17: 65–142.
6. Bienengräber V, Gerber T, Henkel KO, Bayerlein T, Proff P, Gedrange T.: The linical application of a new synthetic bone grafting material in oral and maxillofacial surgery. *Folia Morphol (Warsz)*. 2006 Feb. 65(1):84-8.
7. Blaker JJ, Maquet V, Jérôme R, Boccaccini AR, Nazhat SN: Mechanical properties of highly porous PDLLA/Bioglass composite foams as scaffolds for bone tissue engineering. *Acta Biomater*. 2005 Nov;1(6):643-52. Epub 2005 Sep 1.
8. Böstman OM, Pihlajamäki HK, Partio EK, Rokkanen PU: Clinical biocompatibility and degradation of polylevolactide screws in the ankle. *Clin Orthop Relat Res*. 1995 Nov. (320):101-9.
9. Böstman OM, Pihlajamäki HK: Adverse tissue reactions to bioabsorbable fixation devices. *Clin Orthop Relat Res*. 2000 Feb. (371):216-27. Review.
10. Bostrom MP, Seigerman DA: The clinical use of allografts, demineralized bone matrices, synthetic bone graft substitutes and osteoinductive growth factors: a survey study. *HSS J*. 2005 Sep. 1(1):9-18.
11. Bohner, M.: Calcium orthophosphates in medicine: from ceramics to calcium phosphate cements. *Injura* 31(Suppl. 4), 37-47 (2000).
12. Buchholz, R. W.: Clinical experience with bone graft substitutes. *J. Orthop. Trauma* 1(3), 260-262 (1987b).

13. Bucholz, R. W.: Nonallograft osteoconductive bone graft substitutes. *Clin Orthop Relat Res.* 2002 Feb. (395):44-52. Review.
14. Chesnutt BM, Viano AM, Yuan Y, Yang Y, Guda T, Appleford MR, Ong JL, Haggard WO, Bumgardner JD.: Design and characterization of a novel chitosan/nanocrystalline calcium phosphate composite scaffold for bone regeneration. *J Biomed Mater Res A.* 2009 Feb. 88(2):491-502.
15. Chow, L. C.: Calcium-Phosphat-Zemente: Eigenschaften und Verwendungen. *Biomaterialien* 2, 11-18 (2001).
16. Claes, L., P. Augat, G. Suger u. H. Wilke: Influence of size and stability of the osteotomy gap on the success of fracture healing. *J. Orthop. Res.* 15, 577-584 (1997).
17. Cornell, C. N. u. J. M. Lane: Newest factors in fracture healing. *Clin. Orthop.* 277, 297-311 (1992).
18. Cornell, C.N.: Osteoconductive materials and their role as substitutes for autogenous bone grafts. *Bone grafting and Bone Substitutes* 30, 591-598 (1999).
19. DenBoer, F. C., P. Patka, F. C. Bakker u. H. J. T. Haarman: Current concepts of fracture healing, delayed unions, and nonunions. *Osteo. Trauma Care* 10, 1-7 (2002).
20. Doursounian, L., C. Cazeau u. R.-C. Touzard: Use of tricalcium phosphate ceramics in tibial plateau fracture repair: Results of 15 cases reviewed at 38 months. (1999).
<http://bhd.online.fr/framesus.htm>.
21. Eggli, P. S., Müller, W. Schenk, R. K., Pizzoferrato, A.: The role of pore size on bone ingrowth and implant substitution in hydroxylapatite and tricalcium phosphate ceramics; a histologic and morphometric study in rabbits. *Biomaterials and Clinical Applications*, Elsevier Science Publishers B.V., Amsterdam 53-56 (1987).
22. El Ghannam, A., P. Ducheyne u. M. Shapiro: Bioactive material template for in vitro synthesis of bone. *J. Biomed. Mater. Res.* 29, 359-370 (1995).
23. Ewers, R., Turhani, D., Item, C. B., Kapral, D., Thurnher, D., Cvikel, B., Weissenböck, M., Erovic, B.M., Lauer, G.: „Bioengineered Knochen Produktion“ – Aktuelle Anwendungen des Tissue Engineering in der Mund-, Kiefer- und Gesichtschirurgie - Zahnärztl Impl. 2003;19(4).
24. Fischer, J., Kolk, A., Wolfart, S., Pautke, C., Warnke, P., Plank, C., Smeets, R.: Future of Local Bone Regeneration - Protein versus Gene Therapy. *J Craniomaxillofac Surg.* 2010 Apr 29. [Epub ahead of print].
25. Fleming, J. E., C. N. Cornell u. G. F. Muschler: Bone cells and matrices in orthopedic tissue engineering. *Orthop. Clin. North Am.* 31(3), 357-374 (2000).

26. Frick, K. K., Jiang, L., Bushinsky, D. A.: Am. J. Physiol., 272, Cell Physiol., 41 (1997), C1450-C1456.
27. Gan, J. C., P. Ducheyne, E. Versilovic u. I. M. Shapiro: Bioactive glass serves as a substrate for maintenance of phenotype of nucleus pulposus cells of the intervertebral disc. J. Biomed. Mater. Res. 51, 596-604 (2000).
28. 28. Gerressen M, Hermanns-Sachweh B, Riediger D, Hilgers RD, Spiekermann H, Ghassemi A.: Purely cancellous vs. corticocancellous bone in sinus floor augmentation with autogenous iliac crest: a prospective clinical trial. Clin Oral Implants Res. 2009 Feb;20(2):109-15. Epub 2008 Dec 1.
29. Gerressen M, Prescher A, Riediger D, van der Ven D, Ghassemi A: Tibial versus iliac bone grafts: a comparative examination in 15 freshly preserved adult cadavers. Clin Oral Implants Res. 2008 Dec;19(12):1270-5.
30. Heidemann, W., Jeschkeit, S., Ruffieux, K., Fischer, J. H., Wagner, M., Wintermantel, E., Gerlach, K. L.: Biomaterials, 22 (2001), 2371-2381.
31. Henkel KO, Gerber T, Lenz S, Gundlach KK, Bienengräber V.: Macroscopical, histological, and morphometric studies of porous bone-replacement materials in minipigs 8 months after implantation. Oral Surg Oral Med Oral Pathol Oral Radiol Endod. 2006 Nov. 102(5):606-13.
32. Hertz A, Bruce IJ.: Inorganic materials for bone repair or replacement applications.
33. Nanomedicine (Lond). 2007 Dec. 2(6):899-918.
34. Hing KA, Annaz B, Saeed S, Revell PA, Buckland T. Microporosity enhances bioactivity of synthetic bone graft substitutes. J Mater Sci Mater Med. 2005 May. 16(5):467-75.
35. Hofmann, G. O.: Biodegradable implants in orthopaedic surgery- a review on the state-of-the-art. Clin. Mater. 10, 75-80 (1992).
36. Hollinger, J. O., J. Brekke, E. Kruskin u. D. Lee: Role of bone substitutes. Clin. Orthop. 324, 55-65 (1996).
37. Horch. HH. , Sader, R. , Pautke, C. , Neff, A., Deppe, H., Kolk, A.: Synthetic, pure-phase beta-tricalcium phosphate ceramic granules (Cerasorb) for bone regeneration in the reconstructive surgery of the jaws. Int J Oral Maxillofac Surg. 2006 Aug. 35(8):708-13.
38. Ishikawa, K., S. Tkagi, L. C. Chow u. Y. Ishikawa: Properties and mechanisms of fast-setting calcium phosphate cements. J. Mater. Sci. Mater. Med. 6, 528-533 (1995).

39. Jensen SS, Broggini, N., Hjorting-Hansen, E., Schenk, R., Buser, D.: Bone healing and graft resorption of autograft, anorganic bovine bone and beta-tricalcium phosphate. A histologic and histomorphometric study in the mandibles of minipigs. *Clin Oral Implants Res.* 2006 Jun. 17(3):237-43.
40. Junqueira, L. C. und J. Carneiro (1996): *Histologie: Zytologie, Histologie und mikroskopische Anatomie des Menschen unter Berücksichtigung der Histopathologie*, Springer-Verlag Berlin Heidelberg NewYork: 151-202.
41. Kao ST, Scott DD.: A review of bone substitutes. *Oral Maxillofac Surg Clin North Am.* 2007 Nov. 19(4):513-21, Review.
42. Kaysinger, K. K., Ramp, W. K, J. Cell.: *Biochem.*, 68 (1998), 83-89.
43. Kirmeier R, Payer M, Lorenzoni M, Wegscheider WA, Seibert FJ, Jakse N: Harvesting of cancellous bone from the proximal tibia under local anesthesia: donor site morbidity and patient experience. *J Oral Maxillofac Surg.* 2007 Nov. 65(11):2235-41.
44. Klawitter, J.J., Hulbert, S.F: Application of porous ceramics for the attachment of load bearing internal orthopedic applications. *J. Biomed. Mater. Res. Symposium 2*, 161-229 (1971).
45. Klein CP, Driessens AA, de Groot K, van den Hooff A.: Biodegradation behavior of various calcium phosphate materials in bone tissue. *J Biomed Mater Res.* 1983 Sep. 17(5):769-84.
46. A. Kolk, C. Pautke, C. Haczek, H. Deppe, T. Tischer, C. Plank: COPROGs protected BMP-2 gene vectors immobilized in poly(d,l-lactide) films on titanium implants
47. International Journal of Oral and Maxillofacial Surgery, Volume 36, Issue 11, November 2007, Page 1061.
48. Köster K, Karbe E, Kramer H, Heide H, König R.: Experimental bone replacement with resorbable calcium phosphate ceramic (author's transl) *Langenbecks Arch Chir.* 1976 Jul 23;341(2):77-86.
49. Kübler, N.R., Würzler, K.: Bone morphogenetic proteins, *Implantologie* 6, 177-192 (2002).
50. Lane, J. M.: Biosynthetic bone grafting. *Clin Orthop* 1(367S), S107-S117 (1999).
51. Le Huec JC, Schaeverbeke T, Clement D, Faber J, Le Rebeller A.: Influence of porosity on the mechanical resistance of hydroxyapatite ceramics under compressive stress. *Biomaterials.* 1995 Jan. 16(2):113-8.

52. Lendlein, A.: Polymere als Implantatwerkstoffe. *Chem. unserer Zeit* 33, 279-295 (1999).
53. Liebich, J. (1999).: "Funktionelle Histologie der Haussäugetiere", 3. Auflage, Stuttgart,
54. Schattauer Verlag.
55. Martin, C., Wilnet, H., Bao, J. H.: *Biomaterials*, 17 (1996), 2373-2380.
56. McAllister BS, Haghigiat K. Bone augmentation techniques. *J Periodontol.* 2007 Mar;78(3):377-96.
57. McAndrew, M. P., P. W. Gorman u. T. A. Lange: Tricalcium phosphate as a bone graft substitute in trauma: preliminary report. *J. Orthop. Trauma* 2(4), 333-339 (1988).
58. Maus U, Andereya S, Ohnsorge JA, Gravius S, Siebert CH, Niedhart C.: A bFGF/TCP-composite inhibits bone formation in a sheep model. *J Biomed Mater Res B Appl Biomater.* 2008 Apr;85(1):87-92.
59. Middleton, J.C., Tipton, A.J.: Synthetic biodegradable polymers as orthopedic devices. *Biomaterials* 21, 2335-2346 (2000).
60. Misch, C E, Dietsh, F.: Bone-grafting materials in implant dentistry. *Implant Dent* 2: 158–167 (1993).
61. Mittermeier, H., W. Mittermeier u. M. Gleitz: Mineralisches, spongiöses Knochenersatzmaterial Pyrost- Experimentelle Grundlagen und 13 Jahre klinische Erfahrung bei über 1000 Fällen. *Orthopäde* 27, 126-135 (1998).
62. Murray, D. W., Rushton, N.: *J. Bone Jt. Surg. (Br.)*, 72 (1990), 988-992.
63. Nasr, H.F., Reichelmann-Reidy, M.E., Yukna, R. A.: Bone and bone substitutes. *Periodontology 2000*, 19, 74-86 (1999).
64. Nkenke E, Weisbach V, Winckler E, Kessler P, Schultze-Mosgau S, Wiltfang J, Neukam FW: Morbidity of harvesting of bone grafts from the iliac crest for preprosthetic augmentation procedures: a prospective study. *Int J Oral Maxillofac Surg.* 2004 Mar. 33(2):157-63.
65. Osborn JF, Newesely H.: The material science of calcium phosphate ceramics. *Biomaterials*. 1980 Apr;1(2):108-11.
66. Petrovic L, Schlegel AK, Schultze-Mosgau S, Wiltfang J.: Different substitute biomaterials as potential scaffolds in tissue engineering. *Int J Oral Maxillofac Implants*. 2006 Mar-Apr. 21(2):225-31.
67. Rokkanen, P. U.: Absorbable materials in orthopaedic surgery. *Ann. Med.* 23, 109-115 (1991).

68. Rosenberg, E. S.; Gregory, K.F.; Cohen, C.: Bioactive glass granules for regeneration of human periodontal defects. *J. Esthetic Dentistry* 12, 248-257 (2000).
69. Rueger, K.: Periodontology SGP 91 (III). *Schweiz Monatsschr. Zahnmed.* 102(12), 1506-1510 (1992).
70. Rueger, J. M.: Knochenersatzmittel. Heutiger Stand und Ausblick. *Orthopäde* 27(2),72-79 (1998).
71. Rupprecht S, Petrovic L, Burchhardt B, Wiltfang J, Neukam FW, Schlegel KA.: Antibiotic-containing collagen for the treatment of bone defects. *J Biomed Mater Res B Appl Biomater.* 2007 Nov. 83(2):314-9.
72. Sandhu, H. S., H. S. Grewal u. H. Parvataneni: Bone grafting for spinal fusion. *Orthop. Clin. North Am.* 30(4), 685-698 (1999).
73. Schenk, R. K.: Zur Problematik der Knochenersatzstoffe: Histophysiologie des Knochenumbaus und der Substitution von Knochenersatzstoffen. Huggler AH, Kuner EH (Hrsg): Aktueller Stand beim Knochenersatz, *Hefte zur Unfallheilkunde* 216. Berlin Heidelberg New York, 1991, S. 23-35.
74. Schlegel K. A., Fichtner, G., Schultze-Mosgau, S., Wiltfang, J.: Histologic findings in sinus augmentation with autogenous bone chips versus a bovine bone substitute. *Int J Oral Maxillofac Implants.* 2003 Jan-Feb;18(1):53-8.
75. Schliephake H, Zghoul N, Jäger V, van Griensven M, Zeichen J, Gelinsky M, Szubtarsky, N.: Bone formation in trabecular bone cell seeded scaffolds used for reconstruction of the rat mandible. *Int J Oral Maxillofac Surg.* 2009 Feb. 38(2):166-72. Epub 2009 Jan 3.
76. Schneider M, Loukota R, Reitemeier B, Meissner H, Stadlinger B, Eckelt U, Richter G.: Bone block fixation by ultrasound activated resorbable pin osteosynthesis: a biomechanical in vitro analysis of stability. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod.* 2010 Jan. 109(1):79-85.
77. Schnürer, S. M., U. Gopp, K. D. Kühn u. S. J. Breutsch: nochenersatzwerkstoffe. *Orthopäde* 32, 2-10 (2003).
78. Smeets, R., Maciejewski, O., Gerressen, M., Spikermann, H., Hanisch, O., Riediger, D., Blake, F., Stein, J., Hölzle, F., Kolk, A.: Effects of rhBMP-2 on the osseointegration of transgingivally inserted oral implants and bone regeneration. *Oral Surgery, Oral Medicine, Oral Pathology, Oral Radiology and Endodontics.* 2009;108(4):3-12.

79. Smeets, R., Kolk A., Gerressen, M., Driemel, O., Maciejewski, O., Herrmanns-Sachweh, B., Riediger, D., Stein, J.: A new biphasic osteoinductive calcium composite material with a negative Zeta potential for bone augmentation. Head & Face Medicine. 2009;13;5:13.
80. Spector, M.: Charakterisierung biokeramischer Kalziumphosphatimplantate. Hefte zur Unfallheilkunde. 1991;216:11-22.
81. Springer IN, Terheyden H, Geiss S, Härle F, Hedderich J, Açıł Y.: Particulated bone grafts--effectiveness of bone cell supply. Clin Oral Implants Res. 2004 Apr. 15(2):205-12.
82. Takagi, S., L. C. Chow, M. Markovic, C. D. Friedmann u. P. D. Costantino: Morphological and phase characterizations of retrieved calcium phosphate cement implants. J. Biomed. Mater. Res. 58(1), 36-41 (2001).
83. Trumees, E. u. H. N. Herkowitz: Alternatives to autologous bone harvest in spine surgery. Univ. of Pennsylvania. Orthop. J. 12, 77-88 (1999).
84. Vaccaro, A. R., D. G. Anderson u. C. A. Toth: Recombinant human osteogenic protein-1 (bone morphogenetic protein-7) as an osteoinductive agent in spinal fusion. Spine 27, 59-65 (2002).
85. Vert, M., LI, S. M., Spenlehauer, G., Gruen, P., J. Mater. Sci.: Mater. Med., 3 (1993), 432-446.
86. Wallace, K. E., R. G. Hill, J. T. Pembroke, C. J. Brown u. P. V. Hatton: Influence of sodium oxide content on bioactive glass properties. J. Mater. Sci. Med. 10, 697-701 (1999).
87. Wiltfang J, Kloss FR, Kessler P, Nkenke E, Schultze-Mosgau S, Zimmermann R, Schlegel KA.: Effects of platelet-rich plasma on bone healing in combination with autogenous bone and bone substitutes in critical-size defects. An animal experiment. Clin Oral Implants Res. 2004 Apr. 15(2):187-93.
88. Wiltfang J, Merten HA, Schlegel KA, Schultze-Mosgau S, Kloss FR, Rupprecht S, Kessler P.: Degradation characteristics of alpha and beta tri-calcium-phosphate (TCP) in minipigs. J Biomed Mater Res. 2002;63(2):115-21.
89. Wiltfang J, Zernal O, Behrens E, Schlegel A, Warnke PH, Becker ST.: Regenerative Treatment of Peri-Implantitis Bone Defects with a Combination of Autologous Bone and a Demineralized Xenogenic Bone Graft: A Series of 36 Defects. Clin Implant Dent Relat Res. 2010 Feb. 3.

90. Xu W, Ma J, Jabbari E.: Material properties and osteogenic differentiation of marrow stromal cells on fiber-reinforced laminated hydrogel nanocomposites. *Acta Biomater.* 2010 Jun. 6(6):1992-2002.

Weitere Literaturstellen, die im Beitrag nicht gesondert gekennzeichnet wurden:

1. Ashton, B. A., Allen, T. D., Howlett, C. R., Eaglesom, C. C., Hattori, A., Owen, M.: Formation of bone and cartilage by marrow stromal cells in diffusion chambers in vivo. *Clin. Orthop.* 151 (1980), 294–307.
2. Alderman, N.: Sterile plaster of Paris as an implant in the infrabony environment: A preliminary study. *J. Peridontol.* 40, 11-13 (1969).
3. Anselme, K.: Osteoblast adhesion and Biomaterials. *Biomaterials* 2000;21:667-681.
4. Aubin, J.E.: Bone stem cells. *J Cell Biochem* 1998; Suppls 30/31: 73-82.
5. Bartholomew, A., Sturgeon, C., Siatskas, M., et al.: Mesenchymal stem cells suppress lymphocyte proliferation in vitro and prolong skin graft survival in vivo. *Exp. Hematol.* 30 (2002), 42–48.
6. Behrens, E., Kreusch, Th., Jonas, S., Silbernagel, E.: Komplikationen bei und nach Knochenentnahme aus dem Beckenkamm. *Dtsch Zahnärztl Z* 56, 66-68 (2001).
7. Benjamin, L. E., Hemi, I. and Keshet, E.: A plasticity window for blood vessel remodelling is defined by pericyte coverage of the preformed endothelial network and is regulated by PDGF-B and VEGF. *Development* 125: 1591-1598 (1998).
8. Berndt, E. et al.: Rheinisch-Westfälische Technische Hochschule Aachen, Institut für Textiltechnik: Entwicklung neuartiger textiler Implantate und Prothesen mit kontrollierten therapeutischen Funktionalitäten. Aachen : RWTH Aachen 2003. - Abschlussbericht zu Forschungsvorhaben AiF 39 ZN.
9. Bianco, P., Gehron Robey, P.: Marrow stroma stem cells. *J. Clin Invest* 105: 1663-1668.
10. Blanpain, C., Lowry, W. E., Geoghegan, A., Polak, L., Fuchs, E.: Self-renewal, multipotency, and the existence of two cell populations within an epithelial stem cell niche. *Cell* 118, 635-648. (2004).
11. Blume, O., Krekeler, G., Schilli, W.: Indikation und Beispiele für die Anwendung von alpha- Tricalciumphosphat als resorbierer, alloplastischer Knochenersatz. *Der Unfallchirurg* 265, 303-311 (1998).

13. Bonucci, E.: The histology, histochemistry and ultrastructur of bone. *Bone Regulatory Factors* 1990; 15-31.
14. Borges, J., Mueller, MC., Padron, NT., Tegtmeier, F., Lang, EM. and Stark, GB.: Engineered adipose tissue supplied by functional microvessels. *Tissue Eng* 9: 1263-1270 (2003).
15. Bonassar, L.J., Vacanti, Ch. A.: *Tissue Engineering: The first decade and beyond.*
16. *J Cell Biochem* 1998; Suppls 30/31: 297-303.
17. Boyce, BF., Hughes, DE, Wright, KR., Xing, L and Dai, A.: Recent advances in bone biology provide insight into the pathogenesis of bone diseases. *Lab Invest* 79: 83-94 (1999).
18. Breitbart, A.S., Grande, D.A., Kessler, R., Ryaby, J.T., Fitzsimmons, R.J., Grant, R.T.: Tissue engineered bone repair of calvarial defects using cultured periosteal cells. *Plast. Reconstr. Surg.* 101, 567-574 (1998).
19. Bruder, S.P., Fox B.S.: Tissue engineering of bone. Cell based strategies. *Clin Orthop* 1999; 367 Suppl: S68-83.
20. Burg, K. J. L.; Shalaby, S. W.: Biodegradable Materials: *Tissue Engineering of Prosthetic Vascular Grafts*. Austin, Texas : R.G. Landes Inc., 1999, 505-512.
21. Butler, WT., Mikulski, A., Urist, MR.: Noncollagenous Protein of a rat dentin matrix possessing Bone morphogenic Activity. *J. Dent. Res.* 1977; 56: 228-232.
22. Carter, D.R.: Mechanical loading histories and cortical bone remodeling. *Calcif. Tissue Int.* 36, 19-24 (1984).
23. Cheung HS, Haak MH : Growth of osteoblasts on porous calcium phosphate ceramic. An in vitro model for biocompatibility study. *Biomaterials* 10: 63-67 (1989).
24. Cima, LG., Vacanti, J.P., Vacanti, C. et al.: Tissue engineering by cell transplantation using degradable polymer substrates. *J Biomech Eng* 1991; 113: 143-151.
25. Conover, MA, Urist, MR.: Transmembrane Bone Morphogenesis by implants of dentin matrix. *J. Den. Res.* 1979 58, 1911.
26. Curtis, A.; Wilkinson, C.: Review: Topographical control of cells. *Biomaterials* (1997) 18 1573 – 1583.
27. Dauner, M., Arnold, A.; Planck, H. (Hrsg.): *Institut für Textil- und Verfahrenstechnik* (Veranst.): *Spunbonded Needle Punched Nonwovens - The Way To Avoid Spin Finishes And Adhesives For Nonwovens Implants (Index 99 Congress)*, Denkendorf, 1999.

28. Dauner, M.; PLanck, H.: Progress in Fibers for Human Implants, (Textile Conference), Tampere (2001) 147-158.
29. Decker, B., Bartels, H. and Decker, S.: Relationships between endothelial cells, pericytes, and osteoblasts during bone formation in the sheep femur following implantation of tricalciumphosphate-ceramic. 1995 Anat Rec 242: 310-320.
30. Dorozhkin, S. V., Epple, M.: Angew. Chem., 114 (2002), 6000-6017.
31. Edberg, E. : Some experiences of filling osteous cavities with plaster. Acta Chir. Scand. 67, 313-339 (1930).
32. Fargali, S.: In vitro Etablierung eines Kaninchenmodells zur Herstellung von hochvitalen Knochenimplantaten auf Basis osteogener Zellen und bioresorbierbarer Trägergerüste Diss der TU Braunschweig: 28 (2006).
33. Felgner, PL., Gadek, TR., Holm, M., Roman, R., Chan, HW., Wenz, M., Northrop, JP., Ringold, GM., Danielsen, M.: Lipofection: a highly efficient, lipid-mediated DNA-transfection procedure. Proc Natl Acad Sci U S A 1987;84:7413-7.
34. Ferguson, C, Alpern, E, Miclau, T. and Helms, JA.: Does adult fracture repair recapitulate embryonic skeletal formation. Mech Dev 87: 57-66 (1999).
35. Foitzik, C., Merten, H.-A.: Restitutio ad integrum. Vom Knochenersatz zum Knochenaufbau. Spitta Verlag, Balingen (1999).
36. Foitzik, C., Findeisen: Knochenregeneration mit PRP, Spitta Verlag GmbH &Co. KG, 2005.
37. Freshney, R.I.: Tierische Zellkulturen. Ein Methoden-Handbuch. W. de Gruyter-Verlag 1990.
38. Friedenstein, A. J.: Determined and inducible osteogenic precursor cells. In: Hard tissue growth, repair and remineralization. In: Ciba Foundation Symposium 11 (new series) 1973, S. 169-182. Elsevier- Excerpta Medica – North-Holland. Associated Scientific Publishers , Amsterdam London-New York.
39. Frodel, J. L., Marentette, L. J., Quatela, V.C., Weinstein, G.S.: Calvarial bone graft harvest. Arch. Otolaryngol. Head Neck Surg. 119 (1993), 17.
40. Frost, H.M.: Dynamics of bone remodelling. Bone Biodynamics. Little & Brown Co., Boston 315-333 (1964).
41. Frost, H.M.: The bone biodynamics in osteoporosis and osteomalacia. Thomas, Springfield (1966).
42. Frost, H.M.: Vital biomechanics of bone-grafted dental implants. Jensen, O.T. (ed.): The Sinus Bone Graft. Chicago: Quintessence, 17-29 (1998).

43. Frost, H.M.: The regional acceleratory phenomenon. A review. Henry Ford Hospital Medical J 31, 3-9 (1983).
44. Fu, Y. et. al.: Oxidized LDL induces the expression of ALBP/aP2 mRNA and protein in human THP-1 macrophages. Journal of lipid Research. 41 (2000) 2017-2023.
45. Gallup, D.G.: Dialogues in Wound Management, John Hopkins University School of Medicine, 2002.
46. Giese, M., Bahr, U., Jakob, NJ., Kehm, R., Handermann, M., Muller, H.,
47. Vahlenkamp, TH., Spiess, C., Schneider, TH., Schusse, G., Darai, G.: Stable and long-lasting immune response in horses after DNA vaccination against equine arteritis virus. Virus Genes 2002;25:159-67.
48. Goodman SL, Sims PA, Albrecht RM: Three-dimensional extracellular matrix textured biomaterials. Biomaterials 17: 2087-2095 (1996).
49. Gomes, ME; Holtorf, HL; Reis, RL; Mikos, AG: Influence of the porosity of starch-based fiber mesh scaffolds on the proliferation and osteogenic differentiation of bone marrow stromal cells cultured in a flow perfusion bioreactor Tissue Eng 12 (4): 801-9 (2006).
50. Goshima, J., Goldberg, V.M., Caplan, A.I.: The osteogenic potential of cultureexpanded rat marrow mesenchymal cells assayed in vivo in calcium phosphate ceramic blocks. Clin Orthop 1991; 262: 298-311.
51. Hanlon, L., Argyle, D., Bain, D., Nicolson, L., Dunham, S., Golder, MC.,
52. McDonald, M., Mcgillivray, C., Jarrett, O., Neil, JC., Onions, DE.: Feline leukemia virus DNA vaccine efficacy is enhanced by coadministration with interleukin-12 (IL-12) and IL-18 expression vectors. J Virol 2001;75:8424-33.
53. Hardesty, R.A., Maesh J.L.: Craniofacial onlay bone grafting: A prospective evaluation of graft morphology, orientation and embryonic origin. Plast. Reconstr. Surg. 85 (1990), 5.
54. Haessler, D., Kornmann, F., Neugebauer, J.: Klinischer Einsatz von Algipore® bei der Sinusbodenelevation. Vortrag DGI Frühjahrstagung Hannover (April 2000).
55. Hollister SJ, Levy RA, Chu TM, Halloran JW, Feinberg SE: An image-based approach for designing and manufacturing craniofacial scaffolds. Int J Oral Maxillofac Surg 29: 67-71 (2000).
56. Holmes, R. E.: Bone regeneration within a coralline hydroxylapatit implants. Plast. Reconstr. Surg. 1979; 63: 626-633.

57. Hutmacher, D.W: Scaffolds in tissue engineering bone and cartilage. *Biomaterials* 2000; 21: 2529-2543.
58. Hutmacher, DW., Schantz, T., Zein, I., NG, KW., Theo, SH., Tan, KC. Mechanical properties and cell cultural response of polycaprolactone scaffolds designed and fabricated via fused deposition modeling. *J. Biomed. Mater. Res.*, 2001.
59. Ikada, Y., Shalaby, W. (Hrsg.): *ACS Symposium Series 540* (1994).
60. Inoue, M: et. al.: An experimental study of reconstruction-differences of the healing process by materials. *Kyobu Geka Gakkai Zasshi*, 38 (1990) S. 42f.
61. Ishaug SL., Crane GM, Miller MJ, Yasko AW, Yaszemski MJ, Mikos AG: Bone formation by three-dimensional stromal osteoblast culture in biodegradable polymer scaffolds. *J Biomed Mater Res* 36: 17-28 (1997).
62. Jaksch, R. : Zur Frage der Deckung von Knochendefekten des Schädels nach Trepanation. *Wien, med. Wschr.* 1889, 1436.
63. Jams, D.R., Irvine, G. H.: Autogenous rib grafts in maxillofacial surgery. *J. Maxillofac. Surg.* 11(1983), 201.
64. Jaworski, Z. F., Lok, E.: The rate of osteoclastic bone erosion in haversian remodeling sites of adult dog rib *Calcif. Tissue Int.* 10: 103, 1972.
65. Kawai, T., Urist, MR.: Bovine tooth-derived Bone Morphogenic Protein . *J. Dent. Res.* 1989, 68: 1069-1074.
66. Katthagen, B.D. (1987): Knocheninduktion mit Bone Morphogenetic Protein (BMP). *Z Ortho Ihre Grenzgeb* 125 (1987), 559-566.
67. Kelly, J. K. : Maxillofacial missile wounds: Evaluation of long -term results of rehabilitation and reconstruction. *J. Oral. Surg.* 31, 438-445 (1973).
68. KOeck, B., Wagner, W.: (Hrsg.) *Praxis der Zahnheilkunde*, 3. Auflage, Urban & Schwarzenberg, München 1996.
69. Klee, D.; Köcker, H.: Optimierung der Bioverträglichkeit von Kunststoffimplantaten. *70. Spektrum der Wissenschaft* 6 (1995) 90.
71. Klinge, U. et. Al: Altered collagen synthesis in fascia transversalis of patients with inguinal hernia. *Hernia*, 4 (1999), S. 181.
72. Klinge, U, Klee, D., Rosch, R.: Antragsband IZKF Biomat RWTH Aachen, 2002.
73. Kloss, F.R., Neukam, F.W.: Rekonstruktive Knochenchirurgie. Methoden der letzten 15 Jahre. *Zahnärztl Implantol* 15, 33-43 (1999).
74. Kochel, M.B.: Tissue engineering von Knochen -Entwicklung eines Zweikreis-Perfusionssystems für die Langzeitkultivierung von Knochenzellen in einer

dreidimensionalen Matrix Diss. Bayerischen Julius-Maximilians-Universität zu Würzburg, 8 (2004).

75. Küttner, H. : Die Transplantation aus dem Affen und ihre Dauererfolge. Münch. Med, Wschr. 64. 1449, 1913.
- Langer, R. and Vacanti, J.P.: Tissue engineering. Science 1993; 260: 920-926.
76. Langer, R., Vacanti, J.P., Vacanti, C., Atala, A., Freed, L.E., Vunjak-Novakovic, G.: Tissue engineering: Biomedical applications. Tissue Eng; 1/2 151-161 (1995).
77. Langer; R.: Tissue engineering. Mol Ther 2000; 1(1): 12-15.
78. Laurencin, C.T., Attawia, M.A., Elgendi, H.E., Herbert, K.M.: Tissue engineered bone-regeneration using degradable polymers: the formation of mineralized matrices.
79. Bone, 93S-99S (1996).
80. Ledley, FD.: Nonviral gene therapy: the promise of genes as pharmaceutical products. Hum Gene Ther 1995;6:1129-44.
81. LeGeros, R. Z.: Calcium Phosphates in Oral Biology and Medicine, Karger, Basel,1991.
82. Levander, G.: A study of bone regeneration. Surg. Gynecol Obstet. 1938; 67:705-714.
83. Lian,J.B., Stein, G.S.: Development of the osteoblast phenotype: molecular mechanisms mediating osteoblast growth and differentiation. Iowa Orthop J 1995; 15: 118-140.
84. Lianjia, Y., Yan, J.: Immunohistochemical observation on bone morphogenetic protein in normal and abnormal conditions. Clin. Orthop. 1990; 257: 249-256.
85. Lieb, E.: Bone tissue engineering from marrow stromal cells: effects of growth factors and biomaterials. Dissertation, Universität Regensburg 2004.
86. Lindl, T., Bauer; J.: Zell- und Gewebekultur 3. Auflage. Gustav Fischer Verlag; Stuttgart, Jena, New York, 1994.
87. Linhart, W., Peters, F., Lehmann, W., Schwarz, K., Schilling, A.F., Amling, M., Rueger, J.M., Epple, M.: Biologically and chemically optimized composites of carbonated apatite and polyglycolide as bone substitution materials. J. Biomed. Mater. Res. 54, 162-171 (2001).
88. Löwicke, G., Vogel, HA., Knöfler, W.: Stimul. Osteogenese bei Knochenzysten. Orthop Traumat 7; 297-302 (1989).
89. Macewen, W.: The Growth of Bone : Observations on Osteogeneses, an Experimental Inquiry into the Developement and Reproduction of Diaphyed Bone. Glasgow: James Maclehose & Sons 1912.

90. Mader, K., et. al.: Monitoring microviscosity and microacidity of the albumin microenvironment inside degrading microparticles from poly(lactide-co-glycolide) (PLG) or ABA-triblock polymers containing hydrophobic poly(lactide-co-glycolide) A Blocks and hydrophilic poly(ethyleneoxide) B blocks . Pharmacol. Res. 15 (1998) 787.
91. Malekzadeh, R., Hollinger, JO., Buck, D., Adams DF, McAllister BS: Isolation of human osteoblast-like cells and in vitro amplification for tissue engineering. J Periodontol 69: 1256-1262 (1998).
92. Martin, E.: Zur Ausfüllung von Knochenhöhlen mit totem Material. Zentralb. Chir. 21, 193-200 (1894).
93. Marx, RE.: Platelet rich plasma: a source of multiple autologous growth factors for bone grafts. Tissue Engineering 4:71-82 (1999).
94. Merten, H.A., Wiltfang, J., Grohmann, U., Hoenig, J.F.: Intraindividual Comparative Animal Study of α- and β-Tricalcium Phosphate Degradation in Conjunction with Simultaneous Insertion of Dental Implants". Journal of Craniofacial Surgery Vol.12, Nr.1. 59-68.
95. Mikos, A.G., Bao, Y., Cima, L.G., Ingber, D.E., Vacanti, J.P., Langer, R.: Preparation of poly(glycolic acid) bonded fiber structures for cell attachment and transplantation.
96. J. Biomed. Mater. Res. 27, 183-189 (1993).
97. Mittelmeier, H., Mittelmeier, W.: Moderne Entwicklung von Knochenersatzmaterialien. In: Huggler AH, Kuner EH (Hrsg): Aktueller Stand beim Knochenersatz, Hefte zur Unfallheilkunde 216. Springer, Berlin Heidelberg New York, 1991, S. 69-84.
98. Mizutani, H., Urist, M.R., Conover M.A., Lieze, A., Finerman, G.A.M.: Dentine, bone and osteosarcoma tissue bone morphogenic proteins. Dixon, A.D., Sarnat, B.G. (Eds.) Factors and mechanisms influencing bone growth. LISS Inc., New York 1982, p. 61.
99. Muthukumaran, N., Reddi, AH (1985): Bone matrix-induced local bone induction. Clin Orthop 200: 159-164.
100. Nakahara, H., Goldberg, VM., Caplan, AI.: Culture-expanded periosteal-derived cells exhebit osteochonrogenic potential in porous calcium phosphate ceramics in vivo. Clin Orthop 1992; 276: 291-298.
101. Neuss-Stein, S.: Untersuchungen zur Bedeutung mesenchymaler Stammzellen in der Geweberegeneration, Diss. RWTH Aachen 2004.

- 102.Neukam, F.W., Buser, D.: Implantate bei unzureichendem Knochenangebot. In:
Koeck, B.; Wagner, W. (Hrsg.): Praxis der Zahnheilkunde Bd. 13
(Implantologie).Urban & Schwarzenberg, München, 179-211 (1996).
- Niemeyer, P., Mehlhorn, A., Jaeger, M., Kasten, P., Simank, H.-G., Krause, U.,
Südkamp, N. P.: Adulte mesenchymale Stammzellen zur Regeneration
muskuloskeletaler Gewebe MMW-Fortschritte der Medizin Originalien Nr. III–
IV/2004 (146. Jg.), S. 107–113.
- 103.Ollier, L.: de Posteogenese chirurgicale. Verh. Des X. Internat. Med. Kongr. Berlin
1891.
- 104.Orban, JM, Marra, KG and Hollinger, JO.: Composition options for tissue engineered
bone. *Tissue Eng* 8: 529-539 (2002).
- 105.Orr, J.W. et al.: Continuous or interrupted fascial closure: a prospective evaluation of
no. 1 Maxon suture in 402 gynecologic procedures In: *Am. J. Obstet.Gynecol.*, 163
(1990) S.1485.
- 106.Owen, T.A., Aronow, M., Shalhoub, V., Barone, L.M., Wilming, L., Tassiniari, M.S.,
Kennedy, M.B., Pockwinse, S., Lian, J.B., Stein, G.S.: Progressive Development of
rat osteoblast phenotype in vitro: Reciprocal relationship in expression of genes
associated with osteoblast proliferation and differentiation during formation of the
bone extracellular matrix. *J Cell Phys* 1990; 143: 420- 430.
- 107.Paz, Miguel Pereira: Studien zur kontrollierten Freisetzung biologisch aktiver
Substanzen aus resorbierbaren Nano- und Mikrosphären, (2004) 101.
- 108.Peter, S.J., Liang, C.R., Kim; D.J., Widmer, M.S., Mikos, A.G.: Osteoblastic
phenotype of rat marrow stromal cells cultured in the presence of Dexamethasone, β -
glycerophosphate, and L-ascorbic acid. *J Cell Biochem* 1998; 71: 55-62 80.
- 109.Pittenger, M. F., Mackay, A. M., Beck, S. C., et al.: Multilineage potential of adult
human mesenchymal stem cells. *Science* 284 (1999), 143–147.
- 110.Puelacher, W.C., Vacanti, J.P., Ferarra, N.F., Schloo, B., Vacanti, C.A.: Femoral shaft
reconstruction using tissueengineered growth of bone. *Int. J. Oral Maxillofac. Surg.*
25, 223-228 (1996).
- 111.Reddi, AH, Huggins, C.: Biochemical sequences in the transormation of normal
fibroblasts in adulescent rats. *Proc Natl Acad Sci USA* 1972; 69, 1601-1605.
- 112.Roberts, W.E.; Turley, P.K.; Brezniak, N.; Felder, P.J.: Bone physiology and
metabolism. *J. Calif. Dent. Assoc.* 15, 54-61 (1987).

113. Roberts, W.E.; Garetto, L.P.; Decastro, R.A.: Remodeling of devitalized bone threatens periostal margin integrity of endosseous titanium implants with threaded or smooth surface: Indications for provisional loading and axillary directed occlusion. *J. Ind. Dent Assoc.* 68, 19-24 (1989).
114. Rolz, M.P.; Delteil, C.; Golzio, M.; Dumond, P.; Cros, S.; Theissie, J.: In vivo electrically mediated protein and gene transfer in murine melanoma. *Nat Biotechnol* 1998;16:168-71.
115. Ruffieux, K. : Degradables Osteosynthesystem aus Polylaktid für die maxillofaciale Chirurgie; Ein Beitrag zur Werkstoff- und Prozessentwicklung Diss. ETH Nr. 11973, Eidgenössische Technische Hochschule Zürich 1997.
116. Ruszczak, Z, Friess, W.: Collagen as a carrier for on-site delivery of antibacterial drugs. *Adv Drug Deliv Rev* 55:1679-98 (2003).
117. Sachlos, E.; Czernuszka, J. T.: Making Tissue Engineering Scaffolds Work. Review: The Application of the Application of Solid Freeform Fabrication Technology to the Production of Tissue Engineering Scaffolds. *European Cells and Materials* 5 (2003).
118. Salber, J.: Gesprächsnotizen Jochen Salber, Dezember 2004.
119. Salber, J. et. al.: Abstract book: XVth Aachen Colloquium on Biomaterials, 2002.
120. Sampath, T.K., Reddi, A.H. (1983): Homology of bone inductive proteins from human monkey, bovine and rat extracellular Matrix. *Proc Natl Acad Sci (USA)* 80: 6591-6595.
121. Schillings, J.: Neue Copolyesteramide für die Anwendung als Biomaterial. Rheinisch-Westfälische Technische Hochschule Aachen, Fakultät für Mathematik, Informatik und Naturwissenschaften, Dissertation, 2003.
122. Schlickewei, E., Kuner, H.: Aktueller Stand beim Knochenersatz. In Zilch H, Schumann, E (ed): "Plastisch-rekonstruktive Maßnahmen bei Knochen- und Weichteildefekten." Stuttgart, New York: Thieme, pp 153-155 (1994).
123. Schliephake, H., Neukam, F.W., Wichmann, M., Hausamen, J.E.: Langzeitergebnisse osteointegrierter Schraubenimplantate in Kombination mit Osteoplastiken. *Zahnärztl Implantol* 13, 73-78 (1997).
124. Schmelzeisen, R., Schimming, R., Sittinger, M.: Related Articles, Links Abstract Making bone: implant insertion into tissue engineered bone for maxillary sinus floor augmentation - a preliminary report. *J. Craniomaxillofac. Surg.* 31, 34-39 (2003).
125. Schneider, U : Die autogene Knochenzelltransplantation. *Orthopäde* 27: 143-146 (1998).

- 126.Schopper, C., Moser, D. et al.: Histomorphologische und histomorphometrische Ergebnisse nach Sinusbodenelevation mit Algipore®“. Vortrag DGI Frühjahrstagung Hannover (April 2000).
- 127.Shao, P.G., Bailley, L.C.: Porcine insulin biodegradable polyester micro spheres: stability and in vitro release characteristics. Pharm. Dev. Technol., 5 (2000) 1 – 9.
- 128.Shastri, PV., Martin, I.: Tissue engineering by cell transplantation. 35th workshop “Stem cell transplantation and tissue engineering” Hannover, 2000.
- 129.Shikra, S.A.: Dialogues in Wound Management John Hopkins University School of Medicine, 2002.
- 130.Siedler, M.: Untersuchung an festkörperchemisch darstellbaren biodegradierbaren Polyhydroxycarbonsäuren - Synthese und Anwendung in der Medizintechnik. Chem. Diss., Hamburg (2001).
- 131.Singhvi, R. et al.: Review: Effects of Substratum Morphology on Cell Physiology. Biotechnology and Bioengineering 43 (1994) 764 –771.
- 132.Shinoka, T, Shum-Tim, D, MA, PX, Tanel, RE, Isogai ,N, Langer, R, Vacanti, JP and Mayer, JE,: Creation of viable pulmonary artery autografts through tissue engineering. J Thorac Cardiovasc Surg 115: 536-545; discussion 545-536 (1998).
- 133.Sittinger, M., Bujia, J., Rotter, N., Reitzel, D., Minuth, WW., Burmester, GR: Tissue engineering and autologous transplantformation: practical approaches with resorbable Biomaterials and new cell culture techniques. Biomaterials 1996;17:237-242.
- 134.Sittinger, M., et al.: Antibodies to collagens in sera from patients receiving bovine cartilage grafts. Ann. Rheum. Dis., 55 (1996), S. 333f.
- 135.Skalak, R., Fox, CF.: Tissue Engineering, Proceedings for a Workshop held at Granlibakken, Lake Tahoe, California, February 26-29, 1988, Alan Liss, New York.
- 136.Södergard, A., Stolt, M.: Properties of lactic acid based polymers and their correlation with composition. Prog. Polym. Sci., 27 (2002); S. 1123 - 1163.
- 137.Stahl, A.: Entwicklung eines in vitro Modellsystems zur Herstellung vaskularisierter Konstrukte für das Tissue Engineering von Knochen. Diss. Albert-Ludwigs-Universität Freiburg im Breisgau, 11 (2005).
- 138.Stemberger, A., Blümel, G.: "Kollagene Wirkstoffträger-Einsatzmöglichkeiten in der Chirurgie." Stuttgart, New York: Schattauer (1989).
- 139.Szabo, G., Suba, Z., Hrabak, K., Barabas, J., Nemeth, Z.: Autogenous Bone Versus β -Tricalcium Phosphate Graft Alone for Bilateral Sinus Elevations (2- and 3-Dimensional Computed Tomographic, Histologic, and Histomorphometric

- Evaluations): Preliminary Results. Intern. Journal of Oral & Maxillofacial Implants. Vol. 16, Nr. 5, 681-692 (2001).
- 140.Terheyden, H.: Titelstory ZM 10/2001, Seite 38.
- 141.Testelin S.: History of microsurgical reconstruction of the mandible Ann Chir Plast Esthet. 1992 Jun;37(3):241-5.
- 142.Thieme, V., Müller, EI., Mägdefessel, U., Raabe, G., Berger, G.: Zur Füllung zystischer Knochendefekte mit oberflächenmodif. alpha- Tricalciumphosphat. Dt. Zmund-, Kiefer-, Gesichtschirurg. 12; 18-24 (1998).
- 143.Trisi, P., Rao, W., Rebaudi, A., Fiore, P.: Histologic Effect of Pure-Phase Beta-Tricalcium in Human Artificial Jawbone Defects". International Journal of Periodontics & Restorative Dentistry Vol. 23, Nr. 1, 3-12 (2003).
- 144.Tuli, S. M. : Bridging of bone defects by massive bone grafts in tumorous conditions and in Osteomyelitis. Clin. Orthop. 87, 60-73 (1972).
- 145.Urist, M.R.: Bone: Formation by autoinduction. Science 1965; 150: 893-899.
- 146.Vacanti, J.P.: Cell Transplant, 2 (1993) 409.
- 147.Vacanti, CA; Bonassar, LJ: An overview of tissue engineered bone. Clin Orthop 367 Suppl: 375-381 (1999).
- 148.Vacanti, J.P., Vacanti C.A.: The challenge of Tissue Engineering. In: Textbook of Tissue Engineering, Lanza, R., Langer, R., Chick, W. (Hrsg.), R.G. Landes Company, Academic Press, 1997.
- 149.Vacanti, J.P., Morse, M.A., Saltzman, W.M., Domb, A.J., Perez-Atayde, A., Langer, R.: Selective cell transplantation using bioabsorbable artificial polymers as matrices. J Ped Surg; 23: 3-9 (1988).
- 150.Wakitani, S., Saito, T., Caplan, A.I.: Myogenic cells derived from rat bone marrow mesenchymal stem cells exposed to 5-azacytidine. Muscle Nerve 18, 1417- 1426 (1995).
- 151.Wanschitz, F., Watzinger, F., Schopper, C., Ewers, R.: Sinuslift mit Algipore® als Knochenaufbaumaterial – vorläufige Ergebnisse. Vortrag DGI Frühjahrstagung Hannover (April 2000).
- 152.Wiesemann, U.: „Neuartige Vliesstrukturen für den Einsatz in der Zell- und Gewebezüchtung: Untersuchung des Einflusses von Hydrophilie und Vliesstruktur auf die Nasseigenschaften der Vliesstruktur und biologische Zellreaktion.“ Fakultät für Maschinenwesen der Rheinisch-Westsächsischen Technischen Hochschule Aachen, 2004.

- 153.Wiesemann, U.: Gesprächsnotiz Fa. Krahmer, 2002.
- 154.Wintermantel, E., HA, S.W.: Medizintechnik mit biokompatiblen Werkstoffen und Verfahren: Springer Verlag, Berlin 2002.
- 155.Wintermantel, E., HA, S.W.: Biokompatible Werkstoffe und Bauweisen. Springer-Verlag Berlin Heidelberg New York 1998.
- 156.Witte, J.: <http://www.facharzt.de>, Zugriff 08/02.
- 157.Wolff, J. : Die Osteoplastik in ihren Beziehungen zur Chirurgie und Physiologie, Lanenbeeks Arch. Klein. Chir. 4. 183 (1863).
- 158.Wolff, JA., Malone, RW., Williams, P., Chong, W., Acsadi, G., Jani, A., Felgner, PL.: Direct gene transfer into mouse muscle in vivo. Science 1990;247:1465-8.
- 159.Yang, NS., Burkholder, J., Roberts, B., Martinell, B., Mccabe, D.: In vivo and in vitro gene transfer to mammalian somatic cells by particle bombardment. Proc Natl Acad Sci U S A 1990;87:9568-72.
- 160.Yoo, J.U., Barthel, T.S., Nishimuea, K., Solchaga, L., Caplan, A.I., Goldberg, V.M., Johnstone, B.: chondrogenic potential of human bone-marrow- derived mesenchymal progenitor cells. J. Bone Joint Surg. Am. 80, 1745- 1757 (1998).
- 161.Yoshikawa, T., Peel, S.A.F., Glastone, J.R., Davies, J.E.: Biochemical analysis of the response in rat bone marrow cell cultures to mechanical stimulation. Biomed Mater Eng 1997; 7: 369-377.
- 162.Young, R. W.: Cell proliferation and specilalization during endochondral osteogenesis in young rats. J Cell Biol. 1962; 14 : 357-370.
- 163.Zerbo, J.R., Bronckers, A.L.J.J., De Lange, G.L., van Beek, G.J., Burger, E.H.: Case report. Histology of Human Alveolar Bone Regeneration with a Porous Tricalcium Phosphate. A Report of two Cases. Clin. Oral Impl. Res. 12, S. 379-384 (2001).
- 164.Zhang, R; MA, PX : Poly(alpha-hydroxyl acids)/hydroxyapatite porous composites for bone-tissue engineering. I. Preparation and morphology. J Biomed Mater Res 44: 446-455 (1999).
- 165.Zuk, P.A., Zhu, M., Mizuno, H., HUang, J., Futrell, J.W., Katz, A.J., Benhaim, P., Lorenz, H.P., Hedrick, M.H.: Multilineage Cells from Human Adipose Tissue: Implications for Cell-Based Therapies. Tissue Eng. 7, 211-228 (2001).