ZMK (31) 6 2015, S. 406-420

Dr. Bogna Stawarczyk, Prof. Dr. Nicoleta Ilie

CAD/CAM-Komposite chairside reparieren – aber wie?

[1] Edelhoff D, Beuer F, Schweiger J, Brix O, Stimmelmayr M, Güth JF (2012) CAD/CAM-generated high-density polymer restorations for the pretreatment of complex cases: A case report. Quintessence Int 43: 457–467.

[2] Rocca G, Bonnafous F, Rizcalla N, Krejci I (2010) A technique to improve the esthetic aspect of CAD/CAM composite resin restorations. J Prosthet Dent 1004: 273–275.

[3] Nguyen J, Mogonney V, Ruse ND, Sadoun M (2012) Resin composite blocks via high-pressure high-temperature polymerization. Dent Mater 28: 529–534.

[4] Alt V, Hannig M, Wöstmann B, Balkenhol M (2011) Fracture strength of temporary fixed partial dentures CAD/CAM versus directly fabricated restorations. Dent Mater 27: 339–347.

[5] Balkenhol M, Mautner MC, Ferger P, Wöstmann B (2008) Mechanical properties of provisional crown and bridge materials: chemical-curing versus dual curing systems. J Dent 36: 15–20.

[6] Göncü Basaran E, Ayna E, Vallittu PK, Lassila LV (2011) Load-bearing of handmade and computer-aided design-computer-aided manufacturing-fabricated tree-unit fixed dental prostheses of particulate filler composite. Acta Odontol Scand 69: 144–150.

[7] Stawarczyk B, Ender A, Trottmann A, Özcan M, Fischer J, Hämmerle CH (2012) Load-bearing capacity of CAD/CAM milled polymeric three-unit fixed dental prostheses. Effect of aging regimens. Clin Oral Investig 16: 1669–1677.

[8] Stawarczyk B, Sener B, Trottmann A, Roos M, Özcan M, Hämmerle CH (2012) Discoloration of manually fabricated resins and industrially fabricated CAD/CAM blocks versus glass-ceramic: Effect of storage media, duration and subsequent polishing. Dent Mater J 31: 377–383.

[9] Stawarczyk B, Özcan M, Roos M, Schmutz F, Trottmann A, Hämmerle CHF (2013) Two-body wear rate of CAD/CAM resin blocks and their enamel antagonists. J Prosthet Dent 109: 325–332.

[10] Schweiger J, Neumeier P, Stimmelmayr M, Beuer F, Edelhoff D (2013) Macro-retentive replaceable veneers on crowns and fixed dental prostheses: a new approach in implant-prosthodontics. Quintessence Int 44: 341–349.

[11] Lin CL, Chang YH, Liu PR (2008) Multi-factorial analysis of a cusp-replacing adhesive premolar resoration: A finite element study. J Dent 36: 194–203.

[12] Krämer N, Kunzelmann KH, Taschner M, Mehl A, Garcia-Godoy F, Frankenberger R (2006) Antagonist enamel wears more than ceramic inlays. J Dent Res 85: 1097–1100.

[13] Giordano R. Materials for chairside CAD/CAM-produced restorations (2006) J Am Dent Ass 137: 14–21.

[14] Attia A, Abdelaziz KM, Freitag S, Kern M (2006) Fracture load of composite resin and feldspatic all-ceramic CAD/CAM crowns. J Prosthet Dent 95: 117–123.

[15] Magne P, Knezevic A (2009) Simulated fatigue resistance of composite resin versus porcelain CAD/CAM overlay restorations on endodontically treated molars. Quintessence Int 40: 125–133.

[16] Hickel R, Brüshaver K, Ilie N (2013) Repair of restorations-criteria for decision making and clinical recommendations. Dent Mater 29: 28–50.

[17] Stawarczyk B, Basler T, Ender A, Roos M, Özcan M, Hämmerle C (2012) Effect of surface conditioning with airborne-particle abrasion on the tensile strength of polymeric CAD/CAM crowns luted with self-adhesive and conventional resin cements. J Prosthet Dent 107: 94–101.

[18] Bähr N, Keul C, Edelhoff D, Eichberger M, Roos M, Gernet W, Stawarczyk B (2013) Effect of different adhesives combined with two resin composite cements on shear bond strength to polymeric CAD/CAM materials. Dent Mater J 32: 492–501.
[19] Keul C, Martin A, Wimmer T, Roos M, Gernet W, Stawarczyk B (2013) Tensile bond strength of PMMA- and composite-based CAD/CAM materials to luting cements after different conditioning methods. Int J Adhes Adhes 46: 122–127.
[20] Stawarczyk B, Trottmann A, Hämmerle CH, Özcan M (2013) Adhesion of veneering resins to polymethylmethacrylate-based CAD/CAM polymers after various surface conditioning methods. Acta Odontol Scand 71: 1142–1148.
[21] Ilie N, Oberthur MT (2013) Effect of sonic-activated resin composites on the repair of aged substrates: an in vitro investigation. Clin Oral Investig.
[22] Marshall SJ, Bayne SC, Baier R, Tomsia AP, Marshall GW (2010) A review of adhesion science. Dent Mater 26: e11–e16.
[23] Naves LZ, Soares CJ, Moraes RR, Goncalves LS, Sinhoreti MA, Correr-Sobrinho L (2010) Surface/interface morphology and bond strength to glass ceramic etched for different periods. Oper Dent 35: 420–427.
[24] Pereira SG, Fulgencio R, Nunes TG, Toledano M, Osorio R, Carvalho RM (2010) Effect of curing protocol on the polymerization of dual-cured resin cements. Dent Mater 26: 710–718.
[25] Amaral M, Belli R, Cesar PF, Valandro LF, Petschelt A, Lohbauer U (2014) The potential of novel primers and universal adhesives to bond to zirconia. J Dent 42: 90–98.
[26] De Munck J, Arita A, Shirai K, Van Landuyt KL, Coutinho E, Poitevin A, Lambrechts P, Van Meerbeek B (2007) Microrotary fatigue resistance of a HEMA-free all-in-one adhesive bonded to dentin. J Adhes Dent 9: 373–379.
[27] Torstenson B, Brannstrom M (1988) Contraction gap under luting restorations: effect of hygroscopic expansion and thermal stress. Oper Dent 13: 24–31.
[28] Piwowarczyk A, Lauer HC, Sorensen (2004) In vitro shear bond strength of cementing agents to fixed prosthodontic restorative materials. J Prosthet Dent 92: 265–273.
[29] Palmer DS, Barco MT, Billy EJ (1992) Temperature extremes produced orally by hot and cold liquids. J Prosthet Dent 67: 325–327.
[30] Longman CM, Pearson CJ (1984) Variation in temperature of the oral cavity during the imbition of hot and cold fluids [special issue]. J Dent Res 63: 521, Abstract No. 283.
[31] Boehm RF Thermal environment of teeth during open mouth respiration. J Dent Res 51: 75–78.
[32] Kelly JR, Benetti P, Rungruanganunt P, Bona AD (2012) The slippery slope: critical perspectives on in vitro research methodologies. Dent Mater 28: 41–51.