ZMK (30)9 2014, S. 530 - 549

Prof. Dr. Nicoleta Ilie, Dr. Bogna Stawarczyk

Verblendung und Befestigung von PEEK-basierten Restaurationen – eine aktuelle Übersicht

[1] Miyazaki T, Hotta Y, Kunii J, Kuriyama S, Tamaki Y: A review of dental CAD/CAM: current status and future perspectives from 20 years of experience. Dent Mat J 28, 44–56 (2009).

[2] Magne P, Schlichting LH, Maia HP, Baratieri LN: In vitro fatigue resistance of CAD/CAM resin composite and ceramic posterior occlusal veneers. J Prosthet Dent 104, 149–157 (2010).

[3] Stawarczyk B, Sener B, Trottmann A, Roos M, Özcan M, Hämmerle C: Discoloration of manually fabricated resins and industrially fabricated CAD/CAM blocks versus glass-ceramic: Effect of storage media, duration, and subsequent polishing. Dent Mater J 31, 377–383 (2012).

[4] Stawarczyk B, Özcan M, Trottmann A, Schmutz F, Roos M, Hämmerle C: Two-body wear rate of CAD/CAM resin blocks and their enamel antagonists. J Prosthet Dent 109, 325–332 (2013).

[5] Stawarczyk B, Ender A, Trottmann A, Özcan M, Fischer J, Hämmerle CHF: Load-bearing capacity of CAD/CAM milled polymeric three-unit fixed dental prostheses: Effect of aging regimens. Clinical Oral Investig 16, 1669–1677 (2012).

[6] Göncü Başaran E, Ayna E, Vallittu PK, Lassila LVJ: Load-bearing capacity of handmade and computer-aided design–computer-aided manufacturing-fabricated three-unit fixed dental prostheses of particulate filler composite. Acta Odontol Scand 69, 144–150 (2011).

[7] Alt V, Hannig M, Wöstmann B, Balkenhol M: Fracture strength of temporary fixed partial dentures: CAD/CAM versus directly fabricated restorations. Dent Mater 27, 339–347 (2011).

[8] Kurtz SM and Devine JN: PEEK biomaterials in trauma, orthopedic, and spinal implants. Biomaterials 28, 4845–4869 (2007).

[9] May R: Polyetheretherketones. In: Mark HF, Bikales NM, Overberger CG, Menges G, Kroschiwitz JI, editors. Encyclopedia of polymer science and engineering. New York: Wiley, 313–20 (1988).

[10] Rigby RB: Polyetheretherketone. In: Margolis JM, editor. Engineering thermoplastics: properties and applications. New York: Marcel Dekker, Inc., 299–314 (1985).

[11] Tetelman ED, Babbush CA: A new transitional abutment for immediate aesthetics and function. Implant Dent 17, 51–58 (2008).

[12] Bayer S, Komor N, Kramer A, Albrecht D, Mericske-Stern R, Enkling N: Retention force of plastic clips on implant bars: a randomized controlled trial. Clin Oral Implants Res 23, 1377–1384 (2012).

[13] Tannous F, Steiner M, Shahin R, Kern M: Retensive forces and fatique reistance of thermoplastic resin clasps. Dent Mater 28, 273–278 (2012).

[14] Stawarczyk B, Beuer F, Wimmer T, Jahn D, Sener B, Roos M, Schmidlin PR: PEEK – a suitable material for fixed dental prostheses? J Biomed Mater Res B Appl Biomater 101, 1209–1216 (2013).

[15] Behr M, Rosentritt M, Lang R, Handel G: Glass fiber-reinforced abutments for dental implants. A pilot study. Clin Oral Implants Res 12, 174–178 (2001).

[16] Stawarczyk B, Eichberger M, Uhrenbacher J, Wimmer T, Edelhoff D, Schmidlin PR: Three-unit reinforced polyetheretherketone composite FDPs: Influence of fabrication method on load-bearing capacity and failure types. Dent Mater J submitted (2014).

[17] Noiset O, Schneider YJ and Marchand-Brynaert J: Adhesion and growth of CaCo2 cells on surface-modified PEEK substrata. J Biomater Sci Polym Ed 11, 767–786 (2000).

[18] Ohl A, Schroder K, Keller D, Meyer-Plath A, Bienert H, Husen B and Rune GM: Chemical micropatterning of polymeric cell culture substrates using low-pressure hydrogen gas discharge plasmas. J Mater Sci Mater Med 10, 747–754 (1999).
[19] Schmidlin PR, Stawarczyk B, Wieland M, Attin T, Hämmerle CH, Fischer J: Effect of different surface pre-treatment and luting materials on shear bond strength to PEEK. Dent Mater 26, 553–559.
[20] Stawarczyk B, Keul C, Beuer F, Roos M, Schmidlin PR: Tensile bond strength of veneering resins to PEEK: Impact of different adhesives. Dent Mater J 32, 441–448 (2013).
[21] Stawarczyk B, Bähr N, Beuer F, Wimmer T, Eichberger M, Gernet W, Jahn D, Schmidlin PR: Influence of plasma pretreatment on shear bond strength of self-adhesive resin cements tp polyetheretherketone. Clin Oral Investig 18, 163–170 (2014).
[22] Keul C, Liebermann A, Schmidlin PR, Roos M, Sener B, Stawarczyk B: Influence of PEEK surface modifikation on surface properties and bond strength to veneering composites. J Adhes Dent 2014; in press.
[23] Stawarczyk B, Jordan P, Schmidlin PR, Eichberger M, Gernet W, Keul C: PEEK surface treatment effects on tensile bond strength to veneering resins. J Prosthet Dent 2014; accepted.
[24] Sproesser O, Schmidlin PR, Uhrenbacher J, Eichberger M, Ross M, Stawarczyk B: Work of adhesion between resin composite cement and PEEK as a function of etching duration with sulfuric acid and ist correlation with bond strength values. Int J Adhes Adhes 2014; accepted.
[25] Sproesser O, Schmidlin PR, Uhrenbacher J, Roos M, Gernet W, Stawarczyk B: Effect of sulfuric acid etching of polyetheretherketone on the shear bond strength to resin cements. J Adhes Dent 2013; submitted.
[26] Hallmann L, Mehl A, Sereno N, Hämmerle CH: The improvement of adhesive properties of PEEK through pre-treatments. Appl Surface Sci 258, 7213–7218 (2012).
[27] Benetti PA, Della Bona A, Kelly JR: Evaluation of thermal compatibility between core and veneer dental ceramics using shear bond strength test and contact angle measurement. Dent Mater 26, 743–750 (2010).
[28] Aboushelib MN, de Jager N, Kleverlaan CJ, Feilzer AJ: Microtensile bond strength of different components of core veneered all-ceramic restorations. Dent Mater 21, 984–991 (2005).
[29] Schroder K, Meyer-Plath A, Keller D, Ohl A: On the applicability of plasma assisted chemical micropatterning to different polymeric biomaterials. Plasmas and Polymers 7, 103–125 (2002).
[30] Briem D, Strametz S, Schroder K, Meenen NM, Lehmann W, Linhart W, Ohl A, Rueger JM: Response of primary fibroblasts and osteoblasts to plasma treated polyetheretherketone (PEEK) surfaces. J Mater Sci Mater Med 16, 671–677 (2005).
[31] Yavirach P, Chaijareenont P, Boonyawan D, Pattamapun K, Tunma S, Takahashi H, Arksornnukit M. Effects of plasma treatment on the shear bond strength between fiber-reinforced composite posts and resin composite for core buildup. Dent Mater J 28, 686–692 (2009).
[32] Grace JM, Gerenser LJ: Plasma treatment of polymers. J Dispersion Sci Technol 24, 305–341 (2003).
[33] Comyn J, Mascia L, Xiao G, Parker BM: Plasma-treatment of polyetheretherketone (PEEK) for adhesive bonding. Int J Adhes 16, 97–104 (1996).
[34] Zeiler T: Oberflächenmodifizierung von thermoplastischen Polymerwerkstoffen in Hinblick auf die Verbesserung ihrer Verklebbarkeit. Thesis Erlangen 1997.
[35] Kern M, Lehmann F: Influence of surface conditioning on bonding to polyetheretherketon (PEEK). Dent Mater 28, 1280–1283 (2012).
[36] Wood DJ, Johnson A, Van Noort R, Sereno N: Bonding of polyetheretherketone (PEEK) for indirect restorations. IADR Abstract 2949, San Diego 2011.
[37] Attia A, Kern M: Effect of cleaning methods after reduced-pressure air-abrasion on bonding to zirconia ceramics. J Adhes Dent 13 (6), 561–567 (2011).

[38] Klosa K, Wolfart S, Lehmann F, Wenz HJ, Kern M: The effect of storage conditions, contamination modes and cleaning procedures on the resin bond strength to lithium disilicate ceramic. J Adhes dent 11 (2), 127–135 (2009).
[39] Azimian F, Klosa K, Kern M: Evaluation of a new universal primer for ceramic and alloys. J Adhes Dent 14 (3), 275–282 (2012).