

Die digitale Abformung mit dem Intraoralscanner: mehr als nur eine Abformung – Teil

1: Analyse der Chancen und Grenzen

- [1] Mormann WH: The evolution of the CEREC system. *J Am Dent Assoc* 137 (Suppl), 7–13 (2006).
- [2] Mormann WH, Brandestini M: Cerec-System: computerized inlays, onlays and shell veneers. *Zahnarztl Mitt* 77 (21), 2400–2405 (1987).
- [3] Ender A, Attin T, Mehl A; In vivo precision of conventional and digital methods of obtaining complete-arch dental impressions, *J Prosthet Dent*; 2016; 115(3): 313–320.
- [4] Ender A et al.: In vivo precision of conventional and digital methods for obtaining quadrant dental impressions. *Clin Oral Investig* 115 (3): 313–320 (2015).
- [5] Ender A, Mehl A: Influence of scanning strategies on the accuracy of digital intraoral scanning systems. *Int J Comput Dent* 16 (1), 11–21 (2013).
- [6] Ender A, Mehl A: In-vitro evaluation of the accuracy of conventional and digital methods of obtaining full-arch dental impressions. *Quintessence Int* 46 (1): 9–17. (2014).
- [7] Ender A, Mehl A: Full arch scans: conventional versus digital impressions – an in-vitro study. *Int J Comput Dent* 14 (1), 11–21 (2011).
- [8] Seelbach P, Brueckel C, Wostmann B: Accuracy of digital and conventional impression techniques and workflow. *Clin Oral Investig* 17 (7), 1759–1764 (2013).
- [9] Patzelt SB et al.: Accuracy of full-arch scans using intraoral scanners. *Clin Oral Investig* 18 (6), 1687–1694 (2014).
- [10] Zaruba M, Ender A, Mehl A: New applications for three-dimensional follow-up and quality control using optical impression systems and OraCheck. *Int J Comput Dent* 17 (1), 53–64 (2014).